



Trim and Cord: Unique Embellishments

The detail and finish of a built piece is what gives it character and provides additional support. With Trivantage®, you'll find secure fabric applications with the right webbing, binding, rope or cordage to complete your project. For endless design possibilities, Trivantage hand-picks the finest trim, cord, and braid with products like Fringe, Hidem Gimp and Welt.

Embellishments	306
Awning Braid	307
Tassels	310
Marine Binding	311
Thread and Bobbins	323
Webbing	336
Rope and Cordage	347



Sunbrella® Brush Fringe

This stylish brush fringe is made from genuine Sunbrella yarns. The colors and blends are specifically selected to complement our Fusion Collection as well as other Sunbrella upholstery collections.

3-yard minimum for cut yardage.

Suggested uses: marine and patio throw pillows, decorative umbrella trimming.

Item #	Style #	Color	Put Up	Width
504507	08337-2	Barley	25 yd.	2 in.
504510	08347-2	Dune	25 yd.	2 in.
504516	08359-2	Dusk	25 yd.	2 in.
504511	08348-2	Flame	25 yd.	2 in.
504503	07300-5462	Hot Pink	25 yd.	2 in.
504513	08351-2	Indigo	25 yd.	2 in.
504517	08362-2	Meadow	25 yd.	2 in.
504501	07300-4608	Onyx	25 yd.	2 in.
504514	08352-2	Opal	25 yd.	2 in.
504508	08345-2	Putty	25 yd.	2 in.
504506	08293-2	Rain Forest	25 yd.	2 in.
504500	07300-4604	Salt	25 yd.	2 in.
504509	08346-2	Smoke	25 yd.	2 in.

Sunbrella® is a registered trademark of Glen Raven, Inc.



Sunbrella® Twist Cord-Edge

This twisted cord edge is made with durable Sunbrella yarns. It includes a color-matched sewing tab. Colors and blends are selected to pair with the Sunbrella Fusion Collection and other Sunbrella upholstery collections.

3-yard minimum for cut yardage.

Suggested uses: welting on marine and patio cushions, decorative umbrella trimming.

Item #	Style #	Color	Put Up	Width
504706	07313-4633	Almond	25 yd.	3/8 in.
504720	07313-5416	Aruba	25 yd.	3/8 in.
504703	07313-4621	Chocolate	25 yd.	3/8 in.
504715	07313-4676	Cocoa	25 yd.	3/8 in.
504721	07313-5418	Deep Sea	25 yd.	3/8 in.
504705	07313-4630	Dove	25 yd.	3/8 in.
504732	08347-CE	Dune	25 yd.	3/8 in.
504733	08348-CE	Flame	25 yd.	3/8 in.
504708	07313-4644	Graphite	25 yd.	3/8 in.
504728	07532-CE	Nautical	25 yd.	3/8 in.
504704	07313-4626	Navy	25 yd.	3/8 in.
504702	07313-4608	Onyx	25 yd.	3/8 in.
504710	07313-4649	Plum	25 yd.	3/8 in.
504730	08345	Putty	25 yd.	3/8 in.
504701	07313-4604	Salt	25 yd.	3/8 in.
504731	08346	Smoke	25 yd.	3/8 in.
504712	07313-4673	Spa	25 yd.	3/8 in.
504709	07313-4648	Stone	25 yd.	3/8 in.
504726	07313-5488	Teak	25 yd.	3/8 in.
504727	07313-5498	Vellum	25 yd.	3/8 in.
504713	07313-4674	Wheat	25 yd.	3/8 in.
504711	07313-4672	Wren	25 yd.	3/8 in.

Sunbrella® is a registered trademark of Glen Raven, Inc.



503022



Sunbrella® Braid – 13/16 in. – No. 4015 European Style

A Sunbrella Acrylic braid with exceptional color retention. "European Style" braid is a basket weave pattern where as standard braid is a straight weave pattern.

Item #	Style #	Color	Put Up	Width
503032	4015	Aquamarine	100 yd.	13/16 in.
503020	4015	Beige	100 yd.	13/16 in.
503037	4015	Black	100 yd.	13/16 in.
503046	4015	Blended Brown	100 yd.	13/16 in.
503009	4015	Blended Gold	100 yd.	13/16 in.
503090	4015	Brass	100 yd.	13/16 in.
503025	4015	Burgundy	100 yd.	13/16 in.
503036	4015	Buttercup	100 yd.	13/16 in.
503040	4015	Captain Navy	100 yd.	13/16 in.
503097	4015	Charcoal Grey	100 yd.	13/16 in.
503096	4015	Concord	100 yd.	13/16 in.
503027	4015	Forest Green	100 yd.	13/16 in.
503023	4015	Green	100 yd.	13/16 in.
503021	4015	Grey	100 yd.	13/16 in.
503045	4015	Ivory	100 yd.	13/16 in.
503030	4015	Jockey Red	100 yd.	13/16 in.
503041	4015	Linen	100 yd.	13/16 in.
503039	4015	Logo Red	100 yd.	13/16 in.
503094	4015	Mediterranean Blue	100 yd.	13/16 in.
503016	4015	Natural	100 yd.	13/16 in.
503029	4015	Navy Blue	100 yd.	13/16 in.
503022	4015	Pacific Blue	100 yd.	13/16 in.
503024	4015	Persian Green	100 yd.	13/16 in.
503034	4015	Plum	100 yd.	13/16 in.
503033	4015	Sapphire	100 yd.	13/16 in.
503035	4015	Sky Blue	100 yd.	13/16 in.
503092	4015	Taupe	100 yd.	13/16 in.
503028	4015	Terracotta	100 yd.	13/16 in.
503091	4015	Toast	100 yd.	13/16 in.
503019	4015	True Brown	100 yd.	13/16 in.
503093	4015	Turquoise	100 yd.	13/16 in.
503042	4015	Yellow	100 yd.	13/16 in.

Sunbrella® is a registered trademark of Glen Raven, Inc.

Bullion Fringe – Blended Polyester

Item #	Style #	Color	Material	Put Up	Width
503713	1038	Medium White	Blended Polyester	36 yd.	2-1/2 in.
503720	1035	Medium White	Blended Polyester	36 yd.	4 in.



502944

Sunbrella® Braid – 13/16 in. – No. 681

A 13/16 inch 100% Sunbrella® Acrylic braid and is manufactured using four ends of Sunbrella yarn in one strand. This braid has exceptional color retention.

Item #	Style #	Color	Color #	Put Up	Width
502976	681	Aruba	ABA5416	100 yd.	13/16 in.
502955	681	Aspen	ABA68	100 yd.	13/16 in.
503052	681	Beige	ABA20	100 yd.	13/16 in.
503044	681	Black	ABA08	100 yd.	13/16 in.
502941	681	Black Cherry	ABA40	100 yd.	13/16 in.
502946	681	Brass	ABA58	100 yd.	13/16 in.
503060	681	Burgundy	ABA31	100 yd.	13/16 in.
503074	681	Buttercup	ABA35	100 yd.	13/16 in.
503059	681	Cadet Grey	ABA30	100 yd.	13/16 in.
502958	681	Capri	ABA75	100 yd.	13/16 in.
503079	681	Captain Navy	ABA46	100 yd.	13/16 in.
502942	681	Charcoal	ABA44	100 yd.	13/16 in.
502970	681	Charcoal Tweed	ABA07	100 yd.	13/16 in.
502959	681	Cocoa	ABA76	100 yd.	13/16 in.
503048	681	Erin Green	ABA00	100 yd.	13/16 in.
503085	681	Fern	ABA71	100 yd.	13/16 in.
503075	681	Forest Green	ABA37	100 yd.	13/16 in.
502980	681	Ginkgo	ABA4685	100 yd.	13/16 in.
503089	681	Granite	ABA82	100 yd.	13/16 in.
503086	681	Heather Beige	ABA72	100 yd.	13/16 in.
502966	681	Hemlock Tweed	ABA05	100 yd.	13/16 in.
503084	681	Ivory	ABA9506	100 yd.	13/16 in.
502982	681	Ivy	ABA4632	100 yd.	13/16 in.
503051	681	Jockey Red	ABA03	100 yd.	13/16 in.
503073	681	Linen	ABA33	100 yd.	13/16 in.
503083	681	Logo Red	ABA66	100 yd.	13/16 in.
502954	681	Mahogany	ABA67	100 yd.	13/16 in.
502961	681	Marine Blue	ABA78	100 yd.	13/16 in.
502952	681	Mauve	ABA39	100 yd.	13/16 in.
503081	681	Mediterranean Blue	ABA52	100 yd.	13/16 in.
502963	681	Mediterranean Blue Tweed	ABA53	100 yd.	13/16 in.
503043	681	Natural	ABA04	100 yd.	13/16 in.
503057	681	Navy Blue	ABA26	100 yd.	13/16 in.
502962	681	Ocean Blue	ABA79	100 yd.	13/16 in.
503087	681	Orange	ABA09	100 yd.	13/16 in.
502972	681	Oyster	ABA42	100 yd.	13/16 in.
503049	681	Pacific Blue	ABA01	100 yd.	13/16 in.
503088	681	Parchment	ABA83	100 yd.	13/16 in.
503078	681	Persian Green	ABA43	100 yd.	13/16 in.
502964	681	Royal Blue	ABA17	100 yd.	13/16 in.
502974	681	Rust	ABA4689	100 yd.	13/16 in.
503077	681	Sapphire	ABA41	100 yd.	13/16 in.
502943	681	Sea Grass	ABA45	100 yd.	13/16 in.
502947	681	Sea Spray	ABA11	100 yd.	13/16 in.

Item #	Style #	Color	Color #	Put Up	Width
502971	681	Silver	ABA51	100 yd.	13/16 in.
503056	681	Sky Blue	ABA24	100 yd.	13/16 in.
502981	681	Slate	ABA4684	100 yd.	13/16 in.
502956	681	Spa	ABA73	100 yd.	13/16 in.
503050	681	Sunflower Yellow	ABA02	100 yd.	13/16 in.
502949	681	Tan	ABA14	100 yd.	13/16 in.
502944	681	Taupe	ABA48	100 yd.	13/16 in.
503054	681	Terracotta	ABA22	100 yd.	13/16 in.
502951	681	Toast	ABA28	100 yd.	13/16 in.
503053	681	True Brown	ABA21	100 yd.	13/16 in.
502960	681	Tuscan	ABA77	100 yd.	13/16 in.
502950	681	Walnut Brown Tweed	ABA18	100 yd.	13/16 in.
502957	681	Wheat	ABA74	100 yd.	13/16 in.

Sunbrella® is a registered trademark of Glen Raven, Inc.



503129

Sunbrella® Braid – 5/8 in. – No. 6118

5/8 inch wide braid made from 100% Sunbrella® Acrylic.

Item #	Style #	Color	Put Up	Width
503131	6118	Aquamarine	144 yd.	5/8 in.
503223	6118	Beige	144 yd.	5/8 in.
503221	6118	Black	144 yd.	5/8 in.
503225	6118	Blended Brown	144 yd.	5/8 in.
503129	6118	Blue	144 yd.	5/8 in.
503132	6118	Brown	144 yd.	5/8 in.
503228	6118	Burgundy	144 yd.	5/8 in.
503154	6118	Buttercup	144 yd.	5/8 in.
503158	6118	Captain Navy	144 yd.	5/8 in.
503159	6118	Charcoal Grey	144 yd.	5/8 in.
503138	6118	Forest Green	144 yd.	5/8 in.
503134	6118	Grey	144 yd.	5/8 in.
503150	6118	Ivory	144 yd.	5/8 in.
503141	6118	Jockey Red	144 yd.	5/8 in.
503130	6118	Linen	144 yd.	5/8 in.
503156	6118	Logo Red	144 yd.	5/8 in.
503128	6118	Mediterranean Blue	144 yd.	5/8 in.
503153	6118	Natural	144 yd.	5/8 in.
503142	6118	Navy	144 yd.	5/8 in.
503157	6118	Taupe	144 yd.	5/8 in.
503147	6118	Terracotta	144 yd.	5/8 in.
503148	6118	Toast	144 yd.	5/8 in.
503136	6118	Yellow	144 yd.	5/8 in.

Sunbrella® is a registered trademark of Glen Raven, Inc.



503306

Braid – Polyester

Ideal for use with all awning fabrics. Also used to bind boat tops. Resists deteriorating effects of sunlight and weather. Excellent sewability. Recommend sewing with polyester thread.

Item #	Style #	Color	Put Up	Width
503306	61-20	Black	144 yd.	5/8 in.
503311	61-20	Blue	144 yd.	5/8 in.
503302	5314	White	288 yd.	5/8 in.



503469

Tassels – Synthetic Wood

Item #	Put Up	Size
503469	10	4 in.



502008

Tape – No. 281 Nylon

A quality nylon tape for binding nylons and most other fabrics. Makes a neat, attractive finish.

Item #	Style #	Color	Put Up	Width
502025	281/N0088	Black	100 yd.	1 in.
502017	281/5038	Black	100 yd.	1 in.
502008	281/30119	Black	100 yd.	3/4 in.
502024	281/N0088	Black	100 yd.	3/4 in.
502009	281/N0088	Navy	100 yd.	3/4 in.
502019	281/N0088	White	100 yd.	1 in.
502007	281/N0088	White	100 yd.	3/4 in.



503912

Sunbrella® Marine Binding – Centerfold

100% Sunbrella Acrylic. Natural fold in center. Will not fade or weaken from normal exposure conditions, including sunlight, mildew, rot and atmospheric chemicals. Binding will not “neckdown” under tension. Blind side behaves same as front.

Item #	Style #	Color	Color #	Put Up	Width
503920	70-1968	Beige	20	200 yd.	7/8 in.
503915	70-1968	Black	08	200 yd.	7/8 in.
503916	70-1968	Burgundy	31	200 yd.	7/8 in.
503912	70-1968	Cadet Grey	30	200 yd.	7/8 in.
504447	70-1968	Captain Navy	46	200 yd.	7/8 in.
503919	70-1968	Forest Green	37	200 yd.	7/8 in.
504439	70-1968	Linen	33	200 yd.	7/8 in.
504344	70-1968	Mediterranean Blue	52	200 yd.	7/8 in.
503914	70-1968	Natural	04	200 yd.	7/8 in.
503913	70-1968	Navy	26	200 yd.	7/8 in.
504446	70-1968	Oyster	42	200 yd.	7/8 in.
503911	70-1968	Pacific Blue	01	200 yd.	7/8 in.
504440	70-1968	Red	03	200 yd.	7/8 in.
504449	70-1968	Taupe	48	200 yd.	7/8 in.

Sunbrella® is a registered trademark of Glen Raven, Inc.



504460

Sunbrella® Marine Binding – Centerfold – Type 1810

A Sunbrella® acrylic braid that will not fade or weaken from normal exposure conditions, including sunlight, mildew and rot.

Item #	Style #	Color	Color #	Put Up	Width
504460	1810	Black	08	200 yd.	7/8 in.

Sunbrella® is a registered trademark of Glen Raven, Inc.



503925

Sunbrella® Marine Binding – Double-Fold Bias Cut

Sunbrella Acrylic marine binding in matching colors. Provides excellent color retention and weatherability. A double folded edge gives a finished and attractive look. Double folded and glued back 1/4 inch on each side. Bias cut binding assures pucker-free seams around curves and radius.

Item #	Style #	Color	Put Up	Width
503928	4608	Black	100 yd.	3/4 in.
503929	4631	Burgundy	100 yd.	3/4 in.
503950	4630	Cadet Grey	100 yd.	3/4 in.
503946	4646	Captain Navy	100 yd.	3/4 in.
503969	4676	Cocoa	100 yd.	3/4 in.
503934	4606	Dubonnet Tweed	100 yd.	3/4 in.
503964	4671	Fern	100 yd.	3/4 in.
503945	4637	Forest Green	100 yd.	3/4 in.
503965	4672	Heather Beige	100 yd.	3/4 in.
503925	4603	Jockey Red	100 yd.	3/4 in.
503958	4633	Linen	100 yd.	3/4 in.
503954	4654	Linen Tweed	100 yd.	3/4 in.
503970	4678	Marine Blue	100 yd.	3/4 in.
503941	4653	Mediterranean Blue Tweed	100 yd.	3/4 in.
503924	4604	Natural	100 yd.	3/4 in.
503922	4626	Navy	100 yd.	3/4 in.
503971	4679	Ocean Blue	100 yd.	3/4 in.
503942	4642	Oyster	100 yd.	3/4 in.
503921	4601	Pacific Blue	100 yd.	3/4 in.
503923	4617	Royal Blue Tweed	100 yd.	3/4 in.
503933	4641	Sapphire Blue	100 yd.	3/4 in.
503975	4859	Silica Dune	100 yd.	3/4 in.
503962	4651	Silver	100 yd.	3/4 in.
503966	4673	Spa	100 yd.	3/4 in.
503959	4648	Taupe	100 yd.	3/4 in.
503952	4628	Toast	100 yd.	3/4 in.
503956	2389	Toast Tweed	100 yd.	3/4 in.
503963	4658	Tresco Brass	100 yd.	3/4 in.
503927	4621	True Brown	100 yd.	3/4 in.
503967	4674	Wheat	100 yd.	3/4 in.
504239	4620	Beige	100 yd.	1 in.
504208	4608	Black	100 yd.	1 in.
504231	4631	Burgundy	100 yd.	1 in.
504230	4630	Cadet Grey	100 yd.	1 in.
504211	4646	Captain Navy	100 yd.	1 in.

Item #	Style #	Color	Put Up	Width
504235	4644	Charcoal Grey	100 yd.	1 in.
504236	4607	Charcoal Tweed	100 yd.	1 in.
504317	4676	Cocoa	100 yd.	1 in.
504229	4606	Dubonnet Tweed	100 yd.	1 in.
504237	4637	Forest Green	100 yd.	1 in.
504272	4672	Heather Beige	100 yd.	1 in.
504207	4605	Hemlock Tweed	100 yd.	1 in.
504203	4603	Jockey Red	100 yd.	1 in.
504233	4633	Linen	100 yd.	1 in.
504254	4654	Linen Tweed	100 yd.	1 in.
504218	4666	Logo Red	100 yd.	1 in.
504318	4678	Marine Blue	100 yd.	1 in.
504213	4652	Mediterranean Blue	100 yd.	1 in.
504314	4653	Mediterranean Blue Tweed	100 yd.	1 in.
504204	4604	Natural	100 yd.	1 in.
504226	4626	Navy	100 yd.	1 in.
504200	4679	Ocean Blue	100 yd.	1 in.
504209	4642	Oyster	100 yd.	1 in.
504201	4601	Pacific Blue	100 yd.	1 in.
504243	4643	Persian Green	100 yd.	1 in.
504217	4617	Royal Blue Tweed	100 yd.	1 in.
504205	4641	Sapphie Blue	100 yd.	1 in.
504232	4651	Silver	100 yd.	1 in.
504216	4602	Sunflower Yellow	100 yd.	1 in.
504227	4648	Taupe	100 yd.	1 in.
504225	4628	Toast	100 yd.	1 in.
504319	2389	Toast Tweed	100 yd.	1 in.
504258	4658	Tresco Brass	100 yd.	1 in.
504234	4621	True Brown	100 yd.	1 in.
504316	4674	Wheat	100 yd.	1 in.
504330	4608	Black	100 yd.	1-1/4 in.
504334	4630	Cadet Grey	100 yd.	1-1/4 in.
504351	4646	Captain Navy	100 yd.	1-1/4 in.
504328	4637	Forest Green	100 yd.	1-1/4 in.
504348	4633	Linen	100 yd.	1-1/4 in.
504327	4654	Linen Tweed	100 yd.	1-1/4 in.
504331	4604	Natural	100 yd.	1-1/4 in.
504326	4626	Navy	100 yd.	1-1/4 in.
504349	4642	Oyster	100 yd.	1-1/4 in.
504325	4689	Toast Tweed	100 yd.	1-1/4 in.

Sunbrella® is a registered trademark of Glen Raven, Inc.



504021

Sunbrella® Marine Binding – Double-Fold Straight Cut

Sunbrella Acrylic marine binding in matching colors. Provides excellent color retention and weatherability. A double folded edge gives a finished and attractive look. Double folded and glued back 1/4 inch on each side.

Item #	Style #	Color	Put Up	Width
504043	4623	Aquamarine	100 yd.	3/4 in.
504158	4612	Aruba	100 yd.	3/4 in.
504162	4669	Azure	100 yd.	3/4 in.
504020	4620	Beige	100 yd.	3/4 in.
504028	4608	Black	100 yd.	3/4 in.
504119	4608	Black	200 yd.	3/4 in.
504159	4640	Black Cherry	100 yd.	3/4 in.
504051	4631	Burgundy	100 yd.	3/4 in.
504015	4635	Buttercup	100 yd.	3/4 in.
504050	4630	Cadet Grey	100 yd.	3/4 in.
504047	4646	Captain Navy	100 yd.	3/4 in.
504049	4644	Charcoal	100 yd.	3/4 in.
504027	4607	Charcoal Tweed	100 yd.	3/4 in.
504167	4662	Crest Ash	100 yd.	3/4 in.
504166	4660	Crest Birch	100 yd.	3/4 in.
504026	4606	Dubonnet Tweed	100 yd.	3/4 in.
504165	4659	Ember	100 yd.	3/4 in.
504057	4637	Forest Green	100 yd.	3/4 in.
504071	4672	Heather Beige	100 yd.	3/4 in.
504080	4632	Ivy	100 yd.	3/4 in.
504023	4603	Jockey Red	100 yd.	3/4 in.
504033	4633	Linen	100 yd.	3/4 in.
504054	4654	Linen Tweed	100 yd.	3/4 in.
504035	4666	Logo Red	100 yd.	3/4 in.
504040	4667	Mahogany	100 yd.	3/4 in.
504078	4678	Marine Blue	100 yd.	3/4 in.
504052	4652	Mediterranean Blue	100 yd.	3/4 in.
504053	4653	Mediterranean Blue Tweed	100 yd.	3/4 in.
504016	4616	Mocha Tweed	100 yd.	3/4 in.
504024	4604	Natural	100 yd.	3/4 in.
504046	4626	Navy	100 yd.	3/4 in.
504079	4679	Ocean Blue	100 yd.	3/4 in.
504036	4642	Oyster	100 yd.	3/4 in.
504021	4601	Pacific Blue	100 yd.	3/4 in.
503996	4683	Parchment	100 yd.	3/4 in.
504029	4643	Persian Green	100 yd.	3/4 in.
504037	4617	Royal Blue Tweed	100 yd.	3/4 in.
504034	2079	Royal Navy	100 yd.	3/4 in.
504168	4664	Sea	100 yd.	3/4 in.
504163	4897	Silica Charcoal	100 yd.	3/4 in.
503993	4859	Silica Dune	100 yd.	3/4 in.
504164	4833	Silica Gravel	100 yd.	3/4 in.
504170	4896	Silica Sage	100 yd.	3/4 in.
504031	4651	Silver	100 yd.	3/4 in.
504055	4624	Sky Blue	100 yd.	3/4 in.

Item #	Style #	Color	Put Up	Width
504169	4636	Storm	100 yd.	3/4 in.
504060	4602	Sunflower Yellow	100 yd.	3/4 in.
504014	4614	Tan	100 yd.	3/4 in.
504042	4648	Taupe	100 yd.	3/4 in.
504157	4622	Terracotta	100 yd.	3/4 in.
504048	4628	Toast	100 yd.	3/4 in.
504059	2389	Toast Tweed	100 yd.	3/4 in.
504041	4621	True Brown	100 yd.	3/4 in.
504030	4610	Turquoise	100 yd.	3/4 in.
504161	4634	White	100 yd.	3/4 in.
504088	4608	Black	300 yd.	7/8 in.
502036	4623	Aquamarine	100 yd.	1 in.
502034	4608	Black	100 yd.	1 in.
502040	4631	Burgundy	100 yd.	1 in.
502044	4646	Captain Navy	100 yd.	1 in.
502045	4652	Mediterranean Blue	100 yd.	1 in.
502046	4653	Mediterranean Blue Tweed	100 yd.	1 in.

Sunbrella® is a registered trademark of Glen Raven, Inc.



502767

Aqualon® Edge Binding

Double-folded, straight cut. Colors match Aqualon Edge marine top and cover fabric.

Item #	Style #	Color	Put Up	Width
502757	17	Alpine White	100 yd.	3/4 in.
502753	07	Apple Red	100 yd.	3/4 in.
502762	44	Atlantic Blue	100 yd.	3/4 in.
502764	68	Basic Beige	100 yd.	3/4 in.
502750	00	Black Onyx	100 yd.	3/4 in.
502755	09	Cabernet	100 yd.	3/4 in.
502758	18	Charcoal Grey	100 yd.	3/4 in.
502767	13	Cherry Red	100 yd.	3/4 in.
502754	08	Coastal Ivory	100 yd.	3/4 in.
502765	69	Indigo Blue	100 yd.	3/4 in.
502751	03	Ivy Green	100 yd.	3/4 in.
502759	21	Mountain Taupe	100 yd.	3/4 in.
502760	28	Nautical Navy	100 yd.	3/4 in.
502770	25	Oxford Tan	100 yd.	3/4 in.
502766	71	Slate Grey	100 yd.	3/4 in.
502763	49	Toast	100 yd.	3/4 in.
502756	12	True Blue	100 yd.	3/4 in.
502752	04	True Teal	100 yd.	3/4 in.

Aqualon® is a registered trademark of Glen Raven, Inc.



502245

Regatta® Binding

This vinyl laminated, polyester bias cut binding is made from waterproof and mildew-resistant Regatta Marine Fabric.

Item #	Style #	Description	Color	Put Up	Width
502245	45	Double-Fold	Black	50 yd.	3/4 in.
502239	39	Double-Fold	Ivory	50 yd.	3/4 in.
502230	17	Double-Fold	White	50 yd.	3/4 in.
502265	45	Double-Fold	Black	50 yd.	1 in.
502259	39	Double-Fold	Ivory	50 yd.	1 in.
502247	17	Double-Fold	White	50 yd.	1 in.
502267	17	Single-Fold	White	50 yd.	1-1/4 in.

Regatta® is a registered trademark of Herculite Products Inc.



502868

Serge Ferrari Stamoid® Binding

This binding is made from lightweight and durable Stamoid marine fabric. Coordinate with colors in the marine fabric collection for easy design. Bias cut ensures maximum flexibility.

Item #	Style #	Color	Put Up	Width
502871	2ET	Black	100 yd.	3/4 in.
502875	2ET	Charcoal	100 yd.	3/4 in.
502861	2ET	Cream	100 yd.	3/4 in.
502874	2ET	Desert	100 yd.	3/4 in.
502862	2ET	Ivory	100 yd.	3/4 in.
502872	2ET	Navy	100 yd.	3/4 in.
502864	2ET	Pearl Gray	100 yd.	3/4 in.
502868	2ET	Royal Blue	100 yd.	3/4 in.
502863	2ET	Sand	100 yd.	3/4 in.
502865	2ET	Silver	100 yd.	3/4 in.
502873	2ET	Snow White	100 yd.	3/4 in.
502860	2ET	White	100 yd.	3/4 in.
502893	2ET	Black	100 yd.	1 in.
502895	2ET	Cream	100 yd.	1 in.
502892	2ET	Ivory	100 yd.	1 in.
502891	2ET	Snow White	100 yd.	1 in.
502890	2ET	White	100 yd.	1 in.
502921	1ET	Black	100 yd.	1-1/4 in.
502910	1ET	White	100 yd.	1-1/4 in.

Stamoid® is a registered trademark of The Serge Ferrari Group.



515593

Binding – Vinyl – Imperial

An embossed coated vinyl on a drill backing. Bias cut. The vinyl and drill contain mildew inhibitors for added life.

Item #	Style #	Color	Put Up	Width
515595	949	Black	100 yd.	3/4 in.
515597	950	Oyster	100 yd.	3/4 in.
515596	948	White	100 yd.	3/4 in.
504825	552	Black	100 yd.	1-1/4 in.
515590	949	Black	100 yd.	1-1/4 in.
515593	553	Blue	100 yd.	1-1/4 in.
515581	576	Burgundy	100 yd.	1-1/4 in.
515592	950	Oyster	100 yd.	1-1/4 in.
504822	568	Slate Gray	100 yd.	1-1/4 in.
504492	551	White	100 yd.	1-1/4 in.
515591	948	White	100 yd.	1-1/4 in.
515606	560 RE	Beige	135 yd.	1-1/4 in.



515580

Binding – Vinyl – 300 Series

An extremely durable, seamed bias binding. Embossed vinyl on strong, high quality 14 to 15 ounce backing. Bias cut. Resists dirt, ultraviolet rays, and fraying.

Item #	Style #	Color	Put Up	Width
515580	308	Black	100 yd.	3/4 in.
515577	312	Light Gray	100 yd.	3/4 in.
515583	310	Oyster	100 yd.	3/4 in.
515582	309	White	100 yd.	3/4 in.
515601	309	White	100 yd.	1 in.
515584	308	Black	100 yd.	1-1/4 in.
515576	312	Light Gray	100 yd.	1-1/4 in.
515586	309	White	100 yd.	1-1/4 in.
515587	310	Oyster	100 yd.	1-1/4 in.



503982

Sur Last® Binding

Sur Last double-fold bias cut binding is made from lightweight, yet strong and flexible Sur Last 100%, solution-dyed polyester fabric. Binding provides a finished and attractive appearance.

Item #	Color	Put Up	Width
503982	Black	100 yd.	3/4 in.
503984	Light Grey	100 yd.	3/4 in.

Sur Last® is a registered trademark of Glen Raven, Inc.



502414

Sunbrella® Facing

Cut from genuine Sunbrella. Wider than traditional folded binding. Can be used as a zipper facing or cover and hem application.

Item #	Style #	Color	Put Up	Width
502308	4608	Black	60 yd.	1-1/2 in.
502346	4646	Captain Navy	60 yd.	1-1/2 in.
502290	4633	Linen	60 yd.	1-1/2 in.
502326	4626	Navy	60 yd.	1-1/2 in.
502289	4628	Toast	60 yd.	1-1/2 in.
502408	4608	Black	60 yd.	2 in.
502431	4631	Burgundy	60 yd.	2 in.
502430	4630	Cadet Grey	60 yd.	2 in.
502446	4646	Captain Navy	60 yd.	2 in.
502437	4637	Forest Green	60 yd.	2 in.
502414	4633	Linen	60 yd.	2 in.
502416	4654	Linen Tweed	60 yd.	2 in.
502415	4652	Mediterranean Blue	60 yd.	2 in.
502404	4604	Natural	60 yd.	2 in.
502426	4626	Navy	60 yd.	2 in.
502401	4601	Pacific Blue	60 yd.	2 in.
502413	4628	Toast	60 yd.	2 in.
502449	4608	Black	60 yd.	2-1/2 in.

Sunbrella® is registered trademark of Glen Raven, Inc.



502210

Regatta® Facing

Vinyl facing made from Regatta marine vinyl fabric.

Item #	Style #	Color	Put Up	Width
502202	17	White	50 yd.	1-1/2 in.
502211	39	Ivory	50 yd.	2 in.
502210	17	White	50 yd.	2 in.

Regatta® is a registered trademark of Herculite Products Inc.



502847

Serge Ferrari Stamoid® Facing

Vinyl facing made from Stamoid marine vinyl fabric.

Item #	Color	Put Up	Width
502847	Snow White	50 yd.	1-1/2 in.
502848	White	50 yd.	1-1/2 in.
502856	Black	50 yd.	2 in.
502855	Cream	50 yd.	2 in.
502851	Snow White	50 yd.	2 in.
502854	White	50 yd.	2 in.

Stamoid® is a registered trademark of The Serge Ferrari Group.



515530

Welting – Welt Cord

Foam welt cord is used in all upholstery applications. Simply sew vinyl, leather, or fabric around the welt cord leaving a flange to be sewn into the seams of the upholstery. Excellent for use in automotive, furniture, and marine applications.

Made of polyethylene foam, this quality and durable welt cord is used for cushion and seating upholstery. Popular in the fine furniture industry and durable enough for use in the marine and automotive industries.

Item #	Style #	Description	Color	Put Up	Width
515497		Braided Paper	White	1250 yds.	5/32 in.
515538	B5321250-4	Braided Paper	White	500 yd.	8/32 in.
515526	4321000	Foam	White	1000 yd.	4/32 in.
515530	5321000-6	Foam	White	1000 yd.	5/32 in.

Welt

Use this hollow welt cord to add attractive piping to marine seating and other upholstery projects. Made from heavy-grade but flexible plastic, the welting is built to last. Easily sew fabric around the cord and glue into the seams of the furniture for an elegant finish.

Item #	Style #	Description	Put Up	Size
578100	PEH432500-6	Hollow PE	1500 ft.	4/32 in.



516430

Sunbrella® Horizon® Hidem Gimp

Made from Sunbrella Horizon coated ESL, this durable hidem gimp withstands demanding marine conditions. Resists water, mildew, pinking, abrasion, cold crack, and salt residue. Use to conceal staples or tacks in boat upholstery and other marine fabric trim purposes. Simply place the hidem gimp over the staple-lined fabric edge and staple in the middle to hide the fasteners. Pair with matching Sunbrella Horizon marine fabric for a finished look.

Item #	Style #	Color	Put Up	Width
516440	10200-0021	Aquamarine	25 yd.	5/8 in.
516441	10200-0022	Aruba	25 yd.	5/8 in.
516439	10200-0020	Azure	25 yd.	5/8 in.
516433	10200-0014	Black	25 yd.	5/8 in.
516434	10200-0015	Burgundy	25 yd.	5/8 in.
516425	10200-0006	Cadet Grey	25 yd.	5/8 in.
516431	10200-0012	Charcoal	25 yd.	5/8 in.
516421	10200-0002	Cloud	25 yd.	5/8 in.
516442	10200-0023	Doubloon	25 yd.	5/8 in.
516428	10200-0009	Dune	25 yd.	5/8 in.
516424	10200-0005	Flax	25 yd.	5/8 in.
516430	10200-0011	Grey	25 yd.	5/8 in.
516427	10200-0008	Heather Beige	25 yd.	5/8 in.
516422	10200-0003	Ivory	25 yd.	5/8 in.
516435	10200-0016	Logo Red	25 yd.	5/8 in.
516437	10200-0018	Mediterranean	25 yd.	5/8 in.
516432	10200-0013	Mink	25 yd.	5/8 in.
516436	10200-0017	Navy	25 yd.	5/8 in.
516443	10200-0018	Pacific Blue	25 yd.	5/8 in.
516438	10200-0019	Sky	25 yd.	5/8 in.

Item #	Style #	Color	Put Up	Width
516429	10200-0010	Taupe	25 yd.	5/8 in.
516426	10200-0007	Toast	25 yd.	5/8 in.
516423	10200-0004	Vellum	25 yd.	5/8 in.
516420	10200-0001	White	25 yd.	5/8 in.

Sunbrella® and Horizon® are registered trademarks of Glen Raven, Inc.

Causeway™ Hidem Gimp

Durable hidem gimp made from Causeway PVC-coated polyester. Stands up to demanding marine settings. Resists water, mildew, and fading. Use to cover tacks or staples in boat upholstery and other marine fabric trim purposes. To install, simply position the hidem gimp over the staple-lined fabric edge and staple in the middle to hide the fasteners. Coordinate with matching colors in Causeway marine fabric.



515922

Item #	Color	Put Up	Width
515920	Adobe	25 yd.	5/8 in.
515924	Beige	25 yd.	5/8 in.
515932	Black	25 yd.	5/8 in.
515925	Bright White	25 yd.	5/8 in.
515927	Chocolate	25 yd.	5/8 in.
515928	Cognac	25 yd.	5/8 in.
515923	Dark Blue	25 yd.	5/8 in.
515929	Dark Grey	25 yd.	5/8 in.
515933	Dark Pearl	25 yd.	5/8 in.
515931	Honey	25 yd.	5/8 in.
515930	Ivory	25 yd.	5/8 in.
515921	Pearl	25 yd.	5/8 in.
515926	Pearl White	25 yd.	5/8 in.
515922	Red	25 yd.	5/8 in.
515934	Soft Rose	25 yd.	5/8 in.
515935	Turquoise	25 yd.	5/8 in.

Causeway™ is a trademark of Glen Raven, Inc.

Nassimi Seaquest Hidem Gimp

Hidem gimp is used to hide staples in upholstery and headliner applications. Colors correspond with the Nassimi Seaquest Vinyl Upholstery collection.



515845

Item #	Color	Put Up	Width
516832	Anchor	25 yd.	5/8 in.
516834	Chalk	25 yd.	5/8 in.
516836	Dune	25 yd.	5/8 in.
516837	Ebony	25 yd.	5/8 in.
516840	Hampton	25 yd.	5/8 in.
516844	Lotion	25 yd.	5/8 in.
516845	Marble	25 yd.	5/8 in.
516847	Mist	25 yd.	5/8 in.
516850	Oyster	25 yd.	5/8 in.
516855	Sea White	25 yd.	5/8 in.

Item #	Color	Put Up	Width
516856	Smoke	25 yd.	5/8 in.
516859	Too White	25 yd.	5/8 in.
516860	White Ice	25 yd.	5/8 in.



515830

Nautolex® Capitano™ Hidem Gimp

Made from durable vinyl, this Nautolex Capitano hidem gimp outlasts extreme marine settings. The center-split welt resists dirt, UV rays, mildew, and fraying. Use the versatile binding to conceal staples in boat upholstery, headliners, and other marine fabric trim applications.

Item #	Style #	Color	Put Up	Width
515825	449192	Beach White	25 yd.	3/4 in.
515822	448000	Cloud White	25 yd.	3/4 in.
515820	448001	Conch Shell	25 yd.	3/4 in.
515828	448007	Cyberspace	25 yd.	3/4 in.
515830	448008	Sandshell	25 yd.	3/4 in.

Nautolex® is a registered trademark of OMNOVA Solutions, Inc. Capitano™ is a trademark of OMNOVA Solutions, Inc.



515617

Hidem Gimp

A very durable split hidem gimp. Resists dirt, ultraviolet rays, mildew and fraying. Used to hide staples in upholstery and headliner applications.

Item #	Style #	Color	Put Up	Width
515617	308	Black	50 yd.	5/8 in.
515733	771	Mystic White	50 yd.	5/8 in.
515734	773	Off White	50 yd.	5/8 in.
515600		White	50 yd.	5/8 in.



516477

Sunbrella® Horizon® Welt

Made from Sunbrella Horizon coated ESL, this durable welt is great for demanding marine environments. Fights water, mildew, salt, cold crack, abrasion, and pinking. Use to visually enhance seams on boat seating. Coordinate with matching colors in Sunbrella Horizon marine upholstery fabric.

Item #	Style #	Color	Cord Size	Put Up	Width
516480	10200-0021	Aquamarine	5/32 in.	38 yd.	5/8 in.
516481	10200-0022	Aruba	5/32 in.	38 yd.	5/8 in.
516479	10200-0020	Azure	5/32 in.	38 yd.	5/8 in.
516473	10200-0014	Black	5/32 in.	38 yd.	5/8 in.
516474	10200-0015	Burgundy	5/32 in.	38 yd.	5/8 in.
516465	10200-0006	Cadet Grey	5/32 in.	38 yd.	5/8 in.
516471	10200-0012	Charcoal	5/32 in.	38 yd.	5/8 in.
516461	10200-0002	Cloud	5/32 in.	38 yd.	5/8 in.
516482	10200-0023	Doubloon	5/32 in.	38 yd.	5/8 in.
516468	10200-0009	Dune	5/32 in.	38 yd.	5/8 in.
516464	10200-0005	Flax	5/32 in.	38 yd.	5/8 in.
516470	10200-0011	Grey	5/32 in.	38 yd.	5/8 in.
516467	10200-0008	Heather Beige	5/32 in.	38 yd.	5/8 in.
516462	10200-0003	Ivory	5/32 in.	38 yd.	5/8 in.

Item #	Style #	Color	Cord Size	Put Up	Width
516475	10200-0016	Logo Red	5/32 in.	38 yd.	5/8 in.
516477	10200-0018	Mediterranean	5/32 in.	38 yd.	5/8 in.
516472	10200-0013	Mink	5/32 in.	38 yd.	5/8 in.
516476	10200-0017	Navy	5/32 in.	38 yd.	5/8 in.
516483	10200-0018	Pacific Blue	5/32 in.	38 yd.	5/8 in.
516478	10200-0019	Sky	5/32 in.	38 yd.	5/8 in.
516469	10200-0010	Taupe	5/32 in.	38 yd.	5/8 in.
516466	10200-0007	Toast	5/32 in.	38 yd.	5/8 in.
516463	10200-0004	Vellum	5/32 in.	38 yd.	5/8 in.
516460	10200-0001	White	5/32 in.	38 yd.	5/8 in.

Sunbrella® and Horizon® are registered trademarks of Glen Raven, Inc.

Causeway™ Welt

Durable welt made from Causeway PVC-coated polyester. Withstands severe marine conditions. Prevents damage from water and mildew. Use to visually enhance seams on boat seats. Coordinate with matching colors in Causeway marine upholstery fabric.



515972

Item #	Color	Cord Size	Put Up	Width
515960	Adobe	5/32 in.	47 yd.	5/8 in.
515964	Beige	5/32 in.	47 yd.	5/8 in.
515972	Black	5/32 in.	47 yd.	5/8 in.
515965	Bright White	5/32 in.	47 yd.	5/8 in.
515967	Chocolate	5/32 in.	47 yd.	5/8 in.
515968	Cognac	5/32 in.	47 yd.	5/8 in.
515963	Dark Blue	5/32 in.	47 yd.	5/8 in.
515969	Dark Grey	5/32 in.	47 yd.	5/8 in.
515973	Dark Pearl	5/32 in.	47 yd.	5/8 in.
515971	Honey	5/32 in.	47 yd.	5/8 in.
515970	Ivory	5/32 in.	47 yd.	5/8 in.
515961	Pearl	5/32 in.	47 yd.	5/8 in.
515966	Pearl White	5/32 in.	47 yd.	5/8 in.
515962	Red	5/32 in.	47 yd.	5/8 in.
515974	Soft Rose	5/32 in.	47 yd.	5/8 in.
515975	Turquoise	5/32 in.	47 yd.	5/8 in.

Causeway™ is a trademark of Glen Raven, Inc.

Nassimi Seaquest Welt

Welt is used to visually enhance a seam on seating. Colors correspond with the Nassimi Seaquest Vinyl Upholstery collection.



515879

Item #	Color	Put Up	Width
516864	Chalk	50 yd.	5/8 in.
516867	Ebony	50 yd.	5/8 in.
516876	Midnight	50 yd.	5/8 in.
516877	Mist	50 yd.	5/8 in.
516879	Navy	50 yd.	5/8 in.
516885	Sea White	50 yd.	5/8 in.
516889	Too White	50 yd.	5/8 in.



578094

Welt – Rubber Spray

Made from EPDM, a dense non-marking rubber, this spray welt stays soft and easy to mold to a windshield or any other surface. With no foam to disintegrate, it lasts much longer than other weltings. It is also stronger, less likely to rip out, making it trouble free.

Item #	Style #	Color	Put Up	Size
578055	3707-EP	Black	300 ft.	3/8 in. x 3/4 in.
578094	3707-EP	Black	100 ft.	3/8 in. x 3/4 in.



578056



Xtreme Seal®

Xtreme Seal edge seal is a high-tech extrusion, engineered and manufactured with an advanced EPDM material. It's a closed-cell flexible material that can be glued or sewn to most materials and surfaces. The flexibility and unique design creates a three-point contact seal on most surfaces. Xtreme Seal is an ideal choice for an edge seal on all types of custom covers, such as convertible tops, side curtains, camper enclosures, windshield tops and sides, front-drop windshields, and deck seals. Sold in full rolls only.

Item #	Style #	Color	Put Up	Width
578056	POD6	Black	50 ft.	1.85 in.
578057	POD7	White	50 ft.	1.85 in.

Xtreme Seal® is a registered trademark of Xtreme Seal LLC.



578051

Xtreme Seal® Ultra Seal

Xtreme Seal Ultra Seal is designed for a great edge seal. It works well with DOT® Common Sense® fasteners and gives a flatter finished profile. Sold in full rolls only.

Item #	Style #	Color	Put Up	Width
578051	POD9	Black	100 ft.	1.8 in.

Xtreme Seal® is a registered trademark of Xtreme Seal LLC. DOT® and Common Sense® are registered trademarks of Scovill, Inc.



578053

Xtreme Seal® V-Seal

Xtreme V-Seal works well with all cutouts and tight corners, bow covers and radar arch cutouts. Sold in full rolls only.

Item #	Style #	Color	Put Up	Width
578053	POD11	Black	100 ft.	0.691 in.

Xtreme Seal® is a registered trademark of Xtreme Seal LLC.



578054

Xtreme Seal® Awning Seal

Awning installations are a breeze with Xtreme Seal Awning Seal. Designed for the awning industry as a gasket material between the frame and the mounting surface, Xtreme Seal Awning Seal conforms to the contour of the mounting surface, eliminating the need for silicone and providing a clean finished product. Made of EPDM synthetic rubber, Xtreme Seal Awning Seal also features an adhesive back, saving time and making mounting easy. Sold in full rolls only.

Item #	Style #	Color	Put Up
578054	POD-AW	Black	250 ft.

Xtreme Seal® is a registered trademark of Xtreme Seal LLC.



542001

Thread – Aqua-Seal™

Aqua-Seal polyester thread and bobbins when used as a system provides a strong deterrent to seam leakage. Aqua-Seal thread is colorfast, UV resistant, and non-wicking. When Aqua-Seal thread is used with its pre-wound bobbin, it fills the needle holes as the fabric is stitched.

Item #	Color	Material	Put Up	Size
542001	Black	Polyester	1 lbs. tubes, 3600 yd.	92+ / T110
542002	Natural Tan	Polyester	1/2 lbs. tubes, 1800 yd.	92+ / T110
542000	White	Polyester	1 lbs. tubes, 3600 yd.	92+ / T110
542031	Black	Polyester	1 lbs. tubes, 2650 yd.	138 / T135
542030	White	Polyester	1 lbs. tubes, 2650 yds	138 / T135

Aqua-Seal™ is a trademark of Fil-Tec, Inc.



542330

Thread – Coats Dabond® Nano

This thread provides all the strength characteristics as regular Dabond plus has an anti-wick finish that minimizes seam leakage.

Item #	Description	Average Breaking Strength	Color	Color #	Material	Put Up	Size
542330		14.5 lbs.	Black	4608	Polyester	8 oz. tube	V92
542334		14.5 lbs.	Cadet Gray	4630	Polyester	8 oz. tube	V92
542336		14.5 lbs.	Linen	4633	Polyester	8 oz. tube	V92
542346		14.5 lbs.	Natural	4604	Polyester	8 oz. tube	V92
542350		14.5 lbs.	Pacific Blue	4601	Polyester	8 oz. tube	V92
542530		14.5 lbs.	Black	4608	Polyester	16 oz. tube	V-92
542532	Anti-Wick	14.5 lbs.	White		Polyester	16 oz. tube	V-92
542543		14.5 lbs.	White		Polyester	16 oz. tube	V-92
542557		18.17 lbs.	White		Polyester	16 oz. tube	V-138
542558		18.17 lbs.	Black	4608	Polyester	16 oz. tube	V-138

Dabond® is a registered trademark of J. & P. Coats, Limited.



551952

Thread – Coats Dual Duty®

Dual Duty is “core”-type thread made by spinning a high-grade cotton warp around a continuous multi-filament polyester core. Low shrinkage as compared to cotton, high single end strength, stronger seams than with cotton of equivalent size, and excellent resistance to abrasion. When wet, cotton swells to fill needle holes in fabric, which reduces seam leakage.

Item #	Color	Material	Put Up	Size
551952	Natural	Polyester	1-1/2 lb. cones, 5,000 yd./cone, 18/box	150

Dual Duty® is a registered trademark of J. & P. Coats, Limited.



551906

Thread – Coats Polymatic® AW (Anti-Wick) Bonded Monocord Dacron®

Polymatic AW (Anti-Wick) inhibits the capillary action that causes seam leakage. Where seam leakage would detract from the utility of the end product, specify this thread.

Item #	Approx. Yards Per Pound	Average Breaking Strength	Color	Material	Put Up	Size
551905	3500	18 lbs.	White	Dacron	1 lb. tubes, 40/box	125
551906	3500	18 lbs.	Black	Dacron	1 lb. tubes, 40/box	125

Polymatic® is a registered trademark of J. & P. Coats, Limited. Dacron® is a registered trademark of INVISTA™.



551913

Thread – Coats Polymatic® Bonded Monocord Dacron®

A bonded monocord Dacron thread treated for maximum resistance to UV degradation. This thread has increased lubrication to protect the thread during the sewing process. Stronger than twisted threads, therefore a smaller thread size can be used. Less prone to ravel and knot during sewing. Its oval profile reduces exposure of thread to surface abrasion. Can be used on both sides of double needle machine.

Item #	Style #	Approx. Yards Per Pound	Average Breaking Strength	Color	Material	Put Up	Size
551936	40440-SBLACKD	3783	15.5 lbs.	Black	Dacron	1 lb. tubes, 40/box	FF
551935	40440-WHITE	3783	15.5 lbs.	White	Dacron	1 lb. tubes, 40/box	FF
551943	40560-S2562P	3572	18 lbs.	Ashes	Dacron	1 lb. tubes, 40/box	125
551913	40560-S1941P	3572	18 lbs.	Beige	Dacron	1 lb. tubes, 40/box	125
551926	40560-SBLACKD	3572	18 lbs.	Black	Dacron	1 lb. tubes, 40/box	125
551928	40560-S7143P	3572	18 lbs.	Blue	Dacron	1 lb. tubes, 40/box	125
551929	40560-S1522P	3572	18 lbs.	Brown	Dacron	1 lb. tubes, 40/box	125
551922	40560-S0042P	3572	18 lbs.	Grey	Dacron	1 lb. tubes, 40/box	125
551921	40560-S0538P	3572	18 lbs.	Red	Dacron	1 lb. tubes, 40/box	125
551924	40560-S4234P	3572	18 lbs.	Shoe Green	Dacron	1 lb. tubes, 40/box	125
551930	40560-S5044P	3572	18 lbs.	Turf Green	Dacron	1 lb. tubes, 40/box	125
551925	40560-WHITE	3572	18 lbs.	White	Dacron	1 lb. tubes, 40/box	125
551917	40660-SBLACKD	2800	22 lbs.	Black	Dacron	1 lb. tubes, 40/box	160
551919	40660-WHITE	2800	22 lbs.	White	Dacron	1 lb. tubes, 40/box	160

Polymatic® is a registered trademark of J. & P. Coats, Limited. Dacron® is a registered trademark of INVISTA™.



541800

Thread – Coats Ultra Dee® Polyester

A corded thread made from a high strength, resilient and continuous filament polyester. Heat set to minimize shrinkage or stretch. The bonded finish adds strength and reduces fraying at needle eye. All are left twist threads.

Item #	Style #	Description	Approx. Yards Per Tube	Average Breaking Strength	Color	Put Up	Size
542415	11750-BLACKD	Gral Anti-Static Finish	5549	10.5 lbs.	Black	1 lb. tubes	DB69 (#24)
541826	18100-35123	Bonded	1147	14.2 lbs.	Ashes	4 oz. tubes	DB92 (#16)
541326	11880-3187	Bonded	4141	14.2 lbs.	Beaver	1 lb. tubes	DB92 (#16)
541805	18100-3187	Bonded	1147	14.2 lbs.	Beaver	4 oz. tubes	DB92 (#16)
541323	15660-BLACKD	Bonded	4141	14.2 lbs.	Black	1 lb. tubes	DB92 (#16)
541816	15660-BLACKD	Bonded	1147	14.2 lbs.	Black	4 oz. tubes	DB92 (#16)
541817	18100-33624	Bonded	1147	14.2 lbs.	Blue	4 oz. tubes	DB92 (#16)
541823	18100-11286	Bonded	1147	14.2 lbs.	Chocolate Brown	4 oz. tubes, 10/box	DB92 (#16)
541808	18100-4815	Bonded	1147	14.2 lbs.	Gold	4 oz. tubes	DB92 (#16)
541809	18100-4815	Bonded	1147	14.2 lbs.	Hunter Green	4 oz. tubes, 10/box	DB92 (#16)
541803	18100-2328	Bonded	1147	14.2 lbs.	Malaga	4 oz. tubes, 10/box	DB92 (#16)
541821	18100-33784	Bonded	1147	14.2 lbs.	Medium Titanium	4 oz. tubes	DB92 (#16)
541813	18100-6085	Bonded	1147	14.2 lbs.	Navy	4 oz. tubes, 10/box	DB92 (#16)
541815	18100-12923	Bonded	1147	14.2 lbs.	Peasant Beige	4 oz. tubes, 10/box	DB92 (#16)

Item #	Style #	Description	Approx. Yards Per Tube	Average Breaking Strength	Color	Put Up	Size
541800	18100-107	Bonded	1147	14.2 lbs.	Red	4 oz. tubes	DB92 (#16)
541842	18100-3543	Bonded	1147	14.2 lbs.	Spruce	4 oz. tubes, 10/box	DB92 (#16)
541818	18100-4285	Bonded	1147	14.2 lbs.	Terra Cotta	4 oz. tubes, 10/box	DB92 (#16)
541838	18100-WHITE	Bonded	1147	14.2 lbs.	White	4 oz. tubes	DB92 (#16)
541321	15660-WHITE	Bonded	4141	14.2 lbs.	White	1 lb. tubes	DB92 (#16)
541322	15630-BLACKD	Bonded	2913	21.4 lbs.	Black	1 lb. tubes	DB138 (#12)
541319	15630-2722	Bonded	3100	21.4 lbs.	Olive Drab	1 lb. tubes	DB138 (#12)
541356	11940-33624	Bonded	1035	14 lbs.	Rhonda Blue	1 lb. tubes, 50/box	DB138 (#12)
541357	11940-8065	Bonded	1035	14 lbs.	Steel Grey	1 lb. tubes, 50/box	DB138 (#12)
541214	15640-WHITE	Gral Anti-Static Finish	3100	21.4 lbs.	White	1 lb. tubes	DB138 (#12)
541320	15630-WHITE	Bonded	2913	21.4 lbs.	White	1 lb. tubes	DB138 (#12)
542102	12050-WHITE	Bonded	1876	31.4 lbs.	White	1 lb. tubes	DB207 (#4)

Ultra Dee® is a registered trademark of J. & P. Coats, Limited.

Thread – A&E Poly Nu Bond™ Twisted Non-Wick Polyester

Poly Nu Bond has superior strength, stretch and recovery properties and excellent resistance to chemicals, bacteria, mildew, wear and abrasion. This thread is made of quality, high tenacity, heat resistant, continuous filament yarn. Special waxes, silicones and oils are applied to lubricate the thread, reducing needle heat and increasing sewability. This also aids in the application of constant machine tension and good loop formation.



540300

Item #	Description	Approx. Yards Per Pound	Average Breaking Strength	Color	Color #	Put Up	Size
540704		5700	10 lbs.	Black	4608	1 lb. tubes	69
540705		5700	10 lbs.	Cadet Gray	4630	1 lb. tubes	69
540706		5700	10 lbs.	Navy Blue	4626	1 lb. tubes	69
542454		5700	10 lbs.	Toast	4628	1 lb. tubes	69
542455		5700	10 lbs.	White		1 lb. tubes	69
540501		4200	13.8 lbs.	Black	4608	1 lb. tubes	92
540521		4200	13.8 lbs.	Burgundy	4631	1 lb. tubes	92
540528		4200	13.8 lbs.	Cadet Gray	4630	1 lb. tubes	92
540546		4200	13.8 lbs.	Forest Green	4637	1 lb. tubes	92
540603		4200	13.8 lbs.	Jockey Red	4603	1 lb. tubes	92
540620		4200	13.8 lbs.	Navy	4646	1 lb. tubes	92
540630		4200	13.8 lbs.	New Linen	4633	1 lb. tubes	92
540631		4200	13.8 lbs.	Olive Drab		1 lb. tubes	92
540633		4200	13.8 lbs.	Pacific Blue	4601	1 lb. tubes	92
540637		4200	13.8 lbs.	Steel Gray		1 lb. tubes	92
540639		4200	13.8 lbs.	Toast	1628	1 lb. tubes	92
542450		4200	13.8 lbs.	True Brown	4621	1 lb. tubes	92
542451		4200	13.8 lbs.	White		1 lb. tubes	92
540305	Right Twist	2700	23 lbs.	Black	4608	1 lb. tubes	138
542453		2700	23 lbs.	Black	4608	1 lb. tubes	138

Item #	Description	Approx. Yards Per Pound	Average Breaking Strength	Color	Color #	Put Up	Size
540431		2700	23 lbs.	Burgundy	4631	1 lb. tubes	138
540430		2700	23 lbs.	Cadet Gray	4630	1 lb. tubes	138
540334		2700	23.8 lbs.	Desert Tan		1 lb. tubes	138
540437		2700	23 lbs.	Forest Green	4637	1 lb. tubes	138
540403		2700	23 lbs.	Jockey Red	4603	1 lb. tubes	138
540346		2700	23 lbs.	Navy	4646	1 lb. tubes	138
540433		2700	23 lbs.	New Linen	4633	1 lb. tubes	138
540439		2700	23 lbs.	Olive Drab		1 lb. tubes	138
540301		2700	23 lbs.	Pacific Blue	4601	1 lb. tubes	138
540328		2700	23 lbs.	Toast	4628	1 lb. tubes	138
540321		2700	23 lbs.	True Brown	4621	1 lb. tubes	138
540304	Right Twist	2700	23 lbs.	White		1 lb. tubes	138
542452		2700	23 lbs.	White		1 lb. tubes	138

Poly Nu Bond™ is a trademark of American & Efird Enterprises, Inc.



543034

Thread – PremoBond Bonded Polyester

In the performance fabrics industry, even the thread needs to outlast coarse conditions. With anti-wicking and mildew-resistant properties, PremoBond thread is perfect for high-moisture settings. Its exclusive UV dye and bonding process ensure maximum fade prevention and bleed resistance. A pioneer in the sewing thread market, its custom lubricant provides clean running for first-rate sewability. The continuous filament, bonded polyester makes it 30% stronger than leading brands.

PremoBond thread works great in outdoor and marine fabric applications, awnings and shade, filtration, tarps, slings, geotextiles, and other industrial purposes. Made in the USA.

Item #	Style #	Description	Approx. Yards Per Tube	Average Breaking Strength	Color	Put Up	Size
543003	BPT 69		6200	13.3 lbs.	Beaver	16 oz. spool	Tex 70
543004	BPT 69		6200	20 lbs.	Black	16 oz. spool	Tex 70
543005	BPT 69		3000	13.3 lbs.	Sand	8 oz. spool	Tex 70
543007	BPT 69		6000	20 lbs.	White	16 oz. spool	Tex 70
543010	BPT 92		4050	13.3 lbs.	Black	16 oz. spool	Tex 90
543011	BPT 92		2125	13.3 lbs.	Brown	8 oz. spool	Tex 90
543012	BPT 92		2125	13.3 lbs.	Burgundy	8 oz. spool	Tex 90
543013	BPT 92		2125	13.3 lbs.	Forest Green	8 oz. spool	Tex 90
543014	BPT 92		2125	13.3 lbs.	Marine Blue	8 oz. spool	Tex 90
543015	BPT 92		2125	13.3 lbs.	Navy	8 oz. spool	Tex 90
543016	BPT 92		2125	13.3 lbs.	Olive Drab	8 oz. spool	Tex 90
543017	BPT 92		2125	13.3 lbs.	Red	8 oz. spool	Tex 90
543018	BPT 92		2125	13.3 lbs.	Sand	8 oz. spool	Tex 90
543019	BPT 92		2125	13.3 lbs.	Steel Grey	8 oz. spool	Tex 90
543020	BPT 92		4350	13.3 lbs.	White	16 oz. spool	Tex 90
543028	BPT 138	Right Twist	2850	20 lbs.	Black	16 oz. spool	Tex 135
543031	BPT 138		2650	20 lbs.	Black	16 oz. spool	Tex 135
543039	BPT 138		1388	20 lbs.	Brown	8 oz. spool	Tex 135
543041	BPT 138		1388	20 lbs.	Burgundy	8 oz. spool	Tex 135
543036	BPT 138		1388	20 lbs.	Forest Green	8 oz. spool	Tex 135
543034	BPT 138		1388	20 lbs.	Marine Blue	8 oz. spool	Tex 135
543033	BPT 138		1388	20 lbs.	Navy	8 oz. spool	Tex 135
543037	BPT 138		1388	20 lbs.	Olive Drab	8 oz. spool	Tex 135

Item #	Style #	Description	Approx. Yards Per Tube	Average Breaking Strength	Color	Put Up	Size
543040	BPT 138		1388	20 lbs.	Red	8 oz. spool	Tex 135
543038	BPT 138		1388	20 lbs.	Sand	8 oz. spool	Tex 135
543035	BPT 138		1388	20 lbs.	Steel Grey	8 oz. spool	Tex 135
543030	BPT 138		2850	20 lbs.	White	16 oz. spool	Tex 135
543032	BPT 138	Right Twist	2850	20 lbs.	White	16 oz. spool	Tex 135

Thread – Premofast™

A colorfast and fade resistant poly bonded monocord thread.

Every possible care is exercised to furnish colors of proper fastness for the particular work involved, however, inasmuch as conditions of use (i.e. contrast stitching, volatile environments, etc), washing, cleaning, pressing, etc., vary considerably in thread usage, the buyer should ensure by prior experimentation that the dye fastness of the thread is suitable for the purpose. Almost no thread is 100% colorfast under all circumstances. Vinyls contain plasticizers which can promote color bleeding. As the cost of the thread is so disproportionate to the value of the goods onto which it is sewn, in the unlikely event of a claim, we are not responsible for consequential damages.

Item #	Approx. Yards Per Pound	Average Breaking Strength	Color	Material	Put Up	Size
542946	3600	16 lbs.	Black	Polyester	1 lb. spool	WS92+
542980	3600	18 lbs.	Forest Green	Polyester	1/2 lb. spool	WS92+
542957	3600	16 lbs.	Marine Blue	Polyester	1/2 lb. spool	WS92+
542955	3600	16 lbs.	Natural Tan	Polyester	1/2 lb. spool	WS92+
542962	3600	16 lbs.	Steel Gray	Polyester	1 lb. spool	WS92+
542945	3600	18 lbs.	White	Polyester	1 lb. spool	WS92+
542900	2800	24 lbs.	White	Polyester	1 lb. spool	WS138

Premofast™ is a trademark of Fil-Tec, Inc.

Thread – A&E Special

A durable, bonded nylon thread from A&E. Great for general-purpose use. Not recommended for outdoor use.

Item #	Description	Approx. Yards Per Tube	Color	Material	Put Up	Size
542753	Bonded	5923	Black	Nylon	16 oz. tubes, 40/case	69
542750	Bonded	5923	White	Nylon	16 oz. tubes, 40/case	69

Thread – A&E SunStop®

Designed for the outdoor market, SunStop thread is made of 100% continuous filament polyester with enhanced UV and fade protection and a non-wicking finish. Use SunStop for outdoor applications requiring UV protection, such as tents, awnings, and canvas and marine applications.

Item #	Style #	Approx. Yards Per Tube	Color	Put Up	Size
540207	66503	2100	Beige	8 oz. spool	T90
540216	66501	2100	Black	8 oz. spool	T90
540231	66501	4200	Black	16 oz. spool	T90
540212	66504	2100	Burgundy	8 oz. spool	T90
540204	66511	2100	Cadet Grey	8 oz. spool	T90
540214	66518	2100	Captain Navy	8 oz. spool	T90
540209	66506	2100	Forest Green	8 oz. spool	T90
540211	66507	2100	Jockey Red	8 oz. spool	T90

Item #	Style #	Approx. Yards Per Tube	Color	Put Up	Size
540205	66517	2100	Linen	8 oz. spool	T90
550539	66517	4200	Linen	16 oz. spool	T90
540210	66519	2100	Logo Red	8 oz. spool	T90
550541	66519	4200	Logo Red	16 oz. spool	T90
540202	66502	2100	Natural	8 oz. spool	T90
540215	66508	2100	Navy	8 oz. spool	T90
540213	66513	2100	Pacific Blue	8 oz. spool	T90
550542	66513	4200	Pacific Blue	16 oz. spool	T90
540203	66509	2100	Silver	8 oz. spool	T90
540206	66512	2100	Toast	8 oz. spool	T90
540208	66510	2100	True Brown	8 oz. spool	T90
540201	66500	2100	White	8 oz. spool	T90
540230	66500	4200	White	16 oz. spool	T90
540266	66503	1350	Beige	8 oz. spool	T135
540275	66501	1350	Black	8 oz. spool	T135
540277	66501	2700	Black	16 oz. spool	T135
540271	66504	1350	Burgundy	8 oz. spool	T135
540263	66511	1350	Cadet Grey	8 oz. spool	T135
540273	66518	1350	Captain Navy	8 oz. spool	T135
540268	66506	1350	Forest Green	8 oz. spool	T135
540270	66507	1350	Jockey Red	8 oz. spool	T135
540264	66517	1350	Linen	8 oz. spool	T135
540269	66519	1350	Logo Red	8 oz. spool	T135
540261	66502	1350	Natural	8 oz. spool	T135
540274	66508	1350	Navy	8 oz. spool	T135
540272	66513	1350	Pacific Blue	8 oz. spool	T135
540262	66509	1350	Silver	8 oz. spool	T135
540265	66512	1350	Toast	8 oz. spool	T135
540267	66510	1350	True Brown	8 oz. spool	T135
540260	66500	1350	White	8 oz. spool	T135
540276	66500	2700	White	16 oz. spool	T135

SunStop® is a registered trademark of American & Efird Enterprises, Inc.



552201

Thread – Gore® Tenara® (Original Style)

Gore Tenara Sewing Thread has unique properties. This thread is unaffected by sunlight. UV radiation will not weaken or degrade it. Polyester threads, under daily sunlight exposure will lose as much as half their strength in as little as one year, and be down to 10% of their original strength in 3 years. Tenara maintains its strength and color indefinitely. Gore Tenara Sewing Thread will outlast the fabric that it is sewn into and is warrantied to that effect. It is unaffected by canvas cleaning solutions and will not stain, rot or mildew. Dirt just wipes off. Using Gore Tenara Sewing Thread means seams that will last.

Tenara Sewing Thread Original Style is the first generation of Tenara outdoor sewing thread. The Original Style sewing thread is unlubricated, with an elongation (or stretch) of five to seven percent.

FOR INDUSTRIAL USE ONLY. Not for use in food, drug, cosmetic, or medical device manufacturing, processing, or packaging operations.

Item #	Style #	Approx. Yards Per Tube	Color	Material	Nominal Breaking Strength	Put Up	Size
552201	M1000-BK	3825	Black	ePTFE	12 lbs.	1 lb. spools	92
552221	M1000BK-5	1900	Black	ePTFE	12 lbs.	1/2 lb. spools	92
552200	M1000	3825	White	ePTFE	14 lbs.	1 lb. spools	92
552220	M1000-5	1900	White	ePTFE	14 lbs.	1/2 lb. spools	92

Item #	Style #	Approx. Yards Per Tube	Color	Material	Nominal Breaking Strength	Put Up	Size
552211	M1000-HBK	1775	Black	ePTFE	22 lbs.	1 lb. spools	138
552231	M1000HBK-5	950	Black	ePTFE	22 lbs.	1/2 lb. spools	138
552210	M1000H	1900	White	ePTFE	25 lbs.	1 lb. spools	138
552230	M1000H-5	950	White	ePTFE	25 lbs.	1/2 lb. spools	138

Gore® and Tenara® are registered trademarks of W. L. Gore and Associates.



552263

Thread – Gore® Tenara® (TR Style)

Gore Tenara Sewing Thread TR style builds on the features of the Original Style, but increases the choice of colors, as well as improving the sewability features. TR style comes in highly popular clear, providing a translucent thread that disappears into most fabrics, making color matching headaches go away. The patented TR style sewing thread has an elongation (or stretch) of approximately seventeen percent, making it more robust, which allows faster sewing. The TR style is lubricated with a silicone solution in all but the largest style.

FOR INDUSTRIAL USE ONLY. Not for use in food, drug, cosmetic, or medical device manufacturing, processing, or packaging operations.

Item #	Style #	Approx. Yards Per Tube	Color	Material	Nominal Breaking Strength	Put Up	Size
552290	M1000LTR-L-5	2300	Clear	ePTFE	7 lbs.	1/2 lb. spools	69
553150	M1000LTR-L-300	328	Clear	ePTFE	7 lbs.	0.7 lb. spools	69
553180	M1000LTR-L-5	4921	Clear	ePTFE	8 lbs.	1.1 lb. spools	69
552275	M1000TR-BK5	1900	Black	ePTFE	8 lbs.	1/2 lb. spools	92
553152	M1000TR-BK-300	328	Black	ePTFE	8 lbs.	0.11 lb. spools	92
553182	M1000TR-BK-5	3500	Black	ePTFE	8 lbs.	1.1 lb. spools	92
553155	M1000TR-GY-300	328	Charcoal Grey	ePTFE	8 lbs.	0.11 lb. spools	92
552264	M1000TR-CB5	1900	Chesapeake Bay Blue	ePTFE	8 lbs.	1/2 lb. spools	92
553153	M1000TR-CB-300	328	Chesapeake Bay Blue	ePTFE	8 lbs.	0.11 lb. spools	92
553090	M1000KTR-L5	1900	Clear	ePTFE	10 lbs.	1/2 lb. spools	92
553151	M1000KTR-L-300	328	Clear	ePTFE	10 lbs.	0.11 lb. spools	92
553181	M1000KTR-L-5	3500	Clear	ePTFE	8 lbs.	1.1 lb. spools	92
552265	M1000TR-FG5	1900	Forest Green	ePTFE	8 lbs.	1/2 lb. spools	92
553154	M1000TR-FG-300	328	Forest Green	ePTFE	8 lbs.	0.11 lb. spools	92
552261	M1000TR-LG5	1900	Light Grey	ePTFE	8 lbs.	1/2 lb. spools	92
553156	M1000TR-LG-300	328	Light Grey	ePTFE	8 lbs.	0.11 lb. spools	92
552283	M1000TR-NB-5	1900	Navy Blue	ePTFE	8 lbs.	1/2 lb. spools	92
553157	M1000TR-NB-300	328	Navy Blue	ePTFE	8 lbs.	0.11 lb. spools	92
552263	M1000TR-RD5	1900	Red	ePTFE	8 lbs.	1/2 lb. spools	92
553158	M1000TR-RD-300	328	Red	ePTFE	8 lbs.	0.11 lb. spools	92
552262	M1000TR-TN5	1900	Sandstone (Tan)	ePTFE	8 lbs.	1/2 lb. spools	92
553159	M1000TR-TN-300	328	Sandstone (Tan)	ePTFE	8 lbs.	0.11 lb. spools	92
552274	M1000TR-WH5	1900	White	ePTFE	8 lbs.	1/2 lb. spools	92
553160	M1000TR-WH-300	328	White	ePTFE	8 lbs.	0.11 lb. spools	92
553183	M1000TR-WH-5	3500	White	ePTFE	8 lbs.	1.1 lb. spools	92
553161	M1000TR-YW-300	328	Yellow	ePTFE	8 lbs.	0.11 lb. spools	92

Gore® and Tenara® are registered trademarks of W. L. Gore and Associates.

Thread – Gore® Tenara® (HTR Style)

Tenara HTR Heavy sewing thread is made of the same material as other Tenara threads, but features a unique 3-ply bonded construction that offers several advantages:

- An "improved circular cross-section" that provides a smoother and more uniform appearance.
- An increased twist level, which should reduce breaks.
- Excellent sewability.
- Softer construction.

In addition, because of the new construction the thread is smoother on the tube, which allows for up to 15% more seam length for the same tube price as the previous HTR-style thread. The strength of the thread remains the same. This item is a replacement for Gore Tenara TR Thread #M1000HTR.

FOR INDUSTRIAL USE ONLY. Not for use in food, drug, cosmetic, or medical device manufacturing, processing, or packaging operations.

Item #	Style #	Approx. Yards Per Tube	Color	Material	Nominal Breaking Strength	Put Up	Size
553094	M1003-HTR-BK-5	1150	Black	ePTFE	14 lbs.	1/2 lb. spools	138
553163	M1003HTR-BK-300	328	Black	ePTFE	14 lbs.	3 oz. spools	138
553186	M1003HTR-BK	1967	Black	ePTFE	14 lbs.	1.1 lb. spools	138
553099	M1003-HTR-GY-5	1150	Charcoal Grey	ePTFE	14 lbs.	1/2 lb. spools	138
553166	M1003HTR-GY-300	328	Charcoal Grey	ePTFE	14 lbs.	3 oz. spools	138
553097	M1003-HTR-CB-5	1150	Chesapeake Bay Blue	ePTFE	14 lbs.	1/2 lb. spools	138
553164	M1003HTR-CB-300	328	Chesapeake Bay Blue	ePTFE	14 lbs.	3 oz. spools	138
553092	M1003-HTR-L-5	1150	Clear	ePTFE	19 lbs.	1/2 lb. spools	138
553162	M1003HTR-L-300	328	Clear	ePTFE	19 lbs.	3 oz. spools	138
553184	M1003HTR-L	1967	Clear	ePTFE	14 lbs.	1.1 lb. spools	138
553096	M1003-HTR-FG-5	1150	Forest Green	ePTFE	14 lbs.	1/2 lb. spools	138
553165	M1003HTR-FG-300	328	Forest Green	ePTFE	14 lbs.	3 oz. spools	138
553095	M1003-HTR-LG-5	1150	Light Grey	ePTFE	14 lbs.	1/2 lb. spools	138
553167	M1003HTR-LG-300	328	Light Grey	ePTFE	14 lbs.	3 oz. spools	138
553101	M1003-HTR-NB-5	1150	Navy Blue	ePTFE	14 lbs.	1/2 lb. spools	138
553168	M1003HTR-NB-300	328	Navy Blue	ePTFE	14 lbs.	3 oz. spools	138
553089	M1003-HTR-RD-5	1150	Red	ePTFE	14 lbs.	1/2 lb. spools	138
553169	M1003HTR-RD-300	328	Red	ePTFE	14 lbs.	3 oz. spools	138
553098	M1003-HTR-TN-5	1150	Sandstone	ePTFE	14 lbs.	1/2 lb. spools	138
553170	M1003HTR-TN-300	328	Sandstone	ePTFE	14 lbs.	3 oz. spools	138
553093	M1003-HTR-WH-5	1150	White	ePTFE	14 lbs.	1/2 lb. spools	138
553171	M1003HTR-WH-300	328	White	ePTFE	14 lbs.	3 oz. spools	138
553185	M1003HTR-WH	1967	White	ePTFE	14 lbs.	1.1 lb. spools	138
553172	M1003HTR-YW-300	328	Yellow	ePTFE	14 lbs.	3 oz. spools	138

Gore® and Tenara® are registered trademarks of W. L. Gore and Associates.



543351

Thread – Aruvo® PTFE

Made from 100% PTFE, Aruvo thread lasts as long as the fabric. It is a 3-ply, bonded, twisted thread for superior sewability. Features: snap spool base which allows you to wrap the thread around the base and snap it shut so the thread won't come loose; twisted design for better hook pickup; lower elongation; high strength for fewer knots and breaks; great for outdoor conditions; resists UV rays, weather, chemicals, mildew, fading, and rot. Use in upholstery, marine canvas, awnings, and more. Comes with a limited lifetime warranty.

When threading the needle with Aruvo, cut the thread at a 45-degree angle to avoid fraying.

Warranty	Limited Lifetime
-----------------	------------------

Item #	Approx. Yards Per Tube	Average Breaking Strength	Color	Material	Put Up	Size
543301	3200	13.3 lbs.	Black	PTFE	16-oz. spool	1350d (Tex 90)
543311	1600	13.3 lbs.	Black	PTFE	8-oz. spool	1350d (Tex 90)
543321	600	13.3 lbs.	Black	PTFE	3-oz. spool	1350d (Tex 90)
543351	1600	13.3 lbs.	Black	PTFE	8-oz. spool	1350d (Tex 90)
543317	1600	13.3 lbs.	Blue	PTFE	8-oz. spool	1350d (Tex 90)
543302	3200	13.3 lbs.	Clear	PTFE	16-oz. spool	1350d (Tex 90)
543312	1600	13.3 lbs.	Clear	PTFE	8-oz. spool	1350d (Tex 90)
543322	600	13.3 lbs.	Clear	PTFE	3-oz. spool	1350d (Tex 90)
543352	1600	13.3 lbs.	Clear	PTFE	8-oz. spool	1350d (Tex 90)
543316	1600	13.3 lbs.	Green	PTFE	8-oz. spool	1350d (Tex 90)
543314	1600	13.3 lbs.	Orange	PTFE	8-oz. spool	1350d (Tex 90)
543313	1600	13.3 lbs.	Red	PTFE	8-oz. spool	1350d (Tex 90)
543318	1600	13.3 lbs.	Violet	PTFE	8-oz. spool	1350d (Tex 90)
543300	3200	13.3 lbs.	White	PTFE	16-oz. spool	1350d (Tex 90)
543310	1600	13.3 lbs.	White	PTFE	8-oz. spool	1350d (Tex 90)
543320	600	13.3 lbs.	White	PTFE	3-oz. spool	1350d (Tex 90)
543350	1600	13.3 lbs.	White	PTFE	8-oz. spool	1350d (Tex 90)
543315	1600	13.3 lbs.	Yellow	PTFE	8-oz. spool	1350d (Tex 90)
543324	400	13.3 lbs.	Black	PTFE	3-oz. spool	2000d (Tex 135)
543331	2200	13.3 lbs.	Black	PTFE	16-oz. spool	2000d (Tex 135)
543341	1100	13.3 lbs.	Black	PTFE	8-oz. spool	2000d (Tex 135)
543354	1100	13.3 lbs.	Black	PTFE	8-oz. spool	2000d (Tex 135)
543347	1100	13.3 lbs.	Blue	PTFE	8-oz. spool	2000d (Tex 135)
543325	400	13.3 lbs.	Clear	PTFE	3-oz. spool	2000d (Tex 135)
543332	2200	13.3 lbs.	Clear	PTFE	16-oz. spool	2000d (Tex 135)
543342	1100	13.3 lbs.	Clear	PTFE	8-oz. spool	2000d (Tex 135)
543355	1100	13.3 lbs.	Clear	PTFE	8-oz. spool	2000d (Tex 135)
543346	1100	13.3 lbs.	Green	PTFE	8-oz. spool	2000d (Tex 135)
543344	1100	13.3 lbs.	Orange	PTFE	8-oz. spool	2000d (Tex 135)
543343	1100	13.3 lbs.	Red	PTFE	8-oz. spool	2000d (Tex 135)
543348	1100	13.3 lbs.	Violet	PTFE	8-oz. spool	2000d (Tex 135)
543323	400	13.3 lbs.	White	PTFE	3-oz. spool	2000d (Tex 135)
543330	2200	13.3 lbs.	White	PTFE	16-oz. spool	2000d (Tex 135)
543340	1100	13.3 lbs.	White	PTFE	8-oz. spool	2000d (Tex 135)
543353	1100	13.3 lbs.	White	PTFE	8-oz. spool	2000d (Tex 135)
543345	1100	13.3 lbs.	Yellow	PTFE	8-oz. spool	2000d (Tex 135)

Aruvo® is a registered trademark of Fil-Tec, Inc.



543361

Bobbins – Aruvo® PTFE

These pre-wound bobbins are equipped with Aruvo 3-ply, bonded, twisted thread. Features: comes in individual bobbins rather than "dairy chained" (stuck together); clear bobbins allow you to see how much thread is left; the "M" style will fit a "U" case for added utility. Aruvo thread's excellent sewability is thanks to its lower elongation, twisted design for better hook pickup, and strength for fewer knots and breaks. Made from 100% PTFE, Aruvo lasts as long as the fabric. Great for outdoor applications. Defends against weather, UV rays, mildew, rot, fading, and chemicals. Backed by a limited lifetime warranty. Use in awnings, marine canvas, upholstery, and more.

Warranty	Limited Lifetime
----------	------------------

Item #	Average Breaking Strength	Color	Material	Put Up	Size
543361	13.3 lbs.	Black	PTFE	72/box	1350-M (Tex 90)
543362	13.3 lbs.	Clear	PTFE	72/box	1350-M (Tex 90)
543360	13.3 lbs.	White	PTFE	72/box	1350-M (Tex 90)
543381	13.3 lbs.	Black	PTFE	72/box	2000-M (Tex 135)
543382	13.3 lbs.	Clear	PTFE	72/box	2000-M (Tex 135)
543380	13.3 lbs.	White	PTFE	72/box	2000-M (Tex 135)

Aruvo® is a registered trademark of Fil-Tec, Inc.



542080

Bobbins – Aqua-Seal™

Aqua-Seal polyester thread and bobbins when used as a system provides a strong deterrent to seam leakage. Aqua-Seal thread is colorfast, UV resistant, and non-wicking. When Aqua-Seal thread is used with its pre-wound bobbin, it fills the needle holes as the fabric is stitched.

Item #	Style #	Color	Material	Put Up	Size
542081	M	Black	Polyester	72/box	92+ / T110
542060	G	White	Polyester	72/box	92+ / T110
542080	M	White	Polyester	72/box	92+ / T110

Aqua-Seal™ is a trademark of Fil-Tec, Inc.



551652

Bobbins – Coats Ultra Dee® Polyester

These bobbins are conveniently pre-wound with Coats Ultra Dee thread. Ultra Dee is a corded (twisted) thread made from a durable, continuous filament polyester. 20-33% stronger than standard lubricated sewing threads. Heat set to minimize stretch and shrinkage. Bonded finish prevents ply untwisting and minimizes fraying at the needle eye. This means improved seam quality and less mending and rethreading. Designed for demanding conditions. Uses include leather goods, outdoor goods, seat trims, footwear, luggage, furniture upholstery, and marine applications.

Item #	Style #	Approx. Yards Per Bobbin	Color	Put Up	Size
551813	F	29	Black	1 gross/box, 30/carton	69
551814	F	29	White	1 gross/box, 30/carton	69
551652	G	25	Beaver	1 gross/box, 30/carton	92
551660	G	25	Black	1 gross/box, 30/carton	92
551763	M	36	Black	1 gross/box, 30/carton	92
551664	G	25	White	1 gross/box, 30/carton	92
551764	M	36	White	1 gross/box, 30/carton	92
551263	G	17	Black	1 gross/box, 30/carton	138
551202	M	24	Black	1 gross/box, 30/carton	138
551201	U	33	Black	1 gross/box, 30/carton	138
551264	G	17	White	1 gross/box, 30/carton	138

Item #	Style #	Approx. Yards Per Bobbin	Color	Put Up	Size
551265	M	24	White	1 gross/box, 30/carton	138
551200	U	33	White	1 gross/box, 30/carton	138
542103	58	37	White	1 gross/box, 30/carton	207

Ultra Dee® is a registered trademark of J. & P. Coats, Limited.



551981

Bobbins – Coats Polymatic® Belbobs® Bonded Monocord Dacron®

Shell-less bobbins.

Item #	Style #	Approx. Yards Per Bobbin	Color	Put Up	Size
551986	G	27	Black	56/box	FF
552080	M	40	Black	56/box	FF
551985	G	27	White	56/box	FF
551999	M	40	White	56/box	FF
551963	G	22	Black	56/box	125
551967	M	31	Black	56/box	125
551975	G	22	White	56/box	125
551980	M	31	White	56/box	125
551981	U	42	White	42/box	125

Belbobs® and Polymatic® are registered trademarks of J. & P. Coats, Limited. Dacron® is a registered trademark of INVISTA™.



542580

Bobbins – Coats Dabond® Belbobs®

Coats Dabond is a bonded, twisted continuous filament polyester thread, combining superior sewing performance with excellent UV and abrasion protection. It is specifically designed to provide resistance against harsh weather making it an excellent thread for marine and other outdoor applications.

Item #	Style #	Approx. Yards Per Bobbin	Color	Put Up	Size
542580	S/M	24	Black	1 gross	138
542581	S/M	24	White	1 gross	138

Dabond® and Belbobs® are registered trademarks of J. & P. Coats, Limited.



543086

Bobbins – PremoBond Bonded Polyester

In the performance fabrics industry, even the thread needs to outlast coarse conditions. With anti-wicking and mildew-resistant properties, PremoBond thread is perfect for high-moisture settings. Its exclusive UV dye and bonding process ensure maximum fade prevention and bleed resistance. A pioneer in the sewing thread market, its custom lubricant provides clean running for first-rate sewability. The continuous filament, bonded polyester makes it 30% stronger than leading brands.

PremoBond pre-wound bobbins are outfitted with twisted and plied yarn. Fil-Tec cross-tack technology offers a more uniform appearance for flatter seams, consistent tension to reduce puckering, and greater yield.

PremoBond thread works great in outdoor and marine fabric applications, awnings and shade, filtration, tarps, slings, geotextiles, and other industrial purposes. Made in the USA.

Item #	Style #	Approx. Yards Per Bobbin	Average Breaking Strength	Color	Put Up	Size
543058	BPT 69G	36	13.3 lbs.	Beaver	72/box	Tex 70/G
543048	BPT 69M	51	13.3 lbs.	Black	72/box	Tex 70/M
543049	BPT 69M	51	13.3 lbs.	Sand	72/box	Tex 70/M
543047	BPT 69M	56	13.3 lbs.	White	72/box	Tex 70/M
543051	BPT 92G	27	13.3 lbs.	Black	72/box	Tex 90/G

Item #	Style #	Approx. Yards Per Bobbin	Average Breaking Strength	Color	Put Up	Size
543068	BPT 92G	27	13.3 lbs.	Brown	72/box	Tex 90/G
543062	BPT 92G	27	13.3 lbs.	Burgundy	72/box	Tex 90/G
543064	BPT 92G	27	13.3 lbs.	Forest Green	72/box	Tex 90/G
543066	BPT 92G	27	13.3 lbs.	Marine Blue	72/box	Tex 90/G
543065	BPT 92G	27	13.3 lbs.	Olive Drab	72/box	Tex 90/G
543063	BPT 92G	27	13.3 lbs.	Red	72/box	Tex 90/G
543060	BPT 92G	27	13.3 lbs.	Sand	72/box	Tex 90/G
543061	BPT 92G	27	13.3 lbs.	Steel Grey	72/box	Tex 90/G
543050	BPT 92G	27	13.3 lbs.	White	72/box	Tex 90/G
543053	BPT 92M	38	13.3 lbs.	Black	72/box	Tex 90/M
543078	BPT 92M	38	13.3 lbs.	Brown	72/box	Tex 90/M
543072	BPT 92M	38	13.3 lbs.	Burgundy	72/box	Tex 90/M
543074	BPT 92M	38	13.3 lbs.	Forest Green	72/box	Tex 90/M
543076	BPT 92M	38	13.3 lbs.	Marine Blue	72/box	Tex 90/M
543077	BPT 92M	38	13.3 lbs.	Navy	72/box	Tex 90/M
543075	BPT 92M	38	13.3 lbs.	Olive Drab	72/box	Tex 90/M
543073	BPT 92M	38	13.3 lbs.	Red	72/box	Tex 90/M
543070	BPT 92M	38	13.3 lbs.	Sand	72/box	Tex 90/M
543071	BPT 92M	38	13.3 lbs.	Steel Grey	72/box	Tex 90/M
543052	BPT 92M	38	13.3 lbs.	White	72/box	Tex 90/M
543104	BPT 92U	50	13.3 lbs.	Black	72/box	Tex 90/U
543103	BPT 92U	50	13.3 lbs.	White	72/box	Tex 90/U
543055	BPT 138G	17	20 lbs.	Black	72/box	Tex 135/G
543088	BPT 138G	17	20 lbs.	Brown	72/box	Tex 135/G
543082	BPT 138G	17	20 lbs.	Burgundy	72/box	Tex 135/G
543084	BPT 138G	17	20 lbs.	Forest Green	72/box	Tex 135/G
543086	BPT 138G	17	20 lbs.	Marine Blue	72/box	Tex 135/G
543087	BPT 138G	17	20 lbs.	Navy	72/box	Tex 135/G
543085	BPT 138G	17	20 lbs.	Olive Drab	72/box	Tex 135/G
543083	BPT 138G	17	20 lbs.	Red	72/box	Tex 135/G
543080	BPT 138G	17	20 lbs.	Sand	72/box	Tex 135/G
543081	BPT 138G	17	20 lbs.	Steel Grey	72/box	Tex 135/G
543054	BPT 138G	17	20 lbs.	White	72/box	Tex 135/G
543057	BPT 138M	26	20 lbs.	Black	72/box	Tex 135/M
543092	BPT 138M	26	20 lbs.	Burgundy	72/box	Tex 135/M
543094	BPT 138M	26	20 lbs.	Forest Green	72/box	Tex 135/M
543096	BPT 138M	26	20 lbs.	Marine Blue	72/box	Tex 135/M
543097	BPT 138M	26	20 lbs.	Navy	72/box	Tex 135/M
543095	BPT 138M	26	20 lbs.	Olive Drab	72/box	Tex 135/M
543093	BPT 138M	26	20 lbs.	Red	72/box	Tex 135/M
543090	BPT 138M	26	20 lbs.	Sand	72/box	Tex 135/M
543091	BPT 138M	26	20 lbs.	Steel Grey	72/box	Tex 135/M
543056	BPT 138M	26	20 lbs.	White	72/box	Tex 135/M
543102	BPT 138U	26	20 lbs.	Black	72/box	Tex 135/U
543101	BPT 138U	26	20 lbs.	White	72/box	Tex 135/U

Bobbins – Premofast™

Premofast bobbins are solution dyed and will not bleed. All bobbins are sideless for maximum yield.



551381

Item #	Style #	Approx. Yards Per Bobbin	Color	Material	Put Up	Size
551432	G	22	Black	Polyester	1 gross/box, 18/carton	92+
551431	G	22	White	Polyester	1 gross/box, 18/carton	92+
551381	M	34	Black	Polyester	1 gross/box, 18/carton	WS92+
551380	M	34	White	Polyester	1 gross/box, 18/carton	WS92+

Premofast™ is a trademark of Fil-Tec, Inc.

Bobbins – A&E Poly Nu Bond™ Polyester

Ready-wound bobbins provide more thread per bobbin. The finish applied to the thread assures controlled delivery of the thread from the bobbin and contributes to a balanced stitch formation.



550101

Item #	Style #	Color	Material	Put Up	Size
550101	G	Black	Polyester	1 gross/box, 30/carton	92
550252	M	Black	Polyester	1 gross/box, 30/carton	92
550100	G	White	Polyester	1 gross/box, 30/carton	92
550250	M	White	Polyester	1 gross/box, 30/carton	92
550302	G	Black	Polyester	1 gross/box, 30/carton	138
550300	G	White	Polyester	1 gross/box, 30/carton	138
550353	M	Black	Polyester	1 gross/box, 30/carton	138
550351	M	White	Polyester	1 gross/box, 30/carton	138

Poly Nu Bond™ is a trademark of American & Efird Enterprises, Inc.

Bobbins – A&E SunStop®


Designed for the outdoor market, SunStop thread is made of 100% continuous filament polyester with enhanced UV and fade protection and a non-wicking finish. Use SunStop for outdoor applications requiring UV protection, such as tents, awnings, and canvas and marine applications.



550501

Item #	Style #	Approx. Yards Per Bobbin	Color	Material	Put Up	Size
550501	M	43	Beige	Polyester	1 gross	T90
550502	M	43	Sol-Jet Black	Polyester	1 gross	T90
550500	M	43	White	Polyester	1 gross	T90
550548	G	27	Black	Polyester	1 gross	T135
550509	M	27	Black	Polyester	1 gross	T135
550532	G	27	Burgundy	Polyester	1 gross	T135
550512	M	27	Cadet Grey	Polyester	1 gross	T135
550510	M	27	Natural	Polyester	1 gross	T135

SunStop® is a registered trademark of American & Efird Enterprises, Inc.



565111

Polyfab™ Shade Sail Edge Webbing

Polyfab Shade Sail Edge Webbing is used for shade structures and shade sails. Matches Polytex®, Comtex® and Architec 400® extra heavy duty knitted shade cloth.

Item #	Average Breaking Strength	Color	Color #	Put Up	Width
565135	4400 lbf.	Antec Orange	22	109 yd.	2 in.
565129	4400 lbf.	Beige	72	109 yd.	2 in.
565137	4400 lbf.	Berry	36	109 yd.	2 in.
565121	4400 lbf.	Black	99	109 yd.	2 in.
565103	4400 lbf.	Blue	50	109 yd.	2 in.
565109	4400 lbf.	Bronze	81	109 yd.	2 in.
565113	4400 lbf.	Charcoal	92	109 yd.	2 in.
565141	4400 lbf.	Fluro Green	67	109 yd.	2 in.
565142	4400 lbf.	Fluro Orange	27	109 yd.	2 in.
565118	4400 lbf.	Golden Yellow	11	109 yd.	2 in.
565101	4400 lbf.	Midnight Green	62	109 yd.	2 in.
565105	4400 lbf.	Navy Blue	51	109 yd.	2 in.
565115	4400 lbf.	Porcelain	71	109 yd.	2 in.
565127	4400 lbf.	Red	30	109 yd.	2 in.
565111	4400 lbf.	Sage	19	109 yd.	2 in.
565107	4400 lbf.	Sandstone	73	109 yd.	2 in.
565125	4400 lbf.	Silver Gray	91	109 yd.	2 in.
565133	4400 lbf.	White	01	109 yd.	2 in.

Polyfab™ is a trademark of Polyfab USA. Polytex®, Comtex® and Architec 400® are registered trademarks of Polyfab USA.



577503

Sunbrella® Webbing

Sunbrella webbing made of 78% Sunbrella Acrylic and 22% high-tenacity polyester. A strong, weather-resistant webbing. Retains more tensile strength than other types of webbing after exposure to sunlight. Compatible with Sunbrella fabric colors. Sold in full rolls only.

Item #	Style #	Average Breaking Strength	Color	Put Up	Width
577502	70-1654	1000 lbs.	Black	25 yd.	1 in.
577503	70-1654	1000 lbs.	Grey	25 yd.	1 in.
577501	70-1654	1000 lbs.	White	25 yd.	1 in.

Sunbrella® is a registered trademark of Glen Raven, Inc.

Webbing – Nylon

Strong, dependable nylon webbing. Ideal for use with synthetic fabrics. Sold in full rolls only.

Item #	Style #	Description	Average Breaking Strength	Color	Put Up	Width
574905	N0015CD		1720 lbs.	Black	100 yd.	1 in.
575245	17337		5500 lbs.	Black	100 yd.	1 in.
575113	NN075		4965 lbs.	Black	100 yd.	2 in.
575229	495		1200 lbs.	Black	100 yd.	1 in.
574908	N0015S		1323 lbs.	Black	100 yd.	1-1/2 in.
575246	17337		5500 lbs.	Black	100 yd.	2 in.
576110	N0006		6000 lbs.	Black	50 yd.	1 in.
575260	N0023S		1200 lbs.	Black	50 yd.	1 in.



575013

Item #	Style #	Description	Average Breaking Strength	Color	Put Up	Width
575076	N0072		9000 lbs.	Black	50 yd.	1-3/4 in.
575073	N0095		4200 lbs.	Black	50 yd.	1 in.
574912	N0015		2564 lbs.	Black	50 yd.	2 in.
575249	N0025		6200 lbs.	Black	50 yd.	2 in.
575241	N0025		3700 lbs.	Black	50 yd.	1 in.
575075	N0085		7600 lbs.	Black	50 yd.	2 in.
574967	N0015S		1200 lbs.	Black	50 yd.	3/4 in.
575109	N0019		4200 lbs.	Black	50 yd.	1 in.
575011	N0019		3300 lbs.	Black	50 yd.	3/4 in.
574957	N0030		2400 lbs.	Black	50 yd.	1 in.
575243	N0025		3698 lbs.	Black	50 yd.	1-1/2 in.
575030	N0019		5890 lbs.	Black	50 yd.	1-1/2 in.
575111	N0028	Tubular	4000 lbs.	Black	50 yd.	1 in.
574936	N0019		3850 lbs.	Brown	50 yd.	1 in.
575018	N0019		4200 lbs.	Brown	50 yd.	1 in.
575244	495		5500 lbs.	Natural	50 yd.	1 in.
575014	N0019		4200 lbs.	Navy	50 yd.	1 in.
575013	N0019		4200 lbs.	Red	50 yd.	1 in.
575012	N0019		4200 lbs.	Silver	50 yd.	1 in.
574906	N0015CD		1720 lbs.	White	100 yd.	1 in.
575072	N0095		4200 lbs.	White	50 yd.	1 in.
575017	N0019		4200 lbs.	White	50 yd.	1 in.
575010	N0019		3300 lbs.	White	50 yd.	3/4 in.
575240	N0025		3400 lbs.	White	50 yd.	1 in.
575259	N0023		1580 lbs.	White	50 yd.	1 in.
575079	N0087		6000 lbs.	White	55 yd.	2 in.
575247	665NHSW	Heat Set	3000 lbs.	White	50 yd.	2 in.
575023	N0019		4200 lbs.	Yellow	50 yd.	1 in.



576633

Webbing – Dacron®

Resistant to mildew, ultraviolet rays and shrinkage. Sold in full rolls only.

Item #	Style #	Average Breaking Strength	Color	Put Up	Width
576633	S0009	740 lbs.	White	50 yd.	1-1/2 in.
576634	S0009	740 lbs.	White	50 yd.	2 in.

Dacron® is a registered trademark of INVISTA.



575299

Webbing – Polyester

Resistant to mildew, ultraviolet rays and shrinkage. Excellent for reinforcing swimming pool covers – both screen or solid vinyl types. Sold in full rolls only.

Item #	Style #	Description	Average Breaking Strength	Color	Put Up	Width
575299	R7624		6775 lbs.	Black	100 yd.	2 in.
575231	T-1200		6000 lbs.	Black	200 yd.	2 in.
575327	U0017		4400 lbs.	Black	50 yd.	1 in.
575332	U0017		4400 lbs.	Natural (White)	50 yd.	1 in.
575335	929P-2		6000 lbs.	Natural	100 yd.	2 in.
575302	2070/S0009	Spun	740 lbs.	White	50 yd.	1 in.



577907

Webbing – Heat-Sealable PVC

A general-purpose webbing with many applications. Sold in full rolls only.

Item #	Style #	Average Breaking Strength	Color	Put Up	Width
577907	1281	2900 lbs.	White	110 yd.	1-7/8 in.



576577

Webbing – Polypropylene Style No. 7166/P0001

A general-purpose webbing with many applications. Not recommended for outdoor use. Sold in full rolls only.

Item #	Style #	Average Breaking Strength	Color	Put Up	Width
576036	549	450 lbs.	Black	100 yd.	1 in.
576501	7166/P0001	600 lbs.	Black	100 yd.	1 in.
576460	7166/P0001	600 lbs.	Black	100 yd.	1/2 in.
576597	7166/P0001	600 lbs.	Black	100 yd.	2 in.
576639	7166/P0001	600 lbs.	Black	100 yd.	3 in.
576503	7166/P0001	600 lbs.	Black	100 yd.	3/4 in.
576558	7166/PP001	600 lbs.	Black	100 yd.	1-1/2 in.
576021	PP037	600 lbs.	Black	100 yd.	1 in.
576553	7166/P0001	600 lbs.	Blue	100 yd.	1-1/2 in.
576598	7166/P0001	600 lbs.	Blue	100 yd.	2 in.
576543	7166/P0001	600 lbs.	Brown	100 yd.	1 in.
576531	7166/P0001	600 lbs.	Burgundy	100 yd.	1 in.
576470	7166/P0001	600 lbs.	Dark Beige	100 yd.	1 in.
576662	7166/P0001	600 lbs.	Dark Beige	100 yd.	2 in.
576490	7166/P0001	600 lbs.	Forest Green	100 yd.	1 in.
576529	7166/P0001	600 lbs.	Gray	100 yd.	1 in.
576540	7166/P0001	600 lbs.	Green	100 yd.	1 in.
576606	7166/P0001	600 lbs.	Green	100 yd.	2 in.
576537	7166/P0001	600 lbs.	Light Gold	100 yd.	1 in.
576601	7166/P0001	600 lbs.	Light Navy	100 yd.	2 in.
576031	7166/P0001	600 lbs.	Navy	100 yd.	1 in.
576533	7166/P0001	600 lbs.	Orange	100 yd.	1 in.
576613	7166/P0001	600 lbs.	Orange	100 yd.	2 in.
576541	7166/P0001	600 lbs.	Red	100 yd.	1 in.

Item #	Style #	Average Breaking Strength	Color	Put Up	Width
576551	7166/P0001	600 lbs.	Red	100 yd.	1-1/2 in.
576599	7166/P0001	600 lbs.	Red	100 yd.	2 in.
576538	7166/P0001	600 lbs.	Silver	100 yd.	1 in.
576604	7166/P0001	600 lbs.	Silver	100 yd.	2 in.
576474	7166/P0001	600 lbs.	Tan	100 yd.	1 in.
576492	7166/P0001	600 lbs.	Victoria Blue	100 yd.	1 in.
576500	7166/P0001	600 lbs.	White	100 yd.	1 in.
576557	7166/P0001	600 lbs.	White	100 yd.	1-1/2 in.
576596	7166/P0001	600 lbs.	White	100 yd.	2 in.
576638	7166/P0001	600 lbs.	White	100 yd.	3 in.
576450	7166/P0001	600 lbs.	White	100 yd.	3/4 in.
576020	PP037	600 lbs.	White	100 yd.	1 in.
576542	7166/P0001	600 lbs.	Yellow	100 yd.	1 in.
576605	7166/P0001	600 lbs.	Yellow	100 yd.	2 in.



576564

Webbing – Polypropylene Style No. 7390/P0002

A general-purpose webbing with many applications. Not recommended for outdoor use. Sold in full rolls only.

Item #	Style #	Average Breaking Strength	Color	Put Up	Width
576561	7390/P0002	800 lbs.	Black	100 yd.	1 in.
576582	7390/P0002	800 lbs.	Black	100 yd.	1-1/2 in.
576595	7390/P0002	800 lbs.	Black	100 yd.	2 in.
576617	7390/P0002	800 lbs.	Black	100 yd.	3 in.
576670	7390/P0002	800 lbs.	Black	100 yd.	3/4 in.
576564	7390/P0002	800 lbs.	Blue	100 yd.	1 in.
576688	7390/P0002	800 lbs.	Dark Beige	100 yd.	1-1/2 in.
576620	7390/P0002	800 lbs.	Gray	100 yd.	1 in.
576702	7390/P0002	800 lbs.	Gray	100 yd.	1-1/2 in.
576565	7390/P0002	800 lbs.	Green	100 yd.	1 in.
576566	7390/P0002	800 lbs.	Red	100 yd.	1 in.
576695	7390/P0002	800 lbs.	Red	100 yd.	1-1/2 in.
576621	7390/P0002	800 lbs.	Silver	100 yd.	1 in.
576623	7390/P0002	800 lbs.	Tan	100 yd.	1 in.
576560	7390/P0002	800 lbs.	White	100 yd.	1 in.
576586	7390/P0002	800 lbs.	White	100 yd.	1-1/2 in.
576594	7390/P0002	800 lbs.	White	100 yd.	2 in.
576618	7390/P0002	800 lbs.	White	100 yd.	3 in.
576567	7390/P0002	800 lbs.	Yellow	100 yd.	1 in.



575232

Webbing – Leader

An economical webbing for heavy-duty applications. Mixed colors and shade. Sold in full rolls only.

Item #	Color	Put Up	Width
575232	Multi-Color	220 yards	2 in.

Webbing – Cotton – Indo-Carbon Black – Class 3

This untreated cotton webbing is manufactured in accordance with Government Specifications MIL-W-530 and MIL-T-43566. Sold in full rolls only.

Item #	Style #	Minimum Breaking Strength	Put Up	Width
573113	Type I	140 lbs.	100 yd.	5/8 in.

Webbing – Cotton – Natural – Class 1

This untreated cotton webbing is manufactured in accordance with Government Specifications MIL-W-530 and MIL-T-43566. Sold in full rolls only.

Item #	Style #	Minimum Breaking Strength	Put Up	Width
572113	Type I	70 lbs.	100 yd.	1/2 in.
572115	Type I	85 lbs.	100 yd.	5/8 in.
572116	Type I	100 lbs.	100 yd.	3/4 in.
572120	Type I	130 lbs.	100 yd.	1 in.
572123	Type I	190 lbs.	100 yd.	1-1/2 in.
572130	Type I	250 lbs.	100 yd.	2 in.
572216	Type II A	230 lbs.	60 yd.	3/4 in.
572220	Type II A	300 lbs.	60 yd.	1 in.
572223	Type II A	440 lbs.	60 yd.	1-1/2 in.
572320	Type III	550 lbs.	60 yd.	1 in.
572323	Type III	860 lbs.	60 yd.	1-1/2 in.
572330	Type III	1100 lbs.	60 yd.	2 in.
572331	Type III N	1560 lbs.	50 yd.	3 in.

Webbing – Vat-Dyed Olive Drab – Shade 7 Untreated – Class 3

This cotton webbing is manufactured in accordance with Government Specifications MIL-W-530 and MIL-T-43566. Sold in full rolls only.

Item #	Style #	Minimum Breaking Strength	Put Up	Width
573120	Type I	130 lbs.	100 yd.	1 in.



574601

Strapping – Furniture

Heavy cotton strapping woven for long wear and durability. Five added stitches across the width assure maximum strength. Double blue line down center for identification. A soft finish strapping designed especially for use in appliance and furniture moving industry. Won't mar polished surfaces. Sold in full rolls only.

Item #	Style #	Average Breaking Strength	Color	Put Up	Width
574601	W0068	975 lbs.	Natural	50 yd.	2 in.



572112

Tape – Unbleached Cotton

An ideal low-cost tape for apron binding, tie tapes and finishing raw edges of other canvas specialties. Sold in full rolls only.

Item #	Style #	Description	Color	Put Up	Width
572058		Heavy	Natural	72 yd.	1/2 in.
572112	B0078		Natural	100 yd.	1 in.

Braid – Nylon/Polyester Elastic

Sold in full rolls only.

Item #	Style #	Color	Material	Put Up	Width
506172	S-2500	White	Nylon	36 yd.	3/4 in.
506197	1050	Black	Polyester	144 yd.	1 in.
506205	970	Black	Polyester	36 yd.	2 in.



580999

TEXACRO® – Hook And Loop Tape – Standard Back

The TEXACRO state-of-the-art engineering produces this heavy-duty hook and loop tape. The napped loop is designed for use with the "aggressive" TEXACRO hook for excellent latching performance, peeling, and strength. Available in full rolls only.

Suggested uses: indoor functions, marine fastening, cushion placement, apparel, recreational gear, tying, wrapping and bundling, straps, other industrial uses.

Item #	Description	Backing	Color	Put Up	Width
580089	Loop #71	Standard	Black	50 yd.	4 in.
580902	Hook #91	Standard	Black	50 yd.	1 in.
580903	Hook #91	Standard	Black	50 yd.	2 in.
580904	Hook #91	Standard	Black	50 yd.	4 in.
580905	Loop #93	Standard	Black	50 yd.	1 in.
580906	Hook #91	Standard	White	50 yd.	1 in.
580907	Loop #93	Standard	White	50 yd.	1 in.
580998	Hook #91	Standard	Black	50 yd.	1-1/2 in.
580999	Loop #93	Standard	Black	50 yd.	1-1/2 in.
581001	Loop #93	Standard	White	50 yd.	1-1/2 in.
581002	Loop #93	Standard	Black	50 yd.	2 in.
581003	Hook #91	Standard	White	50 yd.	2 in.
581004	Loop #93	Standard	White	50 yd.	2 in.

TEXACRO® is a registered trademark of Velcro Industries B.V.

TEXACRO® – Hook And Loop Tape – Adhesive Back

TEXACRO hook and loop tape is a cutting-edge, heavy-duty fastener system. The napped loop is designed to be used with the industrial TEXACRO hook for great latching performance, peeling, and strength. The adhesive back allows for easy mounting. Available in full rolls only.

Suggested uses: indoor functions, marine fastening, cushion placement, apparel, mounting and adhering to walls and other surfaces, other industrial uses.

Item #	Description	Backing	Color	Put Up	Width
580873	Hook #91	Adhesive	Black	25 yd.	5/8 in.
580879	Loop #93	Adhesive	White	25 yd.	1 in.
580880	Hook #91	Adhesive	White	25 yd.	1 in.
580881	Hook #91	Adhesive	Black	25 yd.	1 in.
580882	Loop #93	Adhesive	Black	25 yd.	1 in.
580885	Hook #91	Adhesive	Black	25 yd.	1-1/2 in.
580886	Loop #93	Adhesive	Black	25 yd.	1-1/2 in.
580887	Loop #93	Adhesive	Black	25 yd.	2 in.
580888	Hook #91	Adhesive	Black	25 yd.	2 in.
580889	Loop #93	Adhesive	White	25 yd.	2 in.
580890	Hook #91	Adhesive	White	25 yd.	2 in.

TEXACRO® is a registered trademark of Velcro Industries B.V.

VELCRO® Brand Hook And Loop Fasteners – Standard Back Nylon Tape

This nylon tape fastener consists of two mating strips. The Hook (male) section is covered with stiff, small hooks. The Loop (female) section is covered with tiny, soft loops. When pressed together, the hooks and loops engage, creating an adjustable, versatile, and secure closure. Sold in full rolls only.

Suggested uses: indoor functions, marine fastening, cushion placement, clothing, recreational gear, tying, wrapping and bundling, straps, other industrial uses.

Item #	Style #	Description	Color	Put Up	Width
580153	194202	Loop #1000	Beige	50 yd.	1 in.
580154	194154	Hook #88	Beige	50 yd.	1 in.
580200	191300	Hook #88	Black	50 yd.	5/8 in.
580201	194134	Hook #88	White	50 yd.	5/8 in.
580210	194144	Hook #88	Black	50 yd.	3/4 in.
580215	194145	Hook #88	Beige	50 yd.	3/4 in.
580216	194191	Loop #1000	Beige	50 yd.	3/4 in.
580220	193085	Hook #88	White	50 yd.	3/4 in.
580250	194153	Hook #88	Black	50 yd.	1 in.
580251	193087	Hook #88	White	50 yd.	1 in.
580256	193089	Hook #88	White	50 yd.	1-1/2 in.
580257	194164	Hook #88	Black	50 yd.	1-1/2 in.
580275	194175	Hook #88	Black	50 yd.	2 in.
580276	193091	Hook #88	White	50 yd.	2 in.
580277	194579	Hook #88	Light Gray	50 yd.	2 in.
580279	194099	Hook #88	Beige	50 yd.	2 in.
580287	190806	Hook #88	White	25 yd.	4 in.
580288	190810	Hook #88	Black	25 yd.	4 in.
580300	194179	Loop #1000	Black	50 yd.	5/8 in.
580301	194096	Loop #1000	White	50 yd.	5/8 in.
580310	194190	Loop #1000	Black	50 yd.	3/4 in.
580315	197078	Hook #88	Battleship Grey	25 yd.	2 in.
580316	197077	Loop #1000	Battleship Grey	25 yd.	2 in.

Item #	Style #	Description	Color	Put Up	Width
580320	191301	Loop #1000	White	50 yd.	3/4 in.
580329	195966	Hook #88	Black	25 yd.	3 in.
580346	193088	Loop #1000	White	50 yd.	1-1/2 in.
580350	194098	Loop #1000	Black	50 yd.	1 in.
580351	193086	Loop #1000	White	50 yd.	1 in.
580356	194212	Loop #1000	Black	50 yd.	1-1/2 in.
580375	194223	Loop #1000	Black	50 yd.	2 in.
580376	193090	Loop #1000	White	50 yd.	2 in.
580379	194100	Loop #1000	Beige	50 yd.	2 in.
580387	190795	Loop #1000	White	25 yd.	4 in.
580388	190799	Loop #1000	Black	25 yd.	4 in.
580461	195967	Loop #1000	Black	25 yd.	3 in.

VELCRO®, ONE-WRAP®, VELSTICK® and VELSTRETCH® are registered trademarks of Velcro BVBA. Used with permission.

VELCRO® Brand Hook And Loop Fasteners – Standard Back Polyester Tape

This polyester tape fastener consists of two mating strips. The Hook (male) section features small, stiff hooks. The Loop (female) section features small, soft loops. When brought together, the hooks and loops engage, making a versatile, adjustable, and secure closure. Sold in full rolls only.

Suggested uses: indoor/outdoor functions, marine fastening, cushion placement, clothing, recreational gear, tying, wrapping and bundling, straps, other industrial uses.

Item #	Style #	Description	Color	Put Up	Width
580113	192102	Hook #81	Black	25 yd.	1-1/2 in.
580114	192101	Loop #9000	Black	25 yd.	1-1/2 in.
580255	190579	Hook #81	White	25 yd.	1 in.
580265	190789	Hook #81	Black	25 yd.	2 in.
580278	190787	Hook #81	White	25 yd.	2 in.
580355	190465	Loop #009	White	25 yd.	1 in.
580378	190711	Loop #009	White	25 yd.	2 in.
580700	190582	Hook #81	Black	25 yd.	1 in.
580701	190468	Loop #009	Black	25 yd.	1 in.
580702	190713	Loop #009	Black	25 yd.	2 in.
580705	172645	Hook #81	White	25 yd.	1-1/2 in.
580706	173646	Loop #009	White	25 yd.	1-1/2 in.

VELCRO®, ONE-WRAP®, VELSTICK® and VELSTRETCH® are registered trademarks of Velcro BVBA. Used with permission.

VELCRO® Brand Hook And Loop Fasteners – Adhesive Back Nylon Tape

This nylon tape fastener features two mating strips and an adhesive backing. The Hook (male) section has stiff hooks while the Loop (female) section has soft loops. When pressed together, the hooks and loops create an easy, adjustable, and secure closure. The adhesive backing supplies a strong hold to various surfaces. Sold in full rolls only.

Suggested uses: indoor functions, marine fastening, cushion placement, clothing, mounting and adhering to walls and other surfaces, other industrial uses.

Item #	Style #	Description	Color	Put Up	Width
580193	196256	Loop #1000	Black	25 yd.	1/2 in.
580198	190836	Loop #1000	Black	25 yd.	5/8 in.
580209	190940	Hook #88	Black	25 yd.	3/4 in.
580258	191157	Hook #88	White	25 yd.	1-1/2 in.
580259	191166	Hook #88	Black	25 yd.	1-1/2 in.
580260	191051	Hook #88	Black	25 yd.	1 in.

Item #	Style #	Description	Color	Put Up	Width
580261	191033	Hook #88	White	25 yd.	1 in.
580282	191231	Hook #88	White	25 yd.	2 in.
580285	191245	Hook #88	Black	25 yd.	2 in.
580309	190911	Loop #1000	Black	25 yd.	3/4 in.
580358	191129	Loop #1000	White	25 yd.	1-1/2 in.
580359	191140	Loop #1000	Black	25 yd.	1-1/2 in.
580360	190984	Loop #1000	Black	25 yd.	1 in.
580361	190959	Loop #1000	White	25 yd.	1 in.
580382	191181	Loop #1000	White	25 yd.	2 in.
580385	191195	Loop #1000	Black	25 yd.	2 in.

VELCRO®, ONE-WRAP®, VELSTICK® and VELSTRETCH® are registered trademarks of Velcro BVBA. Used with permission.

VELCRO® Brand Hook And Loop Fasteners – Adhesive Back Polyester Tape

This polyester tape fastener consists of two mating strips and an adhesive backing. The Hook (male) strip features stiff hooks while the Loop (female) strip features soft loops. When brought together, the hooks and loops make a quick, easy, and secure closure. The adhesive backing provides a strong hold to numerous surfaces. Sold in full rolls only.

Suggested uses: indoor/outdoor functions, marine fastening, cushion placement, clothing, mounting and adhering to walls and other surfaces, other industrial uses.

Item #	Style #	Description	Color	Put Up	Width
580238	155334	Hook #81	Black	25 yd.	1 in.
580380	192206/155412	Loop #009	White	25 yd.	2 in.
580524	191001/155238	Loop #009	White	25 yd.	1 in.
580525	155553	Hook #81	White	25 yd.	1 in.
580526	155237	Loop #009	Black	25 yd.	1 in.
580527	191254/155474	Hook #81	Black	25 yd.	2 in.
580528	196455/155476	Loop #009	Black	25 yd.	2 in.
580529	191252/155475	Hook #81	White	25 yd.	2 in.

VELCRO®, ONE-WRAP®, VELSTICK® and VELSTRETCH® are registered trademarks of Velcro BVBA. Used with permission.

VELCRO® Brand ONE-WRAP® Fasteners

ONE-WRAP is a self-gripping fastener with hooks on one side and loops on the other. The two sides attach easily for solid strength and performance. ONE-WRAP offers an ultra-thin solution for many fastening needs. It does not require buckles, snaps, rings, or other fastening devices. Available in full rolls only.

Suggested uses: bundling, wrapping.

Item #	Style #	Color	Put Up	Width
580403	189590	Black	25 yd.	1 in.
580407	189661	Black	25 yd.	2 in.
580408	189645	Black	25 yd.	3/4 in.
580414	189699	White	25 yd.	2 in.
580437	179917	White	25 yd.	4 in.

VELCRO®, ONE-WRAP®, VELSTICK® and VELSTRETCH® are registered trademarks of Velcro BVBA. Used with permission.



580247

VELCRO® Brand VELSTICK® Semi-Rigid Fasteners

VELSTICK is a semi-rigid, high-impact extrusion with VELCRO Brand hook and loop fastener tape permanently attached. VELSTICK semi-rigid fasteners were designed and developed to attach to rigid surfaces. The hook and loop tape creates an adjustable, versatile, and secure closure.

Install with staples, tacks, rivets, or screws to provide a permanent fixture. VELSTICK strips can be cut with scissors, drilled, or punched. Sold in pieces of 4 feet only.

Suggested uses: tents, camping trailers and marine applications.

Item #	Style #	Description	Color	Material	Put Up	Width
580112	192657	Hook	Black	Polyester	4 ft.	1 in.
580247	192596	Hook #88	Black	Nylon	4 ft.	1-3/4 in.
580254	192593	Hook #81	White	Polyester	4 ft.	1 in.
580354	192590	Loop #9000 Unnapped	White	Polyester	4 ft.	1 in.
580450	192655	Hook #88	Black	Nylon	4 ft.	1 in.

VELCRO®, ONE-WRAP®,VELSTICK® and VELSTRETCH® are registered trademarks of Velcro BVBA. Used with permission.



500431

Super Seamstick/Hi-Tack Adhesive Tape

Super Seamstick/-HiTack is a double-faced, acrylic-based adhesive tape that is ideal for applications where resistance to UV light and excellent performance during temperature extremes are required. Used for bonding and laminating to a wide variety of cloths, vinyls, and rigid and flexible plastics. It's also excellent for seaming Sunbrella® before stitching, and can also be used on stainless steel tubing for patterning with Canvex® pattern cloth. Leaves little or no residue on surfaces when removed.

Item #	Style #	Put Up	Width
500422	1 HI-TACK	60 yd.	1 in.
500432	2263	60 yd.	1/2 in.
500430	2263	60 yd.	1/4 in.
500428	2 HI-TACK	60 yd.	2 in.
500431	2263	60 yd.	3/8 in.

Sunbrella® is a registered trademark of Glen Raven, Inc. Canvex® is a registered trademark of Raven Industries.

Tape – Vinyl Welding

Composed of clear vinyl, this welding tape is used to heat seal fabric seams. It works great for creating a clean seam without the need for thread matching. Use with RF (Radio Frequency), Hot Air, or Hot Wedge welding equipment for a modern, professional result. The heat seal tape is compatible with vinyl and acrylic fabrics. This vinyl welding tape creates a smooth, modern edge.

Item #	Color	Put Up	Size	Width
500482	Clear	36 yd.	0.016 ga.	3/4 in.



500490

Tape – Vinyl Adhesive Welding

Many products not heat sealable to themselves can now be heat sealed using this tape.

Item #	Style #	Description	Put Up	Width
500490	4220	0.005 Adhesive	200 yd.	5/8 in.



500433

Tape – Curtain Strapping

This strapping is used for seam reinforcement or for retention straps for holding rolled up curtains in place. Sold in full rolls only.

Item #	Color	Put Up	Width
500443	Clear	30 yd.	1-1/2 in.



500467

Tape – Double-Faced

A double-faced adhesive tape used in tacking down layers of fabric prior to sewing a seam.

Rubber Double Faced Tape

- High tack tape used when a higher initial tack is required
- Can turn slightly yellow
- Can be used with acrylic fabrics

Acrylic Double-Faced Tape

- Good initial tack
- Non-yellowing
- High long term adhesion
- Very good for all purposes including general sail seaming

Item #	Style #	Material	Put Up	Width
500467	J-351	Rubber	72 yd.	1/4 in.
500469	J-353	Rubber	72 yd.	1/2 in.
500470	J-451	Acrylic	72 yd.	1/4 in.
500471	J-452	Acrylic	72 yd.	3/8 in.
500472	J-453	Acrylic	72 yd.	1/2 in.
500473	J-455	Acrylic	72 yd.	3/4 in.
500476	J-456	Acrylic	72 yd.	1 in.




500403

Tape – Double-Faced Adhesive

Typical applications for this double-faced acrylic foam pressure sensitive tape include body side moldings, rocker trims, and other automotive trim components. The tape is a companion to Costa Track® and is placed in the recess on the bottom of the track for temporary tacking prior to being permanently mounted.

Item #	Style #	Color	Put Up	Width
500403	5931N	White	36 yd., 12/box	1/2 in.

Costa Track® is a registered trademark of Costa Marine Canvas and Enclosures, LLC



500435

Tape – Double-Faced Transfer

This clear acrylic tape is used to hold the cut edge of two fabrics together prior to sewing a seam. Eliminates slippage so the seam can be sewn straight.

Item #	Put Up	Width
500435	72 yd.	1/4 in.
500436	72 yd.	1/2 in.
500437	72 yd.	3/4 in.



500466


Tape – No. 463 Seam

To minimize seam leakage on sewn seams of awning fabrics. The 3/4 inch wide tape is for double needle machines. The No. 463 Seam Tape is ideal for use on vinyl laminates such as Weblon®.

The adhesive transfer tape is on a paper backing. The tape should be applied on the edge of the one piece of material to be sewn. The paper backing is then peeled off, leaving the transfer tape on the material. The other piece of material to be sewn is applied on top of the adhesive transfer tape and pressed together. Then the two pieces are ready to be sewn. As the material is being sewn, the up and down movement of the needle pulls the adhesive transfer tape into the needle holes to seal them and thus minimize seam leakage.

Item #	Style #	Put Up	Width
500465	463	60 yd., 60/box	5/8 in.
500466	463	60 yd., 48/box	3/4 in.

Weblon® is a registered trademark of Herculite Products Inc.



500427

Tape – Reinforcing

This non-adhesive reinforcing tape is ideal for supporting tops, dodgers, enclosures, and boat covers, but is also applicable for awnings and canopies. Made from clear laminate and polyester scrim, the filament tape is stable and weather-resistant. The reinforced strapping tape is widely used by fabricators and those in the marine industry. Its extra strength, marine-grade features make it one of the more versatile reinforcing tapes on the market. It provides high clarity, a low profile, and excellent tensile strength. Sold in full rolls only.

Item #	Color	Put Up	Width
500427	Clear	65 yd.	2 in.



500591

Tape – Fabric Bond Welding

Fabric Bond Welding Tape has a slightly lower melting point than the standard bonding tape. This will allow the user to seal more difficult fabrics.

Item #	Color	Put Up	Width
500593	Black	100-yard roll, 12 rolls per box	7/8 in.
500591	White	100-yard roll, 12 rolls per box	7/8 in.
500595	White	100-yard roll, 12 rolls per box	5/8 in.
500597	White	100-yard roll, 12 rolls per box	3/8 in.

Tape – Fabric Bond Welding – FIRESIST®

Item #	Color	Put Up	Width
500594	Black	100-yard roll, 12 rolls per box	7/8 in.
500592	White	100-yard roll, 12 rolls per box	7/8 in.
500596	White	100-yard roll, 12 rolls per box	5/8 in.
500598	White	100-yard roll, 12 rolls per box	3/8 in.

FIRESIST® is a registered trademark of Glen Raven, Inc.



507150

Cord – Corsair Diamond Braid Polyester

The Corsair Polyester Cord features a durable cord with good strength, excellent UV and abrasion resistance, and low elongation.

Item #	Approx. Tensile Strength	Cord Size	Put Up	Size #
507150	360 lbs.	7/64 in.	1000 ft.	3-1/2



507121

Cord – Cotton Lacing

A braided cotton lacing cord with a high-strength, low-stretch core of filament polyester for superior strength. Can be used for awning line, lacing, drawstrings and hem lines.

Item #	Approx. Tensile Strength	Color	Cord Size	Put Up	Size #
507120	300 lbs.	White	7/64 in.	1500 ft.	3-1/2
507121	350 lbs.	White	1/8 in.	1500 ft.	4



515118

Cord – Crown Cotton

A heavy-duty, diamond-braided, cotton-blend cord with a strong synthetic fiber core.

Item #	Color	Cord Size	Put Up	Size #
515118	White	5/32 in.	1000 ft.	5
515119	White	3/16 in.	1000 ft.	6
515120	White	1/4 in.	1000 ft.	8



518029

Cord – Diamond Braided Nylon

This diamond braided nylon has high strength, excellent resistance to abrasion and good elasticity under dynamic load. It also works well in wet applications.

Item #	Approx. Tensile Strength	Color	Cord Size	Put Up	Size #
518029	450 lbs.	Black	1/8 in.	1000 ft.	4



506592

Cord – Premium Sash

Cotton cover, synthetic core. General, all purpose cotton sash cord used for home, recreation and industrial jobs.

Item #	Approx. Tensile Strength	Cord Size	Put Up	Size #
506592	800 lbs.	1/4 in.	1000 ft.	8



519802

Line – Cotton Awning

Manufactured from high strength cotton yarns braided over a low stretch polyester core. A durable lustrous polish combined with popular colors makes this an extremely versatile and popular choice.

Item #	Color	Cord Size	Put Up	Size #
519802	Black	9/64 in.	100 yd.	4.5



507126

Line – Ultra Awning

Made with a polyester core for greater strength. This braided line is glazed Grade “A” cotton for longer wearing life.

Item #	Approx. Weight Per Tube	Color	Cord Size	Put Up	Size #
507122	10 lbs.	White	9/64 in.	1500 ft.	4.5
507123	12 lbs.	White	5/32 in.	1500 ft.	5
507124	14 lbs.	White	3/16 in.	1500 ft.	6
507125	17 lbs.	White	7/32 in.	1500 ft.	7
507126	26 lbs.	White	1/4 in.	1500 ft.	8



507130

Line – Ultra Mason

A braided cord made of high quality cotton to assure uniform size and quality. Excellent small diameter cord for lacing windbreaks, stationaries and store awnings. Also used for drawstrings.

Item #	Color	Cord Size	Put Up	Size #
507130	White	7/64 in.	3000 ft.	3.5



518606

Rope – Diamond Braided Polyester

Polyester cord with high strength and excellent abrasion resistance. This cord has very good UV resistance. Resists acids, alkalis and moisture.

Item #	Cord Size	Put Up	Size #
518606	1/8 in.	1000 ft.	4



515517

Rope – Supreme MFP Braided

Multifilament solid braided polypropylene with abrasion-resistant smooth finish. Good strength with low stretch and excellent dielectric qualities. Resistant to rot, mildew, oil and most chemicals. This rope also floats.

Item #	Approx. Tensile Strength	Color	Cord Size	Material	Put Up	Size #
515517	305 lbs.	White	3/16 in.	MFP (Multifilament Polypropylene)	1000 ft.	6



515449

Cord – Diamond Braided MFP

Suggested uses include drawstrings, lacing cords, general utility.

Item #	Approx. Tensile Strength	Color	Cord Size	Material	Put Up	Size #
515449	250 lbs.	Black	1/8 in.	MFP (Multifilament Polypropylene)	1000 ft.	4
515450	250 lbs.	Black	1/8 in.	MFP (Multifilament Polypropylene)	3000 ft.	4

Cord – Diamond Braided Nylon Utility

Suggested uses include drawstrings, lacing cords, general utility.

Item #	Approx. Tensile Strength	Color	Cord Size	Put Up	Size #
515084	490 lbs.	White	1/8 in.	3000 ft.	4



507145

Cord – Drawtite Cotton

Braided fine cotton with glazed cover and low stretch synthetic cord.

Suggested uses: cotton awning lacing and window furnishings.

Item #	Cord Size	Put Up	Size #
507145	7/64 in.	500 yd.	3-1/2
507146	1/8 in.	1000 yd.	4



519131

Cord – Hollow Braided Polypropylene

A low-cost, diamond-braided cord. This cord is hollow – there is no filler core. Suggested for use as barrier rope, tie-down, general marine and hardware uses.

Item #	Color	Cord Size	Put Up	Size #
519148	Black	1/4 in.	1000 ft.	8
519136	White	5/16 in.	1000 ft.	10
519134	White	3/16 in.	1000 ft.	6
519135	White	1/4 in.	1000 ft.	8
519132	Yellow	5/16 in.	1000 ft.	10
519131	Yellow	1/4 in.	1000 ft.	8



515452

Cord – MFP Solid Braided Polypropylene

Made of white multifilament polypropylene. Resists acids, alkalis and mildew. Floats in and does not absorb water. Ends can be fused to prevent fraying. Versatile for many marine applications.

Item #	Approx. Tensile Strength	Cord Size	Material	Put Up	Size #
515452	505 lbs.	3/16 in.	MFP (Multifilament Polypropylene)	1000 ft.	6
515454	750 lbs.	1/4 in.	MFP (Multifilament Polypropylene)	1000 ft.	8
515456	1250 lbs.	5/16 in.	MFP (Multifilament Polypropylene)	1000 ft.	10



519945

Cord – Neobraid® Polyester

100% high-strength polyester cord excels in awning applications and is a superb all-purpose/industrial cord. Patented InterWarp® construction withstands years of weather and sun, and does not kink, twist, or fray. Resistant to mold, oil and stains.

Neobraid Warning: Not For Personal Safety. Working loads are for rope in good condition with appropriate splices, in non-critical applications and under normal service conditions. Do not exceed working loads without expert knowledge of conditions and professional estimates of risk. Working loads should be reduced where life, limb and valuable property are involved or with shock loads, sustained loads. Never stand in line with rope under tension or directly underneath rope under tension.

Item #	Approx. Tensile Strength	Color	Cord Size	Put Up	Size #
519929	350 lbs.	Black	1/16 in.	2000 ft.	2
519945	350 lbs.	Black	1/8 in.	1000 ft.	4
519952	410 lbs.	Black	9/64 in.	3000 ft.	4-1/2
519950	469 lbs.	Black	5/32 in.	1000 ft.	5
519948	700 lbs.	Black	3/16 in.	1000 ft.	6
519947	1000 lbs.	Black	1/4 in.	1000 ft.	8
519972	350 lbs.	Forest Green	1/8 in.	1000 ft.	4
519939	1600 lbs.	White	5/16 in.	500 ft.	10
519944	350 lbs.	White	1/8 in.	1000 ft.	4

Item #	Approx. Tensile Strength	Color	Cord Size	Put Up	Size #
519930	350 lbs.	White	1/8 in.	500 ft.	4
519946	406 lbs.	White	9/64 in.	1000 ft.	4-1/2
519951	410 lbs.	White	9/64 in.	3000 ft.	4-1/2
519949	700 lbs.	White	3/16 in.	1000 ft.	6
519953	700 lbs.	White	3/16 in.	3000 ft.	6
519936	700 lbs.	White	3/16 in.	500 ft.	6
519937	1000 lbs.	White	1/4 in.	1000 ft.	8
519938	1000 lbs.	White	1/4 in.	500 ft.	8

Neobraid® and InterWarp® are registered trademarks of New England Overseas Corporation.



519926

Cord – Neoline® Polyester

100% polyester jacket and polyester/polypropylene core offers superior strength and abrasion resistance. Ideal for awnings and everyday use. Patented InterWarp® construction knots well, is weather resistant, and is twist and fray free.

Neoline Warning: Not For Personal Safety. Working loads are for rope in good condition with appropriate splices, in non-critical applications and under normal service conditions. Do not exceed working loads without expert knowledge of conditions and professional estimates of risk. Working loads should be reduced where life, limb and valuable property are involved or with shock loads, sustained loads. Never stand in line with rope under tension or directly underneath rope under tension.

Item #	Approx. Tensile Strength	Color	Cord Size	Put Up	Size #
519911	220 lbs.	Black	1/8 in.	1000 ft.	4
519960	460 lbs.	Black	3/16 in.	1000 ft.	6
519907	460 lbs.	Light Beige	3/16 in.	1000 ft.	6
519922	185 lbs.	White	7/64 in.	3000 ft.	3-1/2
519912	220 lbs.	White	1/8 in.	1000 ft.	4
519923	220 lbs.	White	1/8 in.	3000 ft.	4
519904	220 lbs.	White	1/8 in.	500 ft.	4
519913	307 lbs.	White	9/64 in.	1000 ft.	4-1/2
519924	307 lbs.	White	9/64 in.	3000 ft.	4-1/2
519915	370 lbs.	White	5/32 in.	1000 ft.	5
519916	460 lbs.	White	3/16 in.	1000 ft.	6
519926	460 lbs.	White	3/16 in.	3000 ft.	6
519906	460 lbs.	White	3/16 in.	500 ft.	6
519917	750 lbs.	White	7/32 in.	1000 ft.	7
519918	750 lbs.	White	1/4 in.	1000 ft.	8
519908	750 lbs.	White	1/4 in.	500 ft.	8

Neoline® and InterWarp® are registered trademarks of New England Overseas Corporation.



515339

Cord – Solid Braided Polyester

Braided of clean, high tensile strength polyester. Resists acids, alkalis and moisture. Ends can be fused to prevent fraying. Ideal for drawstrings and in hems of synthetic tarpaulins. Popular for boating and awning line.

Item #	Approx. Tensile Strength	Color	Cord Size	Put Up	Size #
515339	310 lbs.	White	1/8 in.	500 ft.	4
515352	425 lbs.	White	5/32 in.	1000 ft.	5
515353	620 lbs.	White	3/16 in.	1000 ft.	6
518602	750 lbs.	White	3/16 in.	1000 ft.	6



515432

Cord – Solid Braided Nylon

This is one of the finest quality and best performing nylon solid braided cords. Designed for marine and industrial use, the product is constructed from high tenacity 12 strand interlocking nylon fibers, and has excellent shock load absorption qualities.

Item #	Approx. Tensile Strength	Color	Cord Size	Put Up	Size #
515432	450 lbs.	White	1/8 in.	1000 ft.	4
515433	750 lbs.	White	3/16 in.	1000 ft.	6
515434	1200 lbs.	White	1/4 in.	1000 ft.	8



515250

Cord – Saxon Nylon

Industrial-grade multifilament nylon. A strong, premium product that works well with pulleys.

Item #	Color	Cord Size	Put Up	Size #
515250	Natural	1/8 in.	1000 ft.	4
515251	Natural	3/16 in.	1000 ft.	6
515252	Natural	1/4 in.	1000 ft.	8



519224

Rope – Zenith

Polyester cord with high strength and excellent abrasion resistance. This cord also has a very good UV resistance and resists acids, alkalis and moisture.

Item #	Description	Approx. Tensile Strength	Color	Cord Size	Put Up	Size
519223	Bonded	400 lbs.	White	1/8 in.	1500 ft.	4
519224	Bonded	400 lbs.	Black	1/8 in.	1500 ft.	4



515221

Cord – Twisted S.F.T. Polypropylene

Made from fibrillated (shattered film type) or interconnected filaments. Recommended workload is 17% of breaking strength. Floats in, but does not absorb water. Very good resistance to most acids and alkalis.

Item #	Approx. Tensile Strength	Color	Cord Size	Put Up	Size #
515221	1130 lbs.	White	1/4 in.	1200 ft.	8



516254

Rope – 3-Strand Polypropylene

Filament polypropylene rope with excellent strength to weight ratio. Will float because specific gravity is less than 1.0. Hand and lay is medium/soft, which makes this product easy to splice.

Item #	Approx. Tensile Strength	Color	Cord Size	Put Up	Size #
516259	2430 lbs.	Black	3/8 in.	1200 ft.	12
516254	3780 lbs.	White	1/2 in.	1200 ft.	16
516252	3780 lbs.	White	1/2 in.	600 ft.	16
516242	1130 lbs.	White	1/4 in.	1200 ft.	8
516240	1130 lbs.	White	1/4 in.	600 ft.	8
516238	720 lbs.	White	3/16 in.	1200 ft.	6
516236	720 lbs.	White	3/16 in.	600 ft.	6
516248	2430 lbs.	White	3/8 in.	600 ft.	12

Item #	Approx. Tensile Strength	Color	Cord Size	Put Up	Size #
516246	1710 lbs.	White	5/16 in.	1200 ft.	10
516256	5580 lbs.	White	5/8 in.	600 ft.	20
516274	1130 lbs.	Yellow / Black	1/4 in.	600 ft.	8
516206	1130 lbs.	Yellow	1/4 in.	1200 ft.	8
516226	7650 lbs.	Yellow	3/4 in.	600 ft.	24
516210	1710 lbs.	Yellow	5/16 in.	1200 ft.	10
516224	5580 lbs.	Yellow	5/8 in.	600 ft.	20



515218

Rope – Unmanila™ Polypropylene

This rope has a simulated manila look with performance durability of polyolefin. It is a fibrillated film fiber that has balanced construction, medium lay and moderate strength/moderate stretch. It is lightweight and buoyant, and exhibits good abrasion resistance and excellent hand and knotability.

Item #	Color	Cord Size	Put Up	Size #
515218	Tan	1/4 in.	1200 ft.	8

Unmanila™ is a trademark of Wellington Puritan Mills, Inc.



506326

Cord – Nylon Shock

Nylon covered elastic cord of synthetic rubber. Ideal for sewing in boat cover hems, lacing down boat covers, car luggage racks and fastening applications.

Sold in full rolls only.

Item #	Style #	Description	Color	Cord Size	Put Up
506326	S/7307-14	Single Cover	White with Black Tracer	1/4 in.	150 ft.
506334	EC-114-500STD	Single Cover	White with Black Tracer	1/4 in.	500 ft.
506317	16448	Double Cover	Black	1/8 in.	300 ft.
506324	S/150	Single Cover	White with Black Tracer	1/8 in.	300 ft.
506325	S/7306-316	Single Cover	White with Black Tracer	3/16 in.	150 ft.
506328		Single Cover	White with Black Tracer	3/8 in.	100 ft.
506327	S/7308-516	Single Cover	White with Black Tracer	5/16 in.	150 ft.



506462

Cord – Single Cover Elastic

Elastic cord of synthetic rubber, designed to remain flexible and offer dependable elasticity when needed. When using any shock cords, always make sure ends are properly secured.

Warning: Secure hooks to ends carefully. Do not overstretch cord more than 50% of its normal length. Sudden disconnect in a stretched position may cause serious injury. Keep face and other vulnerable parts of the body away from the rebound path of the cord. Wear safety glasses during tie down and disconnect. Inspect cord before use. Discard if abraded, cut or cracked. Do not use to hold any surface which reacts to wind or air movement.

Item #	Style #	Description	Color	Cord Size	Put Up
506458	121	Cotton Covered	White with Black Tracer	1/4 in.	150 ft.
506455	130	Cotton Covered	White	1/8 in.	300 ft.
506456	1122	Cotton Covered	White with Black Tracer	3/16 in.	150 ft.
506462	350	Cotton Covered	White with Blue/Red Tracer	3/8 in.	100 ft.
506357	M-4	Polypropylene Covered	Black	1/4 in.	300 ft.
506355	M-4	Polypropylene Covered	Black	1/4 in.	500 ft.

Item #	Style #	Description	Color	Cord Size	Put Up
506350	M-4	Polypropylene Covered	White with Black Tracer	1/4 in.	150 ft.
506348	M-3 Black	Polypropylene Covered	Black	3/16 in.	300 ft.
506340	M-3	Polypropylene Covered	White with Black Tracer	3/16 in.	1000 ft.
506363		Polypropylene Covered	White	3/16 in.	100 ft.
506349	M-3	Polypropylene Covered	White	3/16 in.	300 ft.
506354	M-6	Polypropylene Covered	White with Blue Tracer	3/8 in.	100 ft.
506356	M-5	Polypropylene Covered	Black	5/16 in.	150 ft.
506352	M-5	Polypropylene Covered	White with Blue Tracer	5/16 in.	150 ft.



506494

Cord – Synthetic Shock

Synthetic shock cord with a polyester jacket.

Item #	Color	Cord Size	Put Up
506489	White	1/8 in.	500 ft.
506490	White	3/16 in.	300 ft.
506491	White	1/4 in.	300 ft.
506492	White	5/16 in.	300 ft.
506493	White	3/8 in.	150 ft.
506494	White	1/2 in.	100 ft.
506497	Black	1/8 in.	500 ft.



506166

Cord – Cone Spring Hooks

Stainless steel. Used for fastening ends of elastic cords.

Item #	Style #	Cord Size	Put Up
506166	3	3/16 in.	100
506167	4	1/4 in.	100
506168	5	5/16 in.	100
506169	6	3/8 in.	100



506151

Cord – Hog Ring Pliers

Fits 1/8 inch, 3/16 inch, 1/4 inch, 5 /16 inch and 3/8 inch sizes of loop and end clamps.

Item #	Style #	Description
506150	1440AO	Opening Spring
506151	1440AC	Closing Spring



506163

Cord – Loop And End Clamps

302 stainless steel. All looping rings are applied with clamp pliers. Used for splicing elastic cord.

Item #	Style #	Cord Size	Put Up
506161	X-0	1/4 in.	100
506155	X-0	1/4 in.	620
506160	X-00	1/8 and 3/16 in.	100
506162	X-1	5/16 in.	100
506158	X-1	5/16 in.	525
506163	X-2	3/8 in.	100



506152

Cord – Plier Clamp

Item #	Style #
506152	XX