





TRIM AND CORD: UNIQUE EMBELLISHMENTS

The detail and finish of a built piece is what gives it character and provides additional support. Secure fabric applications with webbing and marine binding, and tow, tie and bind with the right rope or cordage. For endless design possibilities, Trivantage® hand-picks the finest trim, cord and braid with products like Sunbrella® Fringe, Twist and Welt Cord.

EMBROIDERY	294
EMBELLISHMENTS	296
AWNING BRAID	297
TASSELS	300
MARINE BINDING	301
THREAD AND BOBBINS	309
WEBBING	321
ROPE AND CORDAGE	333



Sunbrella® Embroidery Thread

Made from 100% Sunbrella yarns, Sunbrella embroidery thread is an essential product for the embroidery world. It brings the colorfastness and durability of Sunbrella fabrics to decorative stitching. The thread opens up countless possibilities for customizing outdoor and indoor products. It offers carefree cleaning and allows the creation of beautiful, durable needlework.

Suggested uses: cushions, pillows, boat tops, umbrellas, bags, accessories, awnings, tents.

Warranty				5-Year		
Item #	Style #	Approx. Yards Per Pound	Average Breaking Strength	Color	Put Up	Size
542828	98028	3000	23 lbs.	Antique Beige	12/box	#24
542845	98045	3000	23 lbs.	Bay Brown	12/box	#24
542847	98047	3000	23 lbs.	Black	12/box	#24
542827	98027	3000	23 lbs.	Cadet Grey	12/box	#24
542826	98026	3000	23 lbs.	Captain Navy	12/box	#24
542846	98046	3000	23 lbs.	Charcoal	12/box	#24
542834	98034	3000	23 lbs.	Forest Green	12/box	#24
542841	98041	3000	23 lbs.	Gold	12/box	#24
542830	98030	3000	23 lbs.	Jockey Red	12/box	#24
542844	98044	3000	23 lbs.	Palm	12/box	#24
542842	98042	3000	23 lbs.	Peridot	12/box	#24
542829	98029	3000	23 lbs.	Pigmented White	12/box	#24
542843	98043	3000	23 lbs.	Rust	12/box	#24
542839	98039	3000	23 lbs.	Taupe	12/box	#24
542848	98048	3000	23 lbs.	Tuscan Orange	12/box	#24
542840	98040	3000	23 lbs.	Vellum	12/box	#24

Sunbrella® is a registered trademark of Glen Raven, Inc.

Sunbrella® Embroidery Bobbins

Made from 100% Sunbrella yarns, Sunbrella embroidery thread brings the colorfastness and durability of Sunbrella fabrics to decorative stitching. It allows endless possibilities for customizing indoor and outdoor pieces. The easy-care thread enables the creation of beautiful, durable designs.

Suggested uses: cushions, pillows, boat tops, umbrellas, bags, accessories, awnings, tents.

Warranty	5-Year
-----------------	--------

Item #	Style #	Approx. Yards Per Bobbin	Approx. Yards Per Pound	Average Breaking Strength	Color	Put Up	Size	Style
542887	98047	76	5,600	10 lbs.	Black	100/box	Tex 18	L
542890	98029	118	5,600	10 lbs.	Pigmented White	65/box	Tex 18	M
542869	98029	76	5,600	10 lbs.	Pigmented White	100/box	Tex 18	L

Sunbrella® is a registered trademark of Glen Raven, Inc.

Backing – Tear-Away

Designed for use on stable fabrics such as, satin jackets, denim, bath towels and similar items.

Item #	Put Up	Width
542808	250 yds.	6 in.
542809	250 yds.	10 in.
542810	250 yds.	15 in.

Backing – Cut-Away

Designed for maximum stability, this soft cut-away backing is ideal for use on sweaters, sports style garments, or any job where backing material will come in contact with skin.

Item #	Put Up	Size	Width
542811	100 pack	8 in. x 8 in.	
542812	150 yds.		6 in.
542813	150 yds.		10 in.
542814	150 yds.		15 in.



542816

Solvly

A water-soluble biodegradable topping that keeps stitches from sinking into terry knits and similar fabrics.

Item #	Put Up	Size	Width
542815	100 pack	8 in. x 8 in.	
542816	275 yds.		5 in.
542817	275 yds.		9 in.
542818	275 yd.		13 in.



504504

Sunbrella® Brush Fringe

This stylish brush fringe is made from genuine Sunbrella yarns. The colors and blends are specifically selected to complement our Fusion Collection as well as other Sunbrella upholstery collections.

3-yard minimum for cut yardage.

Suggested uses: marine and patio throw pillows, decorative umbrella trimming.

Item #	Style #	Color	Put Up	Width
504507	08337-2	Barley	25 yd.	2 in.
504502	07300-4635	Buttercup	25 yd.	2 in.
504504	07697-2	Classic	25 yd.	2 in.
504515	08354-2	Clay	25 yd.	2 in.
503874	07300	Cocoa	25 yd.	2 in.
504510	08347-2	Dune	25 yd.	2 in.
504516	08359-2	Dusk	25 yd.	2 in.
504511	08348-2	Flame	25 yd.	2 in.
504503	07300-5462	Hot Pink	25 yd.	2 in.
504513	08351-2	Indigo	25 yd.	2 in.
504517	08362-2	Meadow	25 yd.	2 in.
504501	07300-4608	Onyx	25 yd.	2 in.
504514	08352-2	Opal	25 yd.	2 in.
504505	08290-2	Papaya	25 yd.	2 in.
504508	08345-2	Putty	25 yd.	2 in.
504506	08293-2	Rain Forest	25 yd.	2 in.
504512	08350-2	Redwood	25 yd.	2 in.
504500	07300-4604	Salt	25 yd.	2 in.
504509	08346-2	Smoke	25 yd.	2 in.

Sunbrella® is a registered trademark of Glen Raven, Inc.



504708



504713

Sunbrella® Twist Cord-Edge

This twisted cord edge is made with durable Sunbrella yarns. It includes a color-matched sewing tab. Colors and blends are selected to pair with the Sunbrella Fusion Collection and other Sunbrella upholstery collections.

3-yard minimum for cut yardage.

Suggested uses: welting on marine and patio cushions, decorative umbrella trimming.

Item #	Style #	Color	Put Up	Width
504706	07313-4633	Almond	25 yd.	3/8 in.
504720	07313-5416	Aruba	25 yd.	3/8 in.
504729	08337	Barley	25 yd.	3/8 in.
504707	07313-4635	Buttercup	25 yd.	3/8 in.
504714	07313-4675	Capri	25 yd.	3/8 in.
504703	07313-4621	Chocolate	25 yd.	3/8 in.
504715	07313-4676	Cocoa	25 yd.	3/8 in.
504700	07313-4603	Crimson	25 yd.	3/8 in.
504721	07313-5418	Deep Sea	25 yd.	3/8 in.
504705	07313-4630	Dove	25 yd.	3/8 in.
504732	08347-CE	Dune	25 yd.	3/8 in.
504733	08348-CE	Flame	25 yd.	3/8 in.
504717	07313-4685	Ginkgo	25 yd.	3/8 in.
504724	07313-5441	Gold	25 yd.	3/8 in.
504708	07313-4644	Graphite	25 yd.	3/8 in.
504725	07313-5462	Hot Pink	25 yd.	3/8 in.
504734	08349	Linden	25 yd.	3/8 in.
504719	07313-5415	Melon	25 yd.	3/8 in.
504728	07532-CE	Nautical	25 yd.	3/8 in.
504704	07313-4626	Navy	25 yd.	3/8 in.
504718	07313-4686	Nutmeg	25 yd.	3/8 in.
504702	07313-4608	Onyx	25 yd.	3/8 in.
504723	07313-5421	Palm	25 yd.	3/8 in.
504710	07313-4649	Plum	25 yd.	3/8 in.
504730	08345	Putty	25 yd.	3/8 in.
504701	07313-4604	Salt	25 yd.	3/8 in.
504722	07313-5420	Sky	25 yd.	3/8 in.
504731	08346	Smoke	25 yd.	3/8 in.
504712	07313-4673	Spa	25 yd.	3/8 in.



503027

Sunbrella® Braid – 13/16 in. – No. 4015 European Style

A Sunbrella acrylic braid with exceptional color retention. “European Style” braid is a basket weave pattern where as standard braid is a straight weave pattern.

Item #	Style #	Color	Put Up	Width
503032	4015	Aquamarine	100 yd.	13/16 in.
503020	4015	Beige	100 yd.	13/16 in.
503037	4015	Black	100 yd.	13/16 in.
503046	4015	Blended Brown	100 yd.	13/16 in.
503009	4015	Blended Gold	100 yd.	13/16 in.
503090	4015	Brass	100 yd.	13/16 in.
503025	4015	Burgundy	100 yd.	13/16 in.
503036	4015	Buttercup	100 yd.	13/16 in.
503040	4015	Captain Navy	100 yd.	13/16 in.
503097	4015	Charcoal Grey	100 yd.	13/16 in.
503096	4015	Concord	100 yd.	13/16 in.
503027	4015	Forest Green	100 yd.	13/16 in.
503023	4015	Green	100 yd.	13/16 in.
503021	4015	Grey	100 yd.	13/16 in.
503045	4015	Ivory	100 yd.	13/16 in.
503030	4015	Jockey Red	100 yd.	13/16 in.
503041	4015	Linen	100 yd.	13/16 in.
503039	4015	Logo Red	100 yd.	13/16 in.
503094	4015	Mediterranean Blue	100 yd.	13/16 in.
503016	4015	Natural	100 yd.	13/16 in.
503029	4015	Navy Blue	100 yd.	13/16 in.
503022	4015	Pacific Blue	100 yd.	13/16 in.
503024	4015	Persian Green	100 yd.	13/16 in.
503034	4015	Plum	100 yd.	13/16 in.
503033	4015	Sapphire	100 yd.	13/16 in.
503035	4015	Sky Blue	100 yd.	13/16 in.
503092	4015	Taupe	100 yd.	13/16 in.
503028	4015	Terracotta	100 yd.	13/16 in.
503091	4015	Toast	100 yd.	13/16 in.
503019	4015	True Brown	100 yd.	13/16 in.
503093	4015	Turquoise	100 yd.	13/16 in.
503042	4015	Yellow	100 yd.	13/16 in.

Sunbrella® is a registered trademark of Glen Raven, Inc.

Item #	Style #	Color	Put Up	Width
504709	07313-4648	Stone	25 yd.	3/8 in.
504726	07313-5488	Teak	25 yd.	3/8 in.
504716	07313-4677	Tuscan	25 yd.	3/8 in.
504727	07313-5498	Vellum	25 yd.	3/8 in.
504713	07313-4674	Wheat	25 yd.	3/8 in.
504711	07313-4672	Wren	25 yd.	3/8 in.

Sunbrella® is a registered trademark of Glen Raven, Inc.



Bullion Fringe – Blended Polyester

Item #	Style #	Color	Put Up	Width
503713	1038	Medium White	36 yd.	2-1/2 in.
503720	1035	Medium White	36 yd.	4 in.

Sunbrella® Braid – 13/16 in. – No. 681

A 13/16 inch 100% Sunbrella® Acrylic braid and is manufactured using four ends of Sunbrella yarn in one strand. This braid has exceptional color retention.

Item #	Style #	Color	Color #	Put Up	Width
503055	681	Aquamarine	ABA23	100 yd.	13/16 in.
502976	681	Aruba	ABA5416	100 yd.	13/16 in.
502955	681	Aspen	ABA68	100 yd.	13/16 in.
503052	681	Beige	ABA20	100 yd.	13/16 in.
503044	681	Black	ABA08	100 yd.	13/16 in.
502941	681	Black Cherry	ABA40	100 yd.	13/16 in.
502948	681	Blended Brown	ABA13	100 yd.	13/16 in.
502946	681	Brass	ABA58	100 yd.	13/16 in.
503060	681	Burgundy	ABA31	100 yd.	13/16 in.
503074	681	Buttercup	ABA35	100 yd.	13/16 in.
503059	681	Cadet Grey	ABA30	100 yd.	13/16 in.
502958	681	Capri	ABA75	100 yd.	13/16 in.
503079	681	Captain Navy	ABA46	100 yd.	13/16 in.
502942	681	Charcoal	ABA44	100 yd.	13/16 in.
502970	681	Charcoal Tweed	ABA07	100 yd.	13/16 in.
502959	681	Cocoa	ABA76	100 yd.	13/16 in.
502969	681	Dubonnet Tweed	ABA06	100 yd.	13/16 in.
503048	681	Erin Green	ABA00	100 yd.	13/16 in.
503085	681	Fern	ABA71	100 yd.	13/16 in.
503075	681	Forest Green	ABA37	100 yd.	13/16 in.
502980	681	Ginkgo	ABA4685	100 yd.	13/16 in.
503089	681	Granite	ABA82	100 yd.	13/16 in.
503086	681	Heather Beige	ABA72	100 yd.	13/16 in.
502966	681	Hemlock Tweed	ABA05	100 yd.	13/16 in.
503084	681	Ivory	ABA9506	100 yd.	13/16 in.
502982	681	Ivy	ABA4632	100 yd.	13/16 in.
503051	681	Jockey Red	ABA03	100 yd.	13/16 in.
503073	681	Linen	ABA33	100 yd.	13/16 in.
502967	681	Linen Tweed	ABA54	100 yd.	13/16 in.
503083	681	Logo Red	ABA66	100 yd.	13/16 in.
502954	681	Mahogany	ABA67	100 yd.	13/16 in.
502961	681	Marine Blue	ABA78	100 yd.	13/16 in.
502952	681	Mauve	ABA39	100 yd.	13/16 in.
503081	681	Mediterranean Blue	ABA52	100 yd.	13/16 in.

Item #	Style #	Color	Color #	Put Up	Width
502963	681	Mediterranean Blue Tweed	ABA53	100 yd.	13/16 in.
502968	681	Mocha	ABA16	100 yd.	13/16 in.
503043	681	Natural	ABA04	100 yd.	13/16 in.
503057	681	Navy Blue	ABA26	100 yd.	13/16 in.
502962	681	Ocean Blue	ABA79	100 yd.	13/16 in.
503087	681	Orange	ABA09	100 yd.	13/16 in.
502972	681	Oyster	ABA42	100 yd.	13/16 in.
503049	681	Pacific Blue	ABA01	100 yd.	13/16 in.
502979	681	Palm	ABA5421	100 yd.	13/16 in.
503088	681	Parchment	ABA83	100 yd.	13/16 in.
503078	681	Persian Green	ABA43	100 yd.	13/16 in.
503080	681	Plum	ABA49	100 yd.	13/16 in.
502964	681	Royal Blue	ABA17	100 yd.	13/16 in.
502974	681	Rust	ABA4689	100 yd.	13/16 in.
503047	681	Salmon	ABA27	100 yd.	13/16 in.
503077	681	Sapphire	ABA41	100 yd.	13/16 in.
502943	681	Sea Grass	ABA45	100 yd.	13/16 in.
502947	681	Sea Spray	ABA11	100 yd.	13/16 in.
502971	681	Silver	ABA51	100 yd.	13/16 in.
503056	681	Sky Blue	ABA24	100 yd.	13/16 in.
502981	681	Slate	ABA4684	100 yd.	13/16 in.
502956	681	Spa	ABA73	100 yd.	13/16 in.
503050	681	Sunflower Yellow	ABA02	100 yd.	13/16 in.
502949	681	Tan	ABA14	100 yd.	13/16 in.
502944	681	Taupe	ABA48	100 yd.	13/16 in.
503054	681	Terracotta	ABA22	100 yd.	13/16 in.
502951	681	Toast	ABA28	100 yd.	13/16 in.
503053	681	True Brown	ABA21	100 yd.	13/16 in.
502960	681	Tuscan	ABA77	100 yd.	13/16 in.
502950	681	Walnut Brown Tweed	ABA18	100 yd.	13/16 in.
502957	681	Wheat	ABA74	100 yd.	13/16 in.

Sunbrella® is a registered trademark of Glen Raven, Inc.



503129

Sunbrella® Braid – 5/8 in. – No. 6118

5/8 inch wide braid made from 100% Sunbrella® Acrylic.

Item #	Style #	Color	Put Up	Width
503131	6118	Aquamarine	1 gr. yd.	5/8 in.
503223	6118	Beige	1 gr. yd.	5/8 in.
503221	6118	Black	1 gr. yd.	5/8 in.
503225	6118	Blended Brown	1 gr. yd.	5/8 in.
503129	6118	Blue	1 gr. yd.	5/8 in.
503132	6118	Brown	1 gr. yd.	5/8 in.
503228	6118	Burgundy	1 gr. yd.	5/8 in.
503154	6118	Buttercup	1 gr. yd.	5/8 in.
503158	6118	Captain Navy	1 gr. yd.	5/8 in.
503159	6118	Charcoal Grey	1 gr. yd.	5/8 in.
503138	6118	Forest Green	1 gr. yd.	5/8 in.
503134	6118	Grey	1 gr. yd.	5/8 in.
503150	6118	Ivory	1 gr. yd.	5/8 in.
503141	6118	Jockey Red	1 gr. yd.	5/8 in.
503130	6118	Linen	1 gr. yd.	5/8 in.
503156	6118	Logo Red	1 gr. yd.	5/8 in.
503128	6118	Mediterranean Blue	1 gr. yd.	5/8 in.
503153	6118	Natural	1 gr. yd.	5/8 in.
503142	6118	Navy	1 gr. yd.	5/8 in.
503157	6118	Taupe	1 gr. yd.	5/8 in.
503147	6118	Terracotta	1 gr. yd.	5/8 in.
503148	6118	Toast	1 gr. yd.	5/8 in.
503152	6118	Turquoise	1 gr. yd.	5/8 in.
503136	6118	Yellow	1 gr. yd.	5/8 in.

Sunbrella® is a registered trademark of Glen Raven, Inc.



503306

Braid – Polyester

Ideal for use with all awning fabrics. Also used to bind boat tops. Resists deteriorating effects of sunlight and weather. Excellent sewability. Recommend sewing with polyester thread.

Item #	Style #	Color	Put Up	Width
503306	61-20	Black	1 gr. yd.	5/8 in.
503311	61-20	Blue	1 gr. yd.	5/8 in.
503307	61-20	Brown	1 gr. yd.	5/8 in.
503303	61-20	Ecu	1 gr. yd.	5/8 in.
503302	5314	White	2 gr. yd.	5/8 in.



503469

Tassels – Synthetic Wood

Item #	Size
503469	4 in.



502008

Tape – No. 281 Nylon

A quality nylon tape for binding nylons and most other fabrics. Makes a neat, attractive finish.

Item #	Style #	Color	Put Up	Width
502025	281/N0088	Black	100 yd.	1 in.
502017	281/5038	Black	100 yd.	1 in.
502008	281/30119	Black	100 yd.	3/4 in.
502024	281/N0088	Black	100 yd.	3/4 in.
502009	281/N0088	Navy	100 yd.	3/4 in.
502019	281/N0088	White	100 yd.	1 in.
502007	281/N0088	White	100 yd.	3/4 in.



503912

Sunbrella® Marine Binding – Centerfold

100% Sunbrella Acrylic. Natural fold in center. Will not fade or weaken from normal exposure conditions, including sunlight, mildew, rot and atmospheric chemicals. Binding will not “neckdown” under tension. Blind side behaves same as front.

Item #	Style #	Color	Color #	Put Up	Width
503920	70-1968	Beige	20	200 yd.	7/8 in.
503915	70-1968	Black	08	200 yd.	7/8 in.
503916	70-1968	Burgundy	31	200 yd.	7/8 in.
503912	70-1968	Cadet Grey	30	200 yd.	7/8 in.
504447	70-1968	Captain Navy	6646	200 yd.	7/8 in.
503919	70-1968	Forest Green	37	200 yd.	7/8 in.
504439	70-1968	Linen	33	200 yd.	7/8 in.
504344	70-1968	Mediterranean Blue	6652	200 yd.	7/8 in.
503914	70-1968	Natural	04	200 yd.	7/8 in.
503913	70-1968	Navy	26	200 yd.	7/8 in.
504446	70-1968	Oyster	6642	200 yd.	7/8 in.
503911	70-1968	Pacific Blue	01	200 yd.	7/8 in.
504440	70-1968	Red	6603	200 yd.	7/8 in.
504449	70-1968	Taupe	48	200 yd.	7/8 in.
504443	70-1968	True Brown	21	200 yd.	7/8 in.
503917	70-1968	Turquoise	10	200 yd.	7/8 in.

Sunbrella® is a registered trademark of Glen Raven, Inc.

Sunbrella® Marine Binding – Centerfold – Type 1810

A Sunbrella® acrylic braid that will not fade or weaken from normal exposure conditions, including sunlight, mildew and rot.

Item #	Style #	Color	Color #	Put Up	Width
504460	1810	Black	08	200 yd.	7/8 in.
504456	1810	Cadet Grey	30	200 yd.	7/8 in.

Sunbrella® is a registered trademark of Glen Raven, Inc.



503925

Sunbrella® Marine Binding – Double-Fold Bias Cut

Sunbrella Acrylic marine binding in matching colors. Provides excellent color retention and weatherability. A double folded edge gives a finished and attractive look. Double folded and glued back 1/4 inch on each side. Bias cut binding assures pucker-free seams around curves and radius.

Item #	Style #	Color	Put Up	Width
504239	4620	Beige	100 yd.	1 in.
504208	4608	Black	100 yd.	1 in.
504330	4608	Black	100 yd.	1-1/4 in.
503928	4608	Black	100 yd.	3/4 in.
504231	4631	Burgundy	100 yd.	1 in.
503929	4631	Burgundy	100 yd.	3/4 in.
504230	4630	Cadet Grey	100 yd.	1 in.
504334	4630	Cadet Grey	100 yd.	1-1/4 in.
503950	4630	Cadet Grey	100 yd.	3/4 in.
503968	4675	Capri	100 yd.	3/4 in.
504211	4646	Captain Navy	100 yd.	1 in.
504351	4646	Captain Navy	100 yd.	1-1/4 in.
503946	4646	Captain Navy	100 yd.	3/4 in.
504235	4644	Charcoal Grey	100 yd.	1 in.
504236	4607	Charcoal Tweed	100 yd.	1 in.
504317	4676	Cocoa	100 yd.	1 in.
503969	4676	Cocoa	100 yd.	3/4 in.
504229	4606	Dubonnet Tweed	100 yd.	1 in.
503964	4671	Fern	100 yd.	3/4 in.
504237	4637	Forest Green	100 yd.	1 in.

Item #	Style #	Color	Put Up	Width
504328	4637	Forest Green	100 yd.	1-1/4 in.
503945	4637	Forest Green	100 yd.	3/4 in.
504272	4672	Heather Beige	100 yd.	1 in.
503965	4672	Heather Beige	100 yd.	3/4 in.
504207	4605	Hemlock Tweed	100 yd.	1 in.
504203	4603	Jockey Red	100 yd.	1 in.
503925	4603	Jockey Red	100 yd.	3/4 in.
504254	4654	Linen Tweed	100 yd.	1 in.
504327	4654	Linen Tweed	100 yd.	1-1/4 in.
503954	4654	Linen Tweed	100 yd.	3/4 in.
504233	4633	Linen	100 yd.	1 in.
504348	4633	Linen	100 yd.	1-1/4 in.
503958	4633	Linen	100 yd.	3/4 in.
504218	4666	Logo Red	100 yd.	1 in.
504318	4678	Marine Blue	100 yd.	1 in.
503970	4678	Marine Blue	100 yd.	3/4 in.
504314	4653	Mediterranean Blue Tweed	100 yd.	1 in.
503941	4653	Mediterranean Blue Tweed	100 yd.	3/4 in.
504213	4652	Mediterranean Blue	100 yd.	1 in.
504204	4604	Natural	100 yd.	1 in.
504331	4604	Natural	100 yd.	1-1/4 in.
503924	4604	Natural	100 yd.	3/4 in.
504226	4626	Navy	100 yd.	1 in.
504326	4626	Navy	100 yd.	1-1/4 in.
503922	4626	Navy	100 yd.	3/4 in.
504200	4679	Ocean Blue	100 yd.	1 in.
503971	4679	Ocean Blue	100 yd.	3/4 in.
504209	4642	Oyster	100 yd.	1 in.
504349	4642	Oyster	100 yd.	1-1/4 in.
503942	4642	Oyster	100 yd.	3/4 in.
504201	4601	Pacific Blue	100 yd.	1 in.
504346	4601	Pacific Blue	100 yd.	1-1/4 in.
503921	4601	Pacific Blue	100 yd.	3/4 in.
504243	4643	Persian Green	100 yd.	1 in.
503940	4643	Persian Green	100 yd.	3/4 in.
504217	4617	Royal Blue Tweed	100 yd.	1 in.
503923	4617	Royal Blue Tweed	100 yd.	3/4 in.
503933	4641	Sapphire Blue	100 yd.	3/4 in.
504205	4641	Sapphrie Blue	100 yd.	1 in.
503975	4859	Silica Dune	100 yd.	3/4 in.
504232	4651	Silver	100 yd.	1 in.
503962	4651	Silver	100 yd.	3/4 in.
503966	4673	Spa	100 yd.	3/4 in.
504216	4602	Sunflower Yellow	100 yd.	1 in.
504227	4648	Taupe	100 yd.	1 in.
503959	4648	Taupe	100 yd.	3/4 in.
504319	2389	Toast Tweed	100 yd.	1 in.

Item #	Style #	Color	Put Up	Width
504325	4689	Toast Tweed	100 yd.	1-1/4 in.
503956	2389	Toast Tweed	100 yd.	3/4 in.
504225	4628	Toast	100 yd.	1 in.
503952	4628	Toast	100 yd.	3/4 in.
504258	4658	Tresco Brass	100 yd.	1 in.
503963	4658	Tresco Brass	100 yd.	3/4 in.
504234	4621	True Brown	100 yd.	1 in.
503927	4621	True Brown	100 yd.	3/4 in.
504316	4674	Wheat	100 yd.	1 in.
503967	4674	Wheat	100 yd.	3/4 in.

Sunbrella® is a registered trademark of Glen Raven, Inc.



504021

Sunbrella® Marine Binding – Double-Fold Straight Cut

Sunbrella Acrylic marine binding in matching colors. Provides excellent color retention and weatherability. A double folded edge gives a finished and attractive look. Double folded and glued back 1/4 inch on each side.

Item #	Style #	Color	Put Up	Width
502036	4623	Aquamarine	100 yd.	1 in.
504043	4623	Aquamarine	100 yd.	3/4 in.
504077	4668	Aspen	100 yd.	3/4 in.
504020	4620	Beige	100 yd.	3/4 in.
502034	4608	Black	100 yd.	1 in.
504028	4608	Black	100 yd.	3/4 in.
504119	4608	Black	200 yd.	3/4 in.
504088	4608	Black	300 yd.	7/8 in.
502040	4631	Burgundy	100 yd.	1 in.
504051	4631	Burgundy	100 yd.	3/4 in.
504015	4635	Buttercup	100 yd.	3/4 in.
504050	4630	Cadet Grey	100 yd.	3/4 in.
502044	4646	Captain Navy	100 yd.	1 in.
504047	4646	Captain Navy	100 yd.	3/4 in.
504027	4607	Charcoal Tweed	100 yd.	3/4 in.
504049	4644	Charcoal	100 yd.	3/4 in.
504065	4665	Concord	100 yd.	3/4 in.
502033	4606	Dubonnet Tweed	100 yd.	1 in.
504026	4606	Dubonnet Tweed	100 yd.	3/4 in.
504057	4637	Forest Green	100 yd.	3/4 in.
504071	4672	Heather Beige	100 yd.	3/4 in.
504025	4605	Hemlock Tweed	100 yd.	3/4 in.
504080	4632	Ivy	100 yd.	3/4 in.
504023	4603	Jockey Red	100 yd.	3/4 in.

Item #	Style #	Color	Put Up	Width
504054	4654	Linen Tweed	100 yd.	3/4 in.
504033	4633	Linen	100 yd.	3/4 in.
504078	4678	Marine Blue	100 yd.	3/4 in.
502046	4653	Mediterranean Blue Tweed	100 yd.	1 in.
504053	4653	Mediterranean Blue Tweed	100 yd.	3/4 in.
502045	4652	Mediterranean Blue	100 yd.	1 in.
504052	4652	Mediterranean Blue	100 yd.	3/4 in.
504016	4616	Mocha Tweed	100 yd.	3/4 in.
504024	4604	Natural	100 yd.	3/4 in.
502037	4646	Navy	100 yd.	1 in.
504046	4626	Navy	100 yd.	3/4 in.
504079	4679	Ocean Blue	100 yd.	3/4 in.
504036	4642	Oyster	100 yd.	3/4 in.
504021	4601	Pacific Blue	100 yd.	3/4 in.
504029	4643	Persian Green	100 yd.	3/4 in.
504300	4617	Royal Blue	100 yd.	1 in.
504034	2079	Royal Navy	100 yd.	3/4 in.
504037	4617	Royal	100 yd.	3/4 in.
504031	4651	Silver	100 yd.	3/4 in.
504055	4624	Sky Blue	100 yd.	3/4 in.
504060	4602	Sunflower Yellow	100 yd.	3/4 in.
504014	4614	Tan	100 yd.	3/4 in.
504042	4648	Taupe	100 yd.	3/4 in.
504059	2389	Toast Tweed	100 yd.	3/4 in.
504048	4628	Toast	100 yd.	3/4 in.
504041	4621	True Brown	100 yd.	3/4 in.
504030	4610	Turquoise	100 yd.	3/4 in.

Sunbrella® is a registered trademark of Glen Raven, Inc.

Aqualon® Edge Binding

Double-folded, straight cut. Colors match Aqualon Edge marine top and cover fabric.

Item #	Style #	Color	Put Up	Width
502757	17	Alpine White	100 yd.	3/4 in.
502753	07	Apple Red	100 yd.	3/4 in.
502762	44	Atlantic Blue	100 yd.	3/4 in.
502764	68	Basic Beige	100 yd.	3/4 in.
502750	00	Black Onyx	100 yd.	3/4 in.
502755	09	Cabernet	100 yd.	3/4 in.
502758	18	Charcoal Grey	100 yd.	3/4 in.
502767	13	Cherry Red	100 yd.	3/4 in.

Item #	Style #	Color	Put Up	Width
502754	08	Coastal Ivory	100 yd.	3/4 in.
502765	69	Indigo Blue	100 yd.	3/4 in.
502751	03	Ivy Green	100 yd.	3/4 in.
502759	21	Mountain Taupe	100 yd.	3/4 in.
502760	28	Nautical Navy	100 yd.	3/4 in.
502770	25	Oxford Tan	100 yd.	3/4 in.
502766	71	Slate Grey	100 yd.	3/4 in.
502763	49	Toast	100 yd.	3/4 in.
502756	12	True Blue	100 yd.	3/4 in.
502752	04	True Teal	100 yd.	3/4 in.

Aqualon® is a registered trademark of Glen Raven, Inc.



502351

Riviera Marine Fabric™ Binding

Binding matches to Herculite® Riviera Marine Fabric, which creates a uniform marine fabrication. Made from a 100% PVC composite supported by high strength woven polyester, this high-quality fabric features the Rain Kleen® II finish, making it well suited for a variety of marine environments. This bias cut binding assures pucker free seams around curves and radius.

Item #	Description	Color	Put Up	Width
502352	Double-Fold	Ivory	50 yd.	3/4 in.
502355	Double-Fold	Snow White	50 yd.	1 in.
502350	Double-Fold	Snow White	50 yd.	3/4 in.
502356	Double-Fold	White	50 yd.	1 in.
502351	Double-Fold	White	50 yd.	3/4 in.
502360	Single-Fold	Snow White	50 yd.	1-1/4 in.

Herculite® and Rain-Kleen® are registered trademarks of Herculite Products Inc. Herculite Riviera Marine Fabric™ is a trademark of Herculite Products Inc.



502245

Regatta® Binding

This vinyl laminated, polyester bias cut binding is made from waterproof and mildew-resistant Regatta Marine Fabric.

Item #	Style #	Description	Color	Put Up	Width
502265	45	Double-Fold	Black	50 yd.	1 in.
502245	45	Double-Fold	Black	50 yd.	3/4 in.
502259	39	Double-Fold	Ivory	50 yd.	1 in.
502239	39	Double-Fold	Ivory	50 yd.	3/4 in.
502247	17	Double-Fold	White	50 yd.	1 in.
502230	17	Double-Fold	White	50 yd.	3/4 in.
502267	17	Single-Fold	White	50 yd.	1-1/4 in.

Regatta® is a registered trademark of Herculite Products Inc.



502868

Serge Ferrari Stamoid® Binding

This binding is made from lightweight and durable Stamoid marine fabric. Coordinate with colors in the marine fabric collection for easy design. Edge turned with a bias cut to ensure maximum flexibility.

Item #	Style #	Color	Put Up	Width
502893	2ET	Black	100 yd.	1 in.
502921	1ET	Black	100 yd.	1-1/4 in.
502871	2ET	Black	100 yd.	3/4 in.
502895	2ET	Cream	100 yd.	1 in.
502861	2ET	Cream	100 yd.	3/4 in.
502892	2ET	Ivory	100 yd.	1 in.
502912	1ET	Ivory	100 yd.	1-1/4 in.
502862	2ET	Ivory	100 yd.	3/4 in.
502894	2ET	Navy	100 yd.	1 in.
502872	2ET	Navy	100 yd.	3/4 in.
502864	2ET	Pearl Gray	100 yd.	3/4 in.
502868	2ET	Royal Blue	100 yd.	3/4 in.
502863	2ET	Sand	100 yd.	3/4 in.
502865	2ET	Silver	100 yd.	3/4 in.
502891	2ET	Snow White	100 yd.	1 in.
502914	1ET	Snow White	100 yd.	1-1/4 in.
502873	2ET	Snow White	100 yd.	3/4 in.
502890	2ET	White	100 yd.	1 in.
502910	1ET	White	100 yd.	1-1/4 in.
502860	2ET	White	100 yd.	3/4 in.

Stamoid® is a registered trademark of The Serge Ferrari Group.



515593

Binding – Vinyl – Imperial

An embossed coated vinyl on a drill backing. Bias cut. The vinyl and drill contain mildew inhibitors for added life.

Item #	Style #	Color	Put Up	Width
515606	560 RE	Beige	135 yd.	1-1/4 in.
504825	552	Black	100 yd.	1-1/4 in.
515590	949	Black	100 yd.	1-1/4 in.
504633	552	Black	100 yd.	3/4 in.
515595	949	Black	100 yd.	3/4 in.
515593	553	Blue	100 yd.	1-1/4 in.
504826	562	Buckskin	100 yd.	1-1/4 in.
515581	576	Burgundy	100 yd.	1-1/4 in.
515592	950	Oyster	100 yd.	1-1/4 in.
515597	950	Oyster	100 yd.	3/4 in.
504822	568	Slate Gray	100 yd.	1-1/4 in.
515591	948	White	100 yd.	1-1/4 in.
504492	551	White	100 yd.	1-1/4 in.
504495	9753	White	100 yd.	1-1/4 in.
515596	948	White	100 yd.	3/4 in.



515578

Binding – Vinyl – 300 Series

An extremely durable, seamed bias binding. Embossed vinyl on strong, high quality 14 to 15 ounce backing. Bias cut. Resists dirt, ultraviolet rays, and fraying.

Item #	Style #	Color	Put Up	Width
515584	308	Black	100 yd.	1-1/4 in.
515580	308	Black	100 yd.	3/4 in.
504830	354	Jade	100 yd.	3/4 in.
515576	312	Light Gray	100 yd.	1-1/4 in.
515577	312	Light Gray	100 yd.	3/4 in.
504831	325	Navy	100 yd.	3/4 in.
515587	310	Oyster	100 yd.	1-1/4 in.
515583	310	Oyster	100 yd.	3/4 in.
515578	302	Royal	100 yd.	3/4 in.
515601	309	White	100 yd.	1 in.
515586	309	White	100 yd.	1-1/4 in.
515582	309	White	100 yd.	3/4 in.



503982

Sur Last® Binding

Sur Last double-fold bias cut binding is made from lightweight, yet strong and flexible Sur Last 100%, solution-dyed polyester fabric. Binding provides a finished and attractive appearance.

Item #	Color	Put Up	Width
503982	Black	100 yd.	3/4 in.

Sur Last® is a registered trademark of Glen Raven, Inc.



502301

Sunbrella® Facing

Cut from genuine Sunbrella. Wider than traditional folded binding. Can be used as a zipper facing or cover and hem application.

Item #	Style #	Color	Put Up	Width
502308	4608	Black	60 yd.	1-1/2 in.
502408	4608	Black	60 yd.	2 in.
502449	4608	Black	60 yd.	2-1/2 in.
502431	4631	Burgundy	60 yd.	2 in.
502430	4630	Cadet Grey	60 yd.	2 in.
502346	4646	Captain Navy	60 yd.	1-1/2 in.
502446	4646	Captain Navy	60 yd.	2 in.
502412	4606	Dubonnet Tweed	60 yd.	2 in.
502437	4637	Forest Green	60 yd.	2 in.
502416	4654	Linen Tweed	60 yd.	2 in.
502290	4633	Linen	60 yd.	1-1/2 in.
502414	4633	Linen	60 yd.	2 in.
502415	4652	Mediterranean Blue	60 yd.	2 in.
502404	4604	Natural	60 yd.	2 in.
502326	4626	Navy	60 yd.	1-1/2 in.

Item #	Style #	Color	Put Up	Width
502426	4626	Navy	60 yd.	2 in.
502401	4601	Pacific Blue	60 yd.	2 in.
502289	4628	Toast	60 yd.	1-1/2 in.
502413	4628	Toast	60 yd.	2 in.

Sunbrella® is registered trademark of Glen Raven, Inc.



502210

Regatta® Facing

Vinyl facing made from Regatta marine vinyl fabric.

Item #	Style #	Color	Put Up	Width
502211	39	Ivory	50 yd.	2 in.
502202	17	White	50 yd.	1-1/2 in.
502210	17	White	50 yd.	2 in.

Regatta® is a registered trademark of Herculite Products Inc.



502856

Serge Ferrari Stamoid® Facing

Vinyl facing made from Stamoid marine vinyl fabric.

Item #	Color	Put Up	Width
502856	Black	50 yd.	2 in.
502849	Cream	50 yd.	1-1/2 in.
502855	Cream	50 yd.	2 in.
502847	Snow White	50 yd.	1-1/2 in.
502851	Snow White	50 yd.	2 in.
502848	White	50 yd.	1-1/2 in.
502854	White	50 yd.	2 in.

Stamoid® is a registered trademark of The Serge Ferrari Group.



505407

Welting – Welt Cord

Foam welt cord is used in all upholstery applications. Simply sew vinyl, leather, or fabric around the welt cord leaving a flange to be sewn into the seams of the upholstery. Excellent for use in automotive, furniture, and marine applications.

Made of polyethylene foam, this quality and durable welt cord is used for cushion and seating upholstery. Popular in the fine furniture industry and durable enough for use in the marine and automotive industries.

Item #	Style #	Description	Color	Put Up	Width
505407	773		Off White	50 yd.	5/32 in.
505406	771		White	50 yd.	5/32 in.
515538	B832500-4	Braided Paper	White	500 yd.	8/32 in.
515547		Foam (No Filler)	White	1250 yd., 6/box	4/32 in.
515526	4321000	Foam	White	1000 yd.	4/32 in.
515530	5321000-6	Foam	White	1000 yd.	5/32 in.

Welt

Use this hollow welt cord to add attractive piping to marine seating and other upholstery projects. Made from heavy-grade but flexible plastic, the welting is built to last. Easily sew fabric around the cord and glue into the seams of the furniture for an elegant finish.

Item #	Style #	Description	Put Up	Size
578100	PEH432500-6	Hollow PE	1500 ft.	4/32 in.

Nassimi Breeze Seaquest Hidem Gimp

Hidem gimp is used to hide staples in upholstery and headliner applications. Colors correspond with the Nassimi Breeze Seaquest Vinyl Upholstery collection. Some items available in full rolls only.

Item #	Color	Put Up	Width
515831	American Beauty	25 yd.	5/8 in.
515832	Anchor	25 yd.	5/8 in.
515833	Buff	25 yd.	5/8 in.
515834	Chalk	25 yd.	5/8 in.
515836	Dune	25 yd.	5/8 in.
515837	Ebony	25 yd.	5/8 in.
515838	Emerald	25 yd.	5/8 in.
515839	Forest	25 yd.	5/8 in.
515840	Hampton	25 yd.	5/8 in.
515843	Lighthouse Red	25 yd.	5/8 in.
515844	Lotion	25 yd.	5/8 in.
515845	Marble	25 yd.	5/8 in.
515846	Midnight	25 yd.	5/8 in.
515847	Mist	25 yd.	5/8 in.
515849	Navy	25 yd.	5/8 in.
515850	Oyster	25 yd.	5/8 in.
515851	Pearl Oyster	25 yd.	5/8 in.
515852	Pelican	25 yd.	5/8 in.
515853	Royal	25 yd.	5/8 in.
515854	Ruby	25 yd.	5/8 in.
515855	Sea White	25 yd.	5/8 in.
515856	Smoke	25 yd.	5/8 in.
515857	Teal	25 yd.	5/8 in.
515859	Too White	25 yd.	5/8 in.
515860	White Ice	25 yd.	5/8 in.



515830

Nautolex® Capitano™ Hidem Gimp

Made from durable vinyl, this Nautolex Capitano hidem gimp outlasts extreme marine settings. The center-split welt resists dirt, UV rays, mildew, and fraying. Use the versatile binding to conceal staples in boat upholstery, headliners, and other marine fabric trim applications.

Item #	Style #	Color	Put Up	Width
515825	449192	Beach White	25 yd.	3/4 in.
515822	448000	Cloud White	25 yd.	3/4 in.
515820	448001	Conch Shell	25 yd.	3/4 in.
515828	448007	Cyberspace	25 yd.	3/4 in.
515830	448008	Sandshell	25 yd.	3/4 in.

Nautolex® is a registered trademark of OMNOVA Solutions, Inc. Capitano™ is a trademark of OMNOVA Solutions, Inc.



515623

Hidem Gimp – Acrylic

A very durable, acrylic split hidem gimp. Resists dirt, ultraviolet rays, mildew and fraying. Used to hide staples in upholstery and headliner applications.

Item #	Style #	Color	Put Up	Width
515623	4637	Forest Green	100 yd.	5/8 in.



515617

Hidem Gimp

A very durable split hidem gimp. Resists dirt, ultraviolet rays, mildew and fraying. Used to hide staples in upholstery and headliner applications.

Item #	Style #	Color	Put Up	Width
515617	308	Black	50 yd.	5/8 in.

Item #	Style #	Color	Put Up	Width
515733	771	Mystic White	50 yd.	5/8 in.
515734	773	Off White	50 yd.	5/8 in.
515600		White	50 yd.	5/8 in.

Nassimi Breeze Seaquest Welt

Welt is used to visually enhance a seam on seating. Colors correspond with the Nassimi Breeze Seaquest Vinyl Upholstery collection.

Item #	Color	Put Up	Width
515861	American Beauty	50 yd.	5/8 in.
515862	Anchor	50 yd.	5/8 in.
515863	Buff	50 yd.	5/8 in.
515864	Chalk	50 yd.	5/8 in.
515865	Cove	50 yd.	5/8 in.
515866	Dune	50 yd.	5/8 in.
515867	Ebony	50 yd.	5/8 in.
515868	Emerald	50 yd.	5/8 in.
515869	Forest	50 yd.	5/8 in.
515870	Hampton	50 yd.	5/8 in.
515872	Lemon Peel	50 yd.	5/8 in.
515873	Lighthouse Red	50 yd.	5/8 in.
515874	Lotion	50 yd.	5/8 in.
515875	Marble	50 yd.	5/8 in.
515876	Midnight	50 yd.	5/8 in.
515877	Mist	50 yd.	5/8 in.
515878	Navel	50 yd.	5/8 in.
515879	Navy	50 yd.	5/8 in.
515880	Oyster	50 yd.	5/8 in.
515882	Pelican	50 yd.	5/8 in.
515883	Royal	50 yd.	5/8 in.
515885	Sea White	50 yd.	5/8 in.
515886	Smoke	50 yd.	5/8 in.
515887	Teal	50 yd.	5/8 in.
515889	Too White	50 yd.	5/8 in.
515890	White Ice	50 yd.	5/8 in.



578055

Welt – Rubber Spray

Made from EPDM, a dense non-marking rubber, this spray welt stays soft and easy to mold to a windshield or any other surface. With no foam to disintegrate, it lasts much longer than other weltings. It is also stronger, less likely to rip out, making it trouble free.

Item #	Style #	Color	Put Up	Size
578055	3707-EP	Black	300 ft.	3/8 in. x 3/4 in.
578094	3707-EP	Black	100 ft.	3/8 in. x 3/4 in.



578046

Welt – Windshield

Made of vinyl-encased foam and used as a gasket between the boat top and the windshield to prevent water from entering.

Item #	Style #	Color	Material	Put Up	Size
578026	3707-10	Black	10 mil Vinyl	500 feet	3/8 in. x 1-1/8 in.
578046	3707-10	Black	10 mil Vinyl	150 ft.	3/8 in. x 1-1/8 in. x 1/2 in. Flap
578020	3705-6	Black	6 mil Vinyl	500 feet	3/8 in. x 7/8 in.
578040	3705-6	Black	6 mil Vinyl	150 ft.	3/8 in. x 7/8 in. x 1/2 in. Flap
578021	3705-6	Gray	6 mil Vinyl	500 feet	3/8 in. x 7/8 in.



578056



Xtreme Seal®

Xtreme Seal edge seal is a high-tech extrusion, engineered and manufactured with an advanced EPDM material. It's a closed-cell flexible material that can be glued or sewn to most materials and surfaces. The flexibility and unique design creates a three-point contact seal on most surfaces. Xtreme Seal is an ideal choice for an edge seal on all types of custom covers, such as convertible tops, side curtains, camper enclosures, windshield tops and sides, front-drop windshields, and deck seals. Sold in full rolls only.

Item #	Style #	Color	Put Up	Width
578056	POD6	Black	50 ft.	1.85 in.
578057	POD7	White	50 ft.	1.85 in.

Xtreme Seal® is a registered trademark of Xtreme Seal LLC.



578051

Xtreme Seal® Ultra Seal

Xtreme Seal Ultra Seal is designed for a great edge seal. It works well with DOT® Common Sense® fasteners and gives a flatter finished profile. Sold in full rolls only.

Item #	Style #	Color	Put Up	Width
578051	POD9	Black	100 ft.	1.8 in.

Xtreme Seal® is a registered trademark of Xtreme Seal LLC. DOT® and Common Sense® are registered trademarks of Scovill, Inc.



578053

Xtreme Seal® V-Seal

Xtreme V-Seal works well with all cutouts and tight corners, bow covers and radar arch cutouts. Sold in full rolls only.

Item #	Style #	Color	Put Up	Width
578050	POD13	White	100 ft.	0.691 in.
578053	POD11	Black	100 ft.	0.691 in.

Xtreme Seal® is a registered trademark of Xtreme Seal LLC.



578054

Xtreme Seal® Awning Seal

Awning installations are a breeze with Xtreme Seal Awning Seal. Designed for the awning industry as a gasket material between the frame and the mounting surface, Xtreme Seal Awning Seal conforms to the contour of the mounting surface, eliminating the need for silicone and providing a clean finished product. Made of EPDM synthetic rubber, Xtreme Seal Awning Seal also features an adhesive back, saving time and making mounting easy. Sold in full rolls only.

Item #	Style #	Color	Put Up
578054	POD-AW	Black	250 ft.



542001

Thread – Aqua-Seal™

Aqua-Seal polyester thread and bobbins when used as a system provides a strong deterrent to seam leakage. Aqua-Seal thread is colorfast, UV resistant, and non-wicking. When Aqua-Seal thread is used with its pre-wound bobbin, it fills the needle holes as the fabric is stitched.

Item #	Color	Put Up	Size
542031	Black	1 lbs. tubes, 2650 yd.	138 / T135
542001	Black	1 lbs. tubes, 3600 yd.	92+ / T110
542002	Natural Tan	1/2 lbs. tubes, 1800 yd.	92+ / T110
542030	White	1 lbs. tubes, 2650 yds	138 / T135
542000	White	1 lbs. tubes, 3600 yd.	92+ / T110

Aqua-Seal™ is a trademark of Fil-Tec, Inc.



542332

Thread – Coats Dabond® Nano

This thread provides all the strength characteristics as regular Dabond plus has an anti-wick finish that minimizes seam leakage.

Item #	Description	Average Breaking Strength	Color	Color #	Put Up	Size
542558		22.6 lbs.	Black	4608	16 oz. tube	V-138 (#12)
542530		14.5 lbs.	Black	4608	16 oz. tube	V-92 (#16)
542336		14.5 lbs.	Black	4608	8 oz. tube	V92
542346		14.5 lbs.	Cadet Gray	4630	8 oz. tube	V92
542352		14.5 lbs.	Forest Green	4637	8 oz. tube	V92
542332		14.5 lbs.	Jockey Red	4603	8 oz. tube	V92
542350		14.5 lbs.	Linen	4633	8 oz. tube	V92
542334		14.5 lbs.	Natural	4604	8 oz. tube	V92
542330		14.5 lbs.	Pacific Blue	4601	8 oz. tube	V92
542557		22.6 lbs.	White		16 oz. tube	V-138 (#12)
542526		10.9 lbs.	White		16 oz. tube	V-69 (#24)
542532	Anti-Wick	14.5 lbs.	White		16 oz. tube	V-92 (#16)
542543		14.5 lbs.	White		16 oz. tube	V-92

Dabond® is a registered trademark of J. & P. Coats, Limited.



551952

Thread – Coats Dual Duty®

Dual Duty is “core”-type thread made by spinning a high-grade cotton warp around a continuous multi-filament polyester core. Low shrinkage as compared to cotton, high single end strength, stronger seams than with cotton of equivalent size, and excellent resistance to abrasion. When wet, cotton swells to fill needle holes in fabric, which reduces seam leakage.

Item #	Color	Put Up	Size
551952	Natural	1-1/2 lb. cones, 5,000 yd./cone, 18/box	150

Dual Duty® is a registered trademark of J. & P. Coats, Limited.



551905

Thread – Coats Polymatic® Drip Stop Bonded Monocord Dacron®

Polymatic Drip-Stop inhibits the capillary action that causes seam leakage. Where seam leakage would detract from the utility of the end product, specify this thread.

Item #	Approx. Yards Per Pound	Average Breaking Strength	Color	Put Up	Size
551906	3500	18 lbs.	Black	1 lb. tubes, 40/box	125
551905	3500	18 lbs.	White	1 lb. tubes, 40/box	125
551915	3800	18 lbs.	White	1 lb. tubes, 40/box	FF

Polymatic® is a registered trademark of J. & P. Coats, Limited. Dacron® is a registered trademark of INVISTA™.



551938

Thread – Coats Polymatic® Bonded Monocord Dacron®

A bonded monocord Dacron thread treated for maximum resistance to UV degradation. This thread has increased lubrication to protect the thread during the sewing process. Stronger than twisted threads, therefore a smaller thread size can be used. Less prone to ravel and knot during sewing. Its oval profile reduces exposure of thread to surface abrasion. Can be used on both sides of double needle machine.

Item #	Style #	Approx. Yards Per Pound	Average Breaking Strength	Color	Put Up	Size
551943	40560-S2562P	3572	18 lbs.	Ashes	1 lb. tubes, 40/box	125
551913	40560-S1941P	3572	18 lbs.	Beige	1 lb. tubes, 40/box	125
551938	40440-S1941P	3783	15.5 lbs.	Beige	1 lb. tubes, 40/box	FF
551926	40560-SBLACKD	3572	18 lbs.	Black	1 lb. tubes, 40/box	125
551917	40660-SBLACKD	2800	22 lbs.	Black	1 lb. tubes, 40/box	160
551936	40440-SBLACKD	3783	15.5 lbs.	Black	1 lb. tubes, 40/box	FF
551928	40560-S7143P	3572	18 lbs.	Blue	1 lb. tubes, 40/box	125
551929	40560-S1522P	3572	18 lbs.	Brown	1 lb. tubes, 40/box	125
551922	40560-S0042P	3572	18 lbs.	Grey	1 lb. tubes, 40/box	125
551946	40560-S8011P	3572	18 lbs.	Indigo	1 lb. tubes, 40/box	125
551927	40560-S2722P	3572	18 lbs.	Olive Drab	1 lb. tubes, 40/box	125
551921	40560-S0538P	3572	18 lbs.	Red	1 lb. tubes, 40/box	125
551924	40560-S4234P	3572	18 lbs.	Shoe Green	1 lb. tubes, 40/box	125
551930	40560-S5044P	3572	18 lbs.	Turf Green	1 lb. tubes, 40/box	125
551925	40560-WHITE	3572	18 lbs.	White	1 lb. tubes, 40/box	125
551919	40660-WHITE	2800	22 lbs.	White	1 lb. tubes, 40/box	160
551935	40440-WHITE	3783	15.5 lbs.	White	1 lb. tubes, 40/box	FF

Polymatic® is a registered trademark of J. & P. Coats, Limited. Dacron® is a registered trademark of INVISTA™.



541800

Thread – Coats Ultra Dee® Polyester

A corded thread made from a high strength, resilient and continuous filament polyester. Heat set to minimize shrinkage or stretch. The bonded finish adds strength and reduces fraying at needle eye. All are left twist threads.

Item #	Style #	Description	Approx. Yards Per Tube	Average Breaking Strength	Color	Put Up	Size
541826	18100-35123	Bonded	1147	14.2 lbs.	Ashes	4 oz. tubes, 10/box	DB92 (#16)
541326	11880-3187	Bonded	4141	14.2 lbs.	Beaver	1 lb. tubes, 50/box	DB92 (#16)
541805	18100-3187	Bonded	1147	14.2 lbs.	Beaver	4 oz. tubes, 10/box	DB92 (#16)
541322	15630-BLACKD	Bonded	2913	21.4 lbs.	Black	1 lb. tubes, 50/box	DB138 (#12)
541325	11800-BLACKD	Bonded	5549	10.5 lbs.	Black	1 lb. tubes, 50/box	DB69 (#24)
541323	15660-BLACKD	Bonded	4141	14.2 lbs.	Black	1 lb. tubes, 50/box	DB92 (#16)
541816	15660-BLACKD	Bonded	1147	14.2 lbs.	Black	4 oz. tubes, 10/box	DB92 (#16)
541213	15640-BLACKD	Gral Anti-Static Finish	3100	21.4 lbs.	Black	1 lb. tubes, 50/box	138 (#12)
542415	11750-BLACKD	Gral Anti-Static Finish	5549	10.5 lbs.	Black	1 lb. tubes, 50/box	DB69 (#24)
541817	18100-33624	Bonded	1147	14.2 lbs.	Blue	4 oz. tubes, 10/box	DB92 (#16)
541823	18100-11286	Bonded	1147	14.2 lbs.	Chocolate Brown	4 oz. tubes, 10/box	DB92 (#16)
541808	18100-4815	Bonded	1147	14.2 lbs.	Gold	4 oz. tubes, 10/box	DB92 (#16)
541809	18100-4815	Bonded	1147	14.2 lbs.	Hunter Green	4 oz. tubes, 10/box	DB92 (#16)
541803	18100-2328	Bonded	1147	14.2 lbs.	Malaga	4 oz. tubes, 10/box	DB92 (#16)

Item #	Style #	Description	Approx. Yards Per Tube	Average Breaking Strength	Color	Put Up	Size
541821	18100-33784	Bonded	1147	14.2 lbs.	Medium Titanium	4 oz. tubes, 10/box	DB92 (#16)
541813	18100-6085	Bonded	1147	14.2 lbs.	Navy	4 oz. tubes, 10/box	DB92 (#16)
541319	15630-2722	Bonded	3100	21.4 lbs.	Olive Drab	1 lb. tubes, 50/box	DB138 (#12)
541815	18100-12923	Bonded	1147	14.2 lbs.	Peasant Beige	4 oz. tubes, 10/box	DB92 (#16)
541800	18100-107	Bonded	1147	14.2 lbs.	Red	4 oz. tubes, 10/box	DB92 (#16)
541356	11940-33624	Bonded	1035	14 lbs.	Rhonda Blue	1 lb. tubes, 50/box	DB138 (#12)
541844	18100-37313	Bonded	1147	14.2 lbs.	Ripe Raisin	4 oz. tubes, 10/box	DB92 (#16)
541831		Bonded	1147	14.2 lbs.	Sand	4 oz. tubes, 10/box	DB92 (#16)
541842	18100-3543	Bonded	1147	14.2 lbs.	Spruce	4 oz. tubes, 10/box	DB92 (#16)
541357	11940-8065	Bonded	1035	14 lbs.	Steel Grey	1 lb. tubes, 50/box	DB138 (#12)
541818	18100-4285	Bonded	1147	14.2 lbs.	Terra Cotta	4 oz. tubes, 10/box	DB92 (#16)
541320	15630-WHITE	Bonded	2913	21.4 lbs.	White	1 lb. tubes, 50/box	DB138 (#12)
542102	12050-WHITE	Bonded	1876	31.4 lbs.	White	1 lb. tubes, 50/box	DB207 (#4)
541324	11800-WHITE	Bonded	5549	10.5 lbs.	White	1 lb. tubes, 50/box	DB69 (#24)
541321	15660-WHITE	Bonded	4141	14.2 lbs.	White	1 lb. tubes, 50/box	DB92 (#16)
541838	18100-WHITE	Bonded	1147	14.2 lbs.	White	4 oz. tubes, 10/box	DB92
541214	15640-WHITE	Gral Anti-Static Finish	3100	21.4 lbs.	White	1 lb. tubes, 50/box	DB138 (#12)
542414	11750-WHITE	Gral Anti-Static Finish	5549	10.5 lbs.	White	1 lb. tubes, 50/box	DB69 (#24)

Ultra Dee® is a registered trademark of J. & P. Coats, Limited.



Thread – A&E Poly Nu Bond™ Twisted Non-Wick Polyester

Poly Nu Bond has superior strength, stretch and recovery properties and excellent resistance to chemicals, bacteria, mildew, wear and abrasion. This thread is made of quality, high tenacity, heat resistant, continuous filament yarn. Special waxes, silicones and oils are applied to lubricate the thread, reducing needle heat and increasing sewability. This also aids in the application of constant machine tension and good loop formation.

Item #	Description	Approx. Yards Per Pound	Average Breaking Strength	Color	Color #	Put Up	Size
542453		2700	23 lbs.	Black	4608	1 lb. tubes	138
542455		5700	10 lbs.	Black	4608	1 lb. tubes	69
542451		4200	13.8 lbs.	Black	4608	1 lb. tubes	92
540305	Right Twist	2700	23 lbs.	Black	4608	1 lb. tubes	138
540431		2700	23 lbs.	Burgundy	4631	1 lb. tubes	138
540631		4200	13.8 lbs.	Burgundy	4631	1 lb. tubes	92
540430		2700	23 lbs.	Cadet Gray	4630	1 lb. tubes	138
540705		5700	10 lbs.	Cadet Gray	4630	1 lb. tubes	69
540630		4200	13.8 lbs.	Cadet Gray	4630	1 lb. tubes	92
540334		2700	23.8 lbs.	Desert Tan		1 lb. tubes	138
540300		2700	23 lbs.	Erin Green	4600	1 lb. tubes	138
540437		2700	23 lbs.	Forest Green	4637	1 lb. tubes	138
540637		4200	13.8 lbs.	Forest Green	4637	1 lb. tubes	92
540403		2700	23 lbs.	Jockey Red	4603	1 lb. tubes	138
540603		4200	13.8 lbs.	Jockey Red	4603	1 lb. tubes	92

Item #	Description	Approx. Yards Per Pound	Average Breaking Strength	Color	Color #	Put Up	Size
540706		5700	10 lbs.	Navy Blue	4626	1 lb. tubes	69
540346		2700	23 lbs.	Navy	4646	1 lb. tubes	138
540546		4200	13.8 lbs.	Navy	4646	1 lb. tubes	92
540433		2700	23 lbs.	New Linen	4633	1 lb. tubes	138
540633		4200	13.8 lbs.	New Linen	4633	1 lb. tubes	92
540439		2700	23 lbs.	Olive Drab		1 lb. tubes	138
540639		4200	13.8 lbs.	Olive Drab		1 lb. tubes	92
540301		2700	23 lbs.	Pacific Blue	4601	1 lb. tubes	138
540501		4200	13.8 lbs.	Pacific Blue	4601	1 lb. tubes	92
540620		4200	13.8 lbs.	Steel Gray		1 lb. tubes	92
540328		2700	23 lbs.	Toast	4628	1 lb. tubes	138
540704		5700	10 lbs.	Toast	4628	1 lb. tubes	69
540528		4200	13.8 lbs.	Toast	1628	1 lb. tubes	92
540321		2700	23 lbs.	True Brown	4621	1 lb. tubes	138
540521		4200	13.8 lbs.	True Brown	4621	1 lb. tubes	92
542452		2700	23 lbs.	White		1 lb. tubes	138
542454		5700	10 lbs.	White		1 lb. tubes	69
542450		4200	13.8 lbs.	White		1 lb. tubes	92
540304	Right Twist	2700	23 lbs.	White		1 lb. tubes	138

Poly Nu Bond™ is a trademark of American & Efird Enterprises, Inc.

Thread – PremoBond Bonded Polyester

In the performance fabrics industry, even the thread needs to outlast coarse conditions. With anti-wicking and mildew-resistant properties, PremoBond thread is perfect for high-moisture settings. Its exclusive UV dye and bonding process ensure maximum fade prevention and bleed resistance. A pioneer in the sewing thread market, its custom lubricant provides clean running for first-rate sewability. The continuous filament, bonded polyester makes it 30% stronger than leading brands.

PremoBond thread works great in outdoor and marine fabric applications, awnings and shade, filtration, tarps, slings, geotextiles, and other industrial purposes. Made in the USA.

Item #	Style #	Description	Approx. Yards Per Tube	Average Breaking Strength	Color	Put Up	Size
543031	BPT 138		2650	20 lbs.	Black	16 oz. spool	Tex 135
543011	BPT 92		4050	13.3 lbs.	Black	16 oz. spool	Tex 90
543039	BPT 138		1388	20 lbs.	Brown	8 oz. spool	Tex 135
543019	BPT 92		2125	13.3 lbs.	Brown	8 oz. spool	Tex 90
543041	BPT 138		1388	20 lbs.	Burgundy	8 oz. spool	Tex 135
543014	BPT 92		2125	13.3 lbs.	Burgundy	8 oz. spool	Tex 90
543036	BPT 138		1388	20 lbs.	Forest Green	8 oz. spool	Tex 135
543015	BPT 92		2125	13.3 lbs.	Forest Green	8 oz. spool	Tex 90
543034	BPT 138		1388	20 lbs.	Marine Blue	8 oz. spool	Tex 135
543017	BPT 92		2125	13.3 lbs.	Marine Blue	8 oz. spool	Tex 90
543033	BPT 138		1388	20 lbs.	Navy	8 oz. spool	Tex 135
543018	BPT 92		2125	13.3 lbs.	Navy	8 oz. spool	Tex 90
543037	BPT 138		1388	20 lbs.	Olive Drab	8 oz. spool	Tex 135
543016	BPT 92		2125	13.3 lbs.	Olive Drab	8 oz. spool	Tex 90
543040	BPT 138		1388	20 lbs.	Red	8 oz. spool	Tex 135
543013	BPT 92		2125	13.3 lbs.	Red	8 oz. spool	Tex 90

Item #	Style #	Description	Approx. Yards Per Tube	Average Breaking Strength	Color	Put Up	Size
543038	BPT 138		1388	20 lbs.	Sand	8 oz. spool	Tex 135
543012	BPT 92		2125	13.3 lbs.	Sand	8 oz. spool	Tex 90
543035	BPT 138		1388	20 lbs.	Steel Grey	8 oz. spool	Tex 135
543020	BPT 92		2125	13.3 lbs.	Steel Grey	8 oz. spool	Tex 90
543032	BPT 138	Right Twist	2850	20 lbs.	White	16 oz. spool	Tex 135
543030	BPT 138		2850	20 lbs.	White	16 oz. spool	Tex 135
543010	BPT 92		4350	13.3 lbs.	White	16 oz. spool	Tex 90

Thread – Premofast™

A colorfast and fade resistant poly bonded monocord thread.

Every possible care is exercised to furnish colors of proper fastness for the particular work involved, however, inasmuch as conditions of use (i.e. contrast stitching, volatile environments, etc), washing, cleaning, pressing, etc., vary considerably in thread usage, the buyer should ensure by prior experimentation that the dye fastness of the thread is suitable for the purpose. Almost no thread is 100% colorfast under all circumstances. Vinyls contain plasticizers which can promote color bleeding. As the cost of the thread is so disproportionate to the value of the goods onto which it is sewn, in the unlikely event of a claim, we are not responsible for consequential damages.

Item #	Approx. Yards Per Pound	Average Breaking Strength	Color	Put Up	Size
542901	2800	23 lbs.	Black	1 lb. spool	WS138
542946	3600	18 lbs.	Black	1 lb. spool	WS92+
542960	3600	18 lbs.	Burgundy	1/2 lb. spool	WS92+
542980	3600	18 lbs.	Forest Green	1/2 lb. spool	WS92+
542957	3600	18 lbs.	Marine Blue	1/2 lb. spool	WS92+
542955	3600	18 lbs.	Natural Tan	1/2 lb. spool	WS92+
542956	3600	18 lbs.	Ruby Red	1/2 lb. spool	WS92+
542962	3600	18 lbs.	Steel Gray	1 lb. spool	WS92+
542900	2800	23 lbs.	White	1 lb. spool	WS138
542945	3600	18 lbs.	White	1 lb. spool	WS92+

Premofast™ is a trademark of Fil-Tec, Inc.



542750

Thread – A&E Special

Item #	Description	Approx. Yards Per Tube	Color	Material	Put Up	Size
542753	Bonded	5923	Black	Nylon	16 oz. tubes, 40/case	69
542750	Bonded	5923	White	Nylon	16 oz. tubes, 40/case	69



540206

Thread – A&E SunStop®

Designed for the outdoor market, SunStop thread is made of 100% continuous filament polyester with enhanced UV and fade protection and a non-wicking finish. Use SunStop for outdoor applications requiring UV protection, such as tents, awnings, and canvas and marine applications.

Item #	Style #	Approx. Yards Per Tube	Color	Put Up	Size
540266	66503	1350	Beige	8 oz. spool	T135
540207	66503	2100	Beige	8 oz. spool	T90
540277	66501	2700	Black	16 oz. spool	T135
540275	66501	1350	Black	8 oz. spool	T135
540231	66501	4200	Black	16 oz. spool	T90
540216	66501	2100	Black	8 oz. spool	T90
540271	66504	1350	Burgundy	8 oz. spool	T135
540212	66504	2100	Burgundy	8 oz. spool	T90
540263	66511	1350	Cadet Grey	8 oz. spool	T135
540204	66511	1350	Cadet Grey	8 oz. spool	T90
540273	66518	1350	Captain Navy	8 oz. spool	T135
540214	66518	2100	Captain Navy	8 oz. spool	T90
540268	66506	1350	Forest Green	8 oz. spool	T135
540209	66506	2100	Forest Green	8 oz. spool	T90
540270	66507	1350	Jockey Red	8 oz. spool	T135
540211	66507	2100	Jockey Red	8 oz. spool	T90
540264	66517	1350	Linen	8 oz. spool	T135
550539	66517	4200	Linen	16 oz. spool	T90
540205	66517	2100	Linen	8 oz. spool	T90
550546	66519	2700	Logo Red	16 oz. spool	T135
540269	66519	1350	Logo Red	8 oz. spool	T135
550541	66519	4200	Logo Red	16 oz. spool	T90
540210	66519	2100	Logo Red	8 oz. spool	T90
540261	66502	1350	Natural	8 oz. spool	T135
540202	66502	1350	Natural	8 oz. spool	T90
540274	66508	1350	Navy	8 oz. spool	T135
550544	66508	4200	Navy	16 oz. spool	T90
540215	66508	2100	Navy	8 oz. spool	T90
540272	66513	1350	Pacific Blue	8 oz. spool	T135
550542	66513	4200	Pacific Blue	16 oz. spool	T90
540213	66513	2100	Pacific Blue	8 oz. spool	T90
540262	66509	1350	Silver	8 oz. spool	T135
540203	66509	2100	Silver	8 oz. spool	T90
540265	66512	1350	Toast	8 oz. spool	T135
540206	66512	2100	Toast	8 oz. spool	T90
540267	66510	1350	True Brown	8 oz. spool	T135
550540	66510	4200	True Brown	16 oz. spool	T90
540208	66510	2100	True Brown	8 oz. spool	T90
540276	66500	2700	White	16 oz. spool	T135
540260	66500	1350	White	8 oz. spool	T135
540230	66500	4200	White	16 oz. spool	T90
540201	66500	2100	White	8 oz. spool	T90

SunStop® is a registered trademark of American & Efird Enterprises, Inc.



552201

Thread – Gore® Tenara® (Original Style)

Gore Tenara Sewing Thread has unique properties. This thread is unaffected by sunlight. UV radiation will not weaken or degrade it. Polyester threads, under daily sunlight exposure will lose as much as half their strength in as little as one year, and be down to 10% of their original strength in 3 years. Tenara maintains its strength and color indefinitely. Gore Tenara Sewing Thread will outlast the fabric that it is sewn into. Comes with a full warranty to that effect. It is unaffected by canvas cleaning solutions and will not stain, rot or mildew. Dirt just wipes off. Using Gore Tenara Sewing Thread means seams that will last.

Tenara Sewing Thread Original Style is the first generation of Tenara outdoor sewing thread. The Original Style sewing thread is unlubricated, with an elongation (or stretch) of five to seven percent.

FOR INDUSTRIAL USE ONLY. Not for use in food, drug, cosmetic, or medical device manufacturing, processing, or packaging operations.

Item #	Style #	Approx. Yards Per Tube	Color	Nominal Breaking Strength	Put Up	Size
552211	M1000-HBK	1775	Black	22 lbs.	1 lb. spools	138
552231	M1000HBK-5	950	Black	22 lbs.	1/2 lb. spools	138
552201	M1000-BK	3825	Black	12 lbs.	1 lb. spools	92
552221	M1000BK-5	1900	Black	12 lbs.	1/2 lb. spools	92
552210	M1000H	1900	White	25 lbs.	1 lb. spools	138
552230	M1000H-5	950	White	25 lbs.	1/2 lb. spools	138
552200	M1000	3825	White	14 lbs.	1 lb. spools	92
552220	M1000-5	1900	White	14 lbs.	1/2 lb. spools	92

Gore® and Tenara® are registered trademarks of W. L. Gore and Associates.



552263

Thread – Gore® Tenara® (TR Style)

Gore Tenara Sewing Thread TR style builds on the features of the Original Style, but increases the choice of colors, as well as improving the sewability features. TR style comes in highly popular clear, providing a translucent thread that disappears into most fabrics, making color matching headaches go away. The patented TR style sewing thread has an elongation (or stretch) of approximately seventeen percent, making it more robust, which allows faster sewing. The TR style is lubricated with a silicone solution in all but the largest style.

FOR INDUSTRIAL USE ONLY. Not for use in food, drug, cosmetic, or medical device manufacturing, processing, or packaging operations.

Item #	Style #	Approx. Yards Per Tube	Color	Nominal Breaking Strength	Put Up	Size
552264	M1000TR-CB5	1900	Bay Blue	8 lbs.	1/2 lb. spools	92
552275	M1000TR-BK5	1900	Black	8 lbs.	1/2 lb. spools	92
552290	M1000LTR-L-5	2300	Clear	7 lbs.	1/2 lb. spools	69
553090	M1000KTR-L5	1900	Clear	10 lbs.	1/2 lb. spools	92
552265	M1000TR-FG5	1900	Forest Green	8 lbs.	1/2 lb. spools	92
552261	M1000TR-LG5	1900	Light Grey	8 lbs.	1/2 lb. spools	92
552283	M1000TR-NB-5	1900	Navy Blue	8 lbs.	1/2 lb. spools	92
552263	M1000TR-RD5	1900	Red	8 lbs.	1/2 lb. spools	92
552262	M1000TR-TN5	1900	Sandstone (Tan)	8 lbs.	1/2 lb. spools	92
552274	M1000TR-WH5	1900	White	8 lbs.	1/2 lb. spools	92

Gore® and Tenara® are registered trademarks of W. L. Gore and Associates.

Thread – Gore® Tenara® (HTR Style)

Tenara HTR Heavy sewing thread is made of the same material as other Tenara threads, but features a unique 3-ply bonded construction that offers several advantages:

- An “improved circular cross-section” that provides a smoother and more uniform appearance.
- An increased twist level, which should reduce breaks.
- Excellent sewability.
- Softer construction.

In addition, because of the new construction the thread is smoother on the tube, which allows for up to 15% more seam length for the same tube price as the previous HTR-style thread. The strength of the thread remains the same. This item is a replacement for Gore Tenara TR Thread #M1000HTR.

FOR INDUSTRIAL USE ONLY. Not for use in food, drug, cosmetic, or medical device manufacturing, processing, or packaging operations.

Item #	Style #	Approx. Yards Per Tube	Color	Nominal Breaking Strength	Put Up	Size
553094	M1003-HTR-BK-5	1150	Black	14 lbs.	1/2 lb. spools	138
553099	M1003-HTR-GY-5	1150	Charcoal Grey	14 lbs.	1/2 lb. spools	138
553097	M1003-HTR-CB-5	1150	Chesapeake Bay Blue	14 lbs.	1/2 lb. spools	138
553092	M1003-HTR-L-5	1150	Clear	19 lbs.	1/2 lb. spools	138
553096	M1003-HTR-FG-5	1150	Forest Green	14 lbs.	1/2 lb. spools	138
553095	M1003-HTR-LG-5	1150	Light Grey	14 lbs.	1/2 lb. spools	138
553101	M1003-HTR-NB-5	1150	Navy Blue	14 lbs.	1/2 lb. spools	138
553089	M1003-HTR-RD-5	1150	Red	14 lbs.	1/2 lb. spools	138
553093	M1003-HTR-WH-5	1150	White	14 lbs.	1/2 lb. spools	138

Gore® and Tenara® are registered trademarks of W. L. Gore and Associates.



542080

Bobbins – Aqua-Seal™

Aqua-Seal polyester thread and bobbins when used as a system provides a strong deterrent to seam leakage. Aqua-Seal thread is colorfast, UV resistant, and non-wicking. When Aqua-Seal thread is used with its pre-wound bobbin, it fills the needle holes as the fabric is stitched.

Item #	Style #	Color	Put Up	Size
542060	G	White	72/box	92+ / T110
542080	M	White	72/box	92+ / T110

Aqua-Seal™ is a trademark of Fil-Tec, Inc.



551652

Bobbins – Coats Ultra Dee® Polyester

Item #	Style #	Approx. Yards Per Bobbin	Color	Put Up	Size
551652	G	25	Beaver	1 gr. box, 30/box	92
551263	G	17	Black	1 gr. box, 30/box	138
551202	M	24	Black	1 gr. box, 30/box	138
551201	U	49	Black	1 gr. box, 30/box	138
551813	F	29	Black	1 gr. box, 30/box	69
551660	G	25	Black	1 gr. box, 30/box	92
551763	M	36	Black	1 gr. box, 30/box	92
551254	G	17	Olive Drab	1 gr. box, 30/box	138
551264	G	17	White	1 gr. box, 30/box	138
551265	M	24	White	1 gr. box, 30/box	138
551200	U	49	White	1 gr. box, 30/box	138
542103	58	37	White	1 gr. box, 30/box	207
551814	F	29	White	1 gr. box, 30/box	69
551664	G	25	White	1 gr. box, 30/box	92
551764	M	36	White	1 gr. box, 30/box	92

Ultra Dee® is a registered trademark of J. & P. Coats, Limited.



551983

Bobbins – Coats Polymatic® Belbobs® Bonded Monocord Dacron®

Shell-less bobbins.

Item #	Style #	Approx. Yards Per Bobbin	Color	Put Up	Size
551979	G	22	Beige	56/box	125
551963	G	22	Black	56/box	125
551967	M	31	Black	56/box	125
551983	U	42	Black	56/box	125
551986	G	27	Black	56/box	FF
552080	M	40	Black	56/box	FF
551972	G	22	Grey	56/box	125
551975	G	22	White	56/box	125
551980	M	31	White	56/box	125
551981	U	42	White	42/box	125
551985	G	27	White	56/box	FF
551999	M	40	White	56/box	FF

Belbobs® and Polymatic® are registered trademarks of J. & P. Coats, Limited. Dacron® is a registered trademark of INVISTA™.



542580

Bobbins – Coats Dabond® Belbobs®

Coats Dabond is a bonded, twisted continuous filament polyester thread, combining superior sewing performance with excellent UV and abrasion protection. It is specifically designed to provide resistance against harsh weather making it an excellent thread for marine and other outdoor applications.

Item #	Style #	Approx. Yards Per Bobbin	Color	Put Up	Size
542580	S/M	24	Black	1 gr. box	138
542581	S/M	24	White	1 gr. box	138

Dabond® and Belbobs® are registered trademarks of J. & P. Coats, Limited.



543055



543078



543062



543094



543086

Bobbins – PremoBond Bonded Polyester

In the performance fabrics industry, even the thread needs to outlast coarse conditions. With anti-wicking and mildew-resistant properties, PremoBond thread is perfect for high-moisture settings. Its exclusive UV dye and bonding process ensure maximum fade prevention and bleed resistance. A pioneer in the sewing thread market, its custom lubricant provides clean running for first-rate sewability. The continuous filament, bonded polyester makes it 30% stronger than leading brands.

PremoBond pre-wound bobbins are outfitted with twisted and plied yarn. Fil-Tec cross-tack technology offers a more uniform appearance for flatter seams, consistent tension to reduce puckering, and greater yield.

PremoBond bobbins deliver a clean, versatile seam to any project where colorfastness is key. The adaptable thread works great in awning and marine fabric applications slings, filtration, tarps, geotextiles, and other industrial purposes. Made in the USA.

Item #	Style #	Average Breaking Strength	Color	Put Up	Size
543055	BPT 138G	20 lbs.	Black	72/box	Tex 135/G
543057	BPT 138M	20 lbs.	Black	72/box	Tex 135/M
543102	BPT 138U	20 lbs.	Black	72 per box	Tex 135/U
543051	BPT 92G	13.3 lbs.	Black	72/box	Tex 90/G
543053	BPT 92M	13.3 lbs.	Black	72/box	Tex 90/M
543104	BPT 92U	13.3 lbs.	Black	72/box	Tex 90/U
543088	BPT 138G	20 lbs.	Brown	72/box	Tex 135/G
543098	BPT 138M	20 lbs.	Brown	72/box	Tex 135/M
543068	BPT 92G	13.3 lbs.	Brown	72/box	Tex 90/G
543078	BPT 92M	13.3 lbs.	Brown	72/box	Tex 90/M
543082	BPT 138G	20 lbs.	Burgundy	72/box	Tex 135/G
543092	BPT 138M	20 lbs.	Burgundy	72/box	Tex 135/M
543062	BPT 92G	13.3 lbs.	Burgundy	72/box	Tex 90/G
543072	BPT 92M	13.3 lbs.	Burgundy	72/box	Tex 90/M
543084	BPT 138G	20 lbs.	Forest Green	72/box	Tex 135/G
543094	BPT 138M	20 lbs.	Forest Green	72/box	Tex 135/M
543064	BPT 92G	13.3 lbs.	Forest Green	72/box	Tex 90/G
543074	BPT 92M	13.3 lbs.	Forest Green	72/box	Tex 90/M
543086	BPT 138G	20 lbs.	Marine Blue	72/box	Tex 135/G
543096	BPT 138M	20 lbs.	Marine Blue	72/box	Tex 135/M
543066	BPT 92G	13.3 lbs.	Marine Blue	72/box	Tex 90/G
543076	BPT 92M	13.3 lbs.	Marine Blue	72/box	Tex 90/M
543087	BPT 138G	20 lbs.	Navy	72/box	Tex 135/G
543097	BPT 138M	20 lbs.	Navy	72/box	Tex 135/M

Item #	Style #	Average Breaking Strength	Color	Put Up	Size
543067	BPT 92G	13.3 lbs.	Navy	72/box	Tex 90/G
543077	BPT 92M	13.3 lbs.	Navy	72/box	Tex 90/M
543085	BPT 138G	20 lbs.	Olive Drab	72/box	Tex 135/G
543095	BPT 138M	20 lbs.	Olive Drab	72/box	Tex 135/M
543065	BPT 92G	13.3 lbs.	Olive Drab	72/box	Tex 90/G
543075	BPT 92M	13.3 lbs.	Olive Drab	72/box	Tex 90/M
543083	BPT 138G	20 lbs.	Red	72/box	Tex 135/G
543093	BPT 138M	20 lbs.	Red	72/box	Tex 135/M
543063	BPT 92G	13.3 lbs.	Red	72/box	Tex 90/G
543073	BPT 92M	13.3 lbs.	Red	72/box	Tex 90/M
543080	BPT 138G	20 lbs.	Sand	72/box	Tex 135/G
543090	BPT 138M	20 lbs.	Sand	72/box	Tex 135/M
543060	BPT 92G	13.3 lbs.	Sand	72/box	Tex 90/G
543070	BPT 92M	13.3 lbs.	Sand	72/box	Tex 90/M
543081	BPT 138G	20 lbs.	Steel Grey	72/box	Tex 135/G
543091	BPT 138M	20 lbs.	Steel Grey	72/box	Tex 135/M
543061	BPT 92G	13.3 lbs.	Steel Grey	72/box	Tex 90/G
543071	BPT 92M	13.3 lbs.	Steel Grey	72/box	Tex 90/M
543054	BPT 138G	20 lbs.	White	72/box	Tex 135/G
543056	BPT 138M	20 lbs.	White	72/box	Tex 135/M
543101	BPT 138U	20 lbs.	White	72 per box	Tex 135/U
543050	BPT 92G	13.3 lbs.	White	72/box	Tex 90/G
543052	BPT 92M	13.3 lbs.	White	72/box	Tex 90/M
543103	BPT 92U	13.3 lbs.	White	72/box	Tex 90/U



551431

Bobbins – Premofast™

Premofast bobbins are solution dyed and will not bleed. All bobbins are sideless for maximum yield.

Item #	Style #	Approx. Yards Per Bobbin	Color	Put Up	Size
551432	G	22	Black	1 gross box, 18/carton	92+
551381	M	37	Black	1 gross box, 18/carton	WS92+
551431	G	22	White	1 gross box, 18/carton	92+
551380	M	37	White	1 gross box, 18/carton	WS92+

Premofast™ is a trademark of Fil-Tec, Inc.



550101

Bobbins – A&E Poly Nu Bond™ Polyester

Ready-wound bobbins provide more thread per bobbin. The finish applied to the thread assures controlled delivery of the thread from the bobbin and contributes to a balanced stitch formation.

Item #	Style #	Color	Put Up	Size
550302	G	Black	1 gross box, 30/carton	138
550353	M	Black	1 gross box, 30/carton	138
550101	G	Black	1 gross box, 30/carton	92
550252	M	Black	1 gross box, 30/carton	92
550300	G	White	1 gross box, 30/carton	138
550351	M	White	1 gross box, 30/carton	138
550100	G	White	1 gross box, 30/carton	92
550250	M	White	1 gross box, 30/carton	92


Poly Nu Bond™ is a trademark of American & Efird Enterprises, Inc.

Bobbins – A&E SunStop®

Designed for the outdoor market, SunStop thread is made of 100% continuous filament polyester with enhanced UV and fade protection and a non-wicking finish. Use SunStop for outdoor applications requiring UV protection, such as tents, awnings, and canvas and marine applications.

Item #	Style #	Color	Put Up	Size
550501	M	Beige	1 gr.	T90
550548	G	Black	1 gr.	T135
550509	M	Black	1 gr.	T135
550532	G	Burgundy	1 gr.	T135
550512	M	Cadet Grey	1 gr.	T135
550513	M	Linen	1 gr.	T135
550510	M	Natural	1 gr.	T135
550502	M	Sol-Jet Black	1 gr.	T90
550547	G	White	1 gr.	T135
550500	M	White	1 gr.	T90

SunStop® is a registered trademark of American & Efird Enterprises, Inc.



565135

Polyfab™ Shade Sail Edge Webbing

Polyfab Shade Sail Edge Webbing is used for shade structures and shade sails. Matches Polytex®, Comtex® and Architec 400® extra heavy duty knitted shade cloth.

Item #	Average Breaking Strength	Color	Color #	Put Up	Width
565135	4400 lbf.	Antec Orange	22	109 yd.	2 in.
565129	4400 lbf.	Beige	72	109 yd.	2 in.
565137	4400 lbf.	Berry	36	109 yd.	2 in.
565121	4400 lbf.	Black	99	109 yd.	2 in.
565103	4400 lbf.	Blue	50	109 yd.	2 in.
565109	4400 lbf.	Bronze	81	109 yd.	2 in.
565113	4400 lbf.	Charcoal	92	109 yd.	2 in.
565141	4400 lbf.	Fluro Green	67	109 yd.	2 in.
565142	4400 lbf.	Fluro Orange	27	109 yd.	2 in.
565118	4400 lbf.	Golden Yellow	11	109 yd.	2 in.
565101	4400 lbf.	Midnight Green	62	109 yd.	2 in.
565105	4400 lbf.	Navy Blue	51	109 yd.	2 in.
565115	4400 lbf.	Porcelain	71	109 yd.	2 in.
565139	4400 lbf.	Purple	58	109 yd.	2 in.
565127	4400 lbf.	Red	30	109 yd.	2 in.
565111	4400 lbf.	Sage	19	109 yd.	2 in.
565107	4400 lbf.	Sandstone	73	109 yd.	2 in.
565125	4400 lbf.	Silver Gray	91	109 yd.	2 in.
565119	4400 lbf.	Turquoise	10	109 yd.	2 in.
565133	4400 lbf.	White	01	109 yd.	2 in.

Polyfab™ is a trademark of Polyfab USA. Polytex®, Comtex® and Architec 400® are registered trademarks of Polyfab USA.




577503

Sunbrella® Webbing

Sunbrella webbing made of 78% Sunbrella Acrylic and 22% high-tenacity polyester. A strong, weather-resistant webbing. Retains more tensile strength than other types of webbing after exposure to sunlight. Compatible with Sunbrella fabric colors. Sold in full rolls only.

Item #	Style #	Average Breaking Strength	Color	Put Up	Width
577502	70-1654	1000 lbs.	Black	25 yd.	1 in.
577503	70-1654	1000 lbs.	Grey	25 yd.	1 in.
577501	70-1654	1000 lbs.	White	25 yd.	1 in.

Sunbrella® is a registered trademark of Glen Raven, Inc.




575013

Webbing – Nylon

Strong, dependable nylon webbing. Ideal for use with synthetic fabrics. Sold in full rolls only.

Item #	Style #	Description	Average Breaking Strength	Color	Put Up	Width
575229	495		1200 lbs.	Black	100 yd.	1 in.
575246	17337		5500 lbs.	Black	100 yd.	2 in.
575113	NN075		4965 lbs.	Black	100 yd.	2 in.

Item #	Style #	Description	Average Breaking Strength	Color	Put Up	Width
575245	17337		5500 lbs.	Black	100 yd.	1 in.
575076	N0072		9000 lbs.	Black	50 yd.	1-3/4 in.
575249	N0025		6200 lbs.	Black	50 yd.	2 in.
575241	N0025		3700 lbs.	Black	50 yd.	1 in.
574967	N0015S		1200 lbs.	Black	50 yd.	3/4 in.
575073	N0095		4200 lbs.	Black	50 yd.	1 in.
575011	N0019		3300 lbs.	Black	50 yd.	3/4 in.
574957	N0030		2400 lbs.	Black	50 yd.	1 in.
574912	N0015		2564 lbs.	Black	50 yd.	2 in.
574908	N0015S		1323 lbs.	Black	50 yd.	1-1/2 in.
575260	N0023S		1200 lbs.	Black	50 yd.	1 in.
576110	N0006		6000 lbs.	Black	50 yd.	1 in.
575109	N0019		4200 lbs.	Black	50 yd.	1 in.
575030	N0019		5890 lbs.	Black	50 yd.	1-1/2 in.
574905	N0015CD		1720 lbs.	Black	50 yd.	1 in.
575243	N0025		3698 lbs.	Black	50 yd.	1-1/2 in.
575075	N0085		7600 lbs.	Black	50 yd.	2 in.
574999	N0090	Tubular	2400 lbs.	Black	50 yd.	3/4 in.
575111	N0028	Tubular	4000 lbs.	Black	50 yd.	1 in.
574936	N0019		3850 lbs.	Brown	50 yd.	1 in.
575018	N0019		4200 lbs.	Brown	50 yd.	1 in.
575244	495		5500 lbs.	Natural	50 yd.	1 in.
575014	N0019		4200 lbs.	Navy	50 yd.	1 in.
575013	N0019		4200 lbs.	Red	50 yd.	1 in.
575012	N0019		4200 lbs.	Silver	50 yd.	1 in.
575259	N0023		1580 lbs.	White	50 yd.	1 in.
575240	N0025		3400 lbs.	White	50 yd.	1 in.
575072	N0095		4200 lbs.	White	50 yd.	1 in.
575017	N0019		4200 lbs.	White	50 yd.	1 in.
575079	N0087		6000 lbs.	White	50 yd.	2 in.
574906	N0015CD		1720 lbs.	White	50 yd.	1 in.
575010	N0019		3300 lbs.	White	50 yd.	3/4 in.
575023	N0019		4200 lbs.	Yellow	50 yd.	1 in.




576633

Webbing – Dacron®

Resistant to mildew, ultraviolet rays and shrinkage. Sold in full rolls only.

Item #	Style #	Average Breaking Strength	Color	Put Up	Width
576633	S0009	740 lbs.	White	50 yd.	1-1/2 in.
576634	S0009	740 lbs.	White	50 yd.	2 in.

Dacron® is a registered trademark of INVISTA.



575335

Webbing – Polyester

Resistant to mildew, ultraviolet rays and shrinkage. Excellent for reinforcing swimming pool covers – both screen or solid vinyl types. Sold in full rolls only.

Item #	Style #	Description	Average Breaking Strength	Color	Put Up	Width
575299	R7624		6775 lbs.	Black	100 yd.	2 in.
575231	T-1200		6000 lbs.	Black	200 yd.	2 in.
575327	U0017		4400 lbs.	Black	50 yd.	1 in.
575332	U0017		4400 lbs.	Natural (White)	50 yd.	1 in.
575335	929P-2		6000 lbs.	Natural	100 yd.	2 in.
575302	2070/S0009	Spun	740 lbs.	White	50 yd.	1 in.



577907

Webbing – Heat-Sealable PVC

A general-purpose webbing with many applications. Not recommended for outdoor use. Sold in full rolls only.

Item #	Style #	Average Breaking Strength	Color	Put Up	Width
577907	1281	2900 lbs.	White	110 yd.	1-7/8 in.




576031

Webbing – Polypropylene Style No. 7166/P0001

A general-purpose webbing with many applications. Not recommended for outdoor use. Sold in full rolls only.

Item #	Style #	Average Breaking Strength	Color	Put Up	Width
576036	549	600 lbs.	Black	100 yd.	1 in.
576501	7166/P0001	600 lbs.	Black	100 yd.	1 in.
576558	7166/P0001	600 lbs.	Black	100 yd.	1-1/2 in.
576460	7166/P0001	600 lbs.	Black	100 yd.	1/2 in.
576597	7166/P0001	600 lbs.	Black	100 yd.	2 in.
576639	7166/P0001	600 lbs.	Black	100 yd.	3 in.
576503	7166/P0001	600 lbs.	Black	100 yd.	3/4 in.
576021	PP037	600 lbs.	Black	100 yd.	1 in.
576553	7166/P0001	600 lbs.	Blue	100 yd.	1-1/2 in.
576598	7166/P0001	600 lbs.	Blue	100 yd.	2 in.
576543	7166/P0001	600 lbs.	Brown	100 yd.	1 in.
576531	7166/P0001	600 lbs.	Burgundy	100 yd.	1 in.
576470	7166/P0001	600 lbs.	Dark Beige	100 yd.	1 in.
576662	7166/P0001	600 lbs.	Dark Beige	100 yd.	2 in.
576490	7166/P0001	600 lbs.	Forest Green	100 yd.	1 in.
576663	7166/P0001	600 lbs.	Forest Green	100 yd.	2 in.
576529	7166/P0001	600 lbs.	Gray	100 yd.	1 in.
576540	7166/P0001	600 lbs.	Green	100 yd.	1 in.
576606	7166/P0001	600 lbs.	Green	100 yd.	2 in.
576537	7166/P0001	600 lbs.	Light Gold	100 yd.	1 in.

Item #	Style #	Average Breaking Strength	Color	Put Up	Width
576601	7166/P0001	600 lbs.	Light Navy	100 yd.	2 in.
576031	7166/P0001	600 lbs.	Navy	100 yd.	1 in.
576533	7166/P0001	600 lbs.	Orange	100 yd.	1 in.
576613	7166/P0001	600 lbs.	Orange	100 yd.	2 in.
576541	7166/P0001	600 lbs.	Red	100 yd.	1 in.
576551	7166/P0001	600 lbs.	Red	100 yd.	1-1/2 in.
576599	7166/P0001	600 lbs.	Red	100 yd.	2 in.
576538	7166/P0001	600 lbs.	Silver	100 yd.	1 in.
576604	7166/P0001	600 lbs.	Silver	100 yd.	2 in.
576474	7166/P0001	600 lbs.	Tan	100 yd.	1 in.
576492	7166/P0001	600 lbs.	Victoria Blue	100 yd.	1 in.
576500	7166/P0001	600 lbs.	White	100 yd.	1 in.
576557	7166/P0001	600 lbs.	White	100 yd.	1-1/2 in.
576596	7166/P0001	600 lbs.	White	100 yd.	2 in.
576638	7166/P0001	600 lbs.	White	100 yd.	3 in.
576450	7166/P0001	600 lbs.	White	100 yd.	3/4 in.
576020	PP037	600 lbs.	White	100 yd.	1 in.
576542	7166/P0001	600 lbs.	Yellow	100 yd.	1 in.
576605	7166/P0001	600 lbs.	Yellow	100 yd.	2 in.




576564

Webbing – Polypropylene Style No. 7390/P0002

A general-purpose webbing with many applications. Not recommended for outdoor use. Sold in full rolls only.

Item #	Style #	Average Breaking Strength	Color	Put Up	Width
576561	7390/P0002	800 lbs.	Black	100 yd.	1 in.
576582	7390/P0002	800 lbs.	Black	100 yd.	1-1/2 in.
576595	7390/P0002	800 lbs.	Black	100 yd.	2 in.
576617	7390/P0002	800 lbs.	Black	100 yd.	3 in.
576670	7390/P0002	800 lbs.	Black	100 yd.	3/4 in.
576564	7390/P0002	800 lbs.	Blue	100 yd.	1 in.
576688	7390/P0002	800 lbs.	Dark Beige	100 yd.	1-1/2 in.
576685	7390/P0002	800 lbs.	Forest Green	100 yd.	1-1/2 in.
576589	7390/P0002	800 lbs.	Grape	100 yd.	1 in.
576620	7390/P0002	800 lbs.	Gray	100 yd.	1 in.
576702	7390/P0002	800 lbs.	Gray	100 yd.	1-1/2 in.
576565	7390/P0002	800 lbs.	Green	100 yd.	1 in.
576570	7390/P0002	800 lbs.	Light Navy	100 yd.	1 in.
576566	7390/P0002	800 lbs.	Red	100 yd.	1 in.
576695	7390/P0002	800 lbs.	Red	100 yd.	1-1/2 in.
576621	7390/P0002	800 lbs.	Silver	100 yd.	1 in.
576583	7390/P0002	800 lbs.	Silver	100 yd.	1-1/2 in.
576623	7390/P0002	800 lbs.	Tan	100 yd.	1 in.
576560	7390/P0002	800 lbs.	White	100 yd.	1 in.
576586	7390/P0002	800 lbs.	White	100 yd.	1-1/2 in.
576594	7390/P0002	800 lbs.	White	100 yd.	2 in.

Item #	Style #	Average Breaking Strength	Color	Put Up	Width
576618	7390/P0002	800 lbs.	White	100 yd.	3 in.
576567	7390/P0002	800 lbs.	Yellow	100 yd.	1 in.



575232

Webbing – Leader

An economical webbing for heavy-duty applications. Mixed colors and shade. Sold in full rolls only.

Item #	Color	Put Up	Width
575232	Multi-Color	220 yards	2 in.

Webbing – Cotton – Indo-Carbon Black – Class 3

This untreated cotton webbing is manufactured in accordance with Government Specifications MIL-W-530 and MIL-T-43566. Sold in full rolls only.

Item #	Style #	Minimum Breaking Strength	Put Up	Width
573113	Type I	140 lbs.	100 yd.	5/8 in.

Webbing – Cotton – Natural – Class 1

This untreated cotton webbing is manufactured in accordance with Government Specifications MIL-W-530 and MIL-T-43566. Sold in full rolls only.

Item #	Style #	Minimum Breaking Strength	Put Up	Width
572113	Type I	70 lbs.	100 yd.	1/2 in.
572115	Type I	85 lbs.	100 yd.	5/8 in.
572116	Type I	100 lbs.	100 yd.	3/4 in.
572120	Type I	130 lbs.	100 yd.	1 in.
572123	Type I	190 lbs.	100 yd.	1-1/2 in.
572130	Type I	250 lbs.	100 yd.	2 in.
572216	Type II A	230 lbs.	60 yd.	3/4 in.
572220	Type II A	300 lbs.	60 yd.	1 in.
572223	Type II A	440 lbs.	60 yd.	1-1/2 in.
572230	Type II A	580 lbs.	60 yd.	2 in.
572320	Type III	550 lbs.	60 yd.	1 in.
572323	Type III	860 lbs.	60 yd.	1-1/2 in.
572330	Type III	1100 lbs.	60 yd.	2 in.
572331	Type III N	1560 lbs.	50 yd.	3 in.

Webbing – Vat-Dyed Olive Drab – Shade 7 Untreated – Class 3

This cotton webbing is manufactured in accordance with Government Specifications MIL-W-530 and MIL-T-43566. Sold in full rolls only.

Item #	Style #	Minimum Breaking Strength	Put Up	Width
573120	Type I	130 lbs.	100 yd.	1 in.



574601

Strapping – Furniture

Heavy cotton strapping woven for long wear and durability. Five added stitches across the width assure maximum strength. Double blue line down center for identification. A soft finish strapping designed especially for use in appliance and furniture moving industry. Won't mar polished surfaces. Sold in full rolls only.

Item #	Style #	Average Breaking Strength	Color	Put Up	Width
574601	W0068	975 lbs.	Natural	50 yd.	2 in.



572112

Tape – Unbleached Cotton

An ideal low-cost tape for apron binding, tie tapes and finishing raw edges of other canvas specialties. Sold in full rolls only.

Item #	Style #	Description	Color	Put Up	Width
572058		Heavy	Natural	72 yd.	1/2 in.
572112	B0078		Natural	100 yd.	1 in.

Braid – Nylon/Polyester Elastic

Sold in full rolls only.

Item #	Style #	Color	Material	Put Up	Width
506172	S-2500	White	Nylon	36 yd.	3/4 in.
506197	1050	Black	Polyester	144 yd.	1 in.
506205	970	Black	Polyester	36 yd.	2 in.



580903

TEXACRO® – Hook And Loop Tape – Standard Back

The TEXACRO state-of-the-art engineering produces this heavy-duty hook and loop tape. The napped loop is designed for use with the “aggressive” TEXACRO hook for excellent latching performance, peeling, and strength. Available in full rolls only.

Suggested uses: indoor functions, marine fastening, cushion placement, apparel, recreational gear, tying, wrapping and bundling, straps, other industrial uses.

Item #	Style #	Description	Backing	Color	Put Up	Width
580902	H4025330Y2TX5P	Hook #91	Standard	Black	50 yd.	1 in.
580903	H4050330Y2TX5P	Hook #91	Standard	Black	50 yd.	2 in.
580904	H4107330Y2TX5P	Hook #91	Standard	Black	50 yd.	4 in.
580905	L1025330Y2TX5P	Loop #93	Standard	Black	50 yd.	1 in.
580906	H4025010Y2TX5P	Hook #91	Standard	White	50 yd.	1 in.
580907	L1025010Y2TX5P	Loop #93	Standard	White	50 yd.	1 in.
580990	H4016330Y2TX5P	Hook #91	Standard	Black	50 yd.	5/8 in.
580991	L1016330Y2TX5P	Loop #93	Standard	Black	50 yd.	5/8 in.
580992	H4016010Y2TX5P	Hook #91	Standard	White	25 yd.	5/8 in.
580993	L1016010Y2TX5P	Loop #93	Standard	White	50 yd.	5/8 in.
580998	H4038330Y2TX5P	Hook #91	Standard	Black	50 yd.	1-1/2 in.
580999	L1038330Y2TX5P	Loop #93	Standard	Black	50 yd.	1-1/2 in.

Item #	Style #	Description	Backing	Color	Put Up	Width
581000	H4038010Y2TX5P	Hook #91	Standard	White	50 yd.	1-1/2 in.
581001	L1038010Y2TX5P	Loop #93	Standard	White	50 yd.	1-1/2 in.
581002	L1050330Y2TX5P	Loop #93	Standard	Black	50 yd.	2 in.
581003	H4050010Y2TX5P	Hook #91	Standard	White	50 yd.	2 in.
581004	L1050010Y2TX5P	Loop #93	Standard	White	50 yd.	2 in.
581007	L1107330Y2TX5P	Loop #93	Standard	Black	50 yd.	4 in.

TEXACRO® is a registered trademark of Velcro Industries B.V.

TEXACRO® – Hook And Loop Tape – Adhesive Back

TEXACRO hook and loop tape is a cutting-edge, heavy-duty fastener system. The napped loop is designed to be used with the industrial TEXACRO hook for great latching performance, peeling, and strength. The adhesive back allows for easy mounting. Available in full rolls only.

Suggested uses: indoor functions, marine fastening, cushion placement, apparel, mounting and adhering to walls and other surfaces, other industrial uses.

Item #	Style #	Description	Backing	Color	Put Up	Width
580873	H4016330Y1TX1	Hook #91	Adhesive	Black	25 yd.	5/8 in.
580874	L1016330Y1TX1	Loop #93	Adhesive	Black	25 yd.	5/8 in.
580879	L1025010Y1TX1	Loop #93	Adhesive	White	25 yd.	1 in.
580880	H4025010Y1TX1	Hook #91	Adhesive	White	25 yd.	1 in.
580881	H4025330Y1TX1	Hook #91	Adhesive	Black	25 yd.	1 in.
580882	L1025330Y1TX1	Loop #93	Adhesive	Black	25 yd.	1 in.
580885	H4038330Y1TX1	Hook #91	Adhesive	Black	25 yd.	1-1/2 in.
580886	L1038330Y1TX1	Loop #93	Adhesive	Black	25 yd.	1-1/2 in.
580887	L1050330Y1TX1	Loop #93	Adhesive	Black	25 yd.	2 in.
580888	H4050330Y1TX1	Hook #91	Adhesive	Black	25 yd.	2 in.
580889	L1050010Y1TX1	Loop #93	Adhesive	White	25 yd.	2 in.
580890	H4050010Y1TX1	Hook #91	Adhesive	White	25 yd.	2 in.

TEXACRO® is a registered trademark of Velcro Industries B.V.

VELCRO® Brand Hook And Loop Fasteners – Standard Back Nylon Tape

This nylon tape fastener consists of two mating strips. The Hook (male) section is covered with stiff, small hooks. The Loop (female) section is covered with tiny, soft loops. When pressed together, the hooks and loops engage, creating an adjustable, versatile, and secure closure. Sold in full rolls only.

Suggested uses: indoor functions, marine fastening, cushion placement, clothing, recreational gear, tying, wrapping and bundling, straps, other industrial uses.

Item #	Style #	Description	Color	Put Up	Width
580153	194202	Loop #1000	Beige	50 yd.	1 in.
580154	194154	Hook #88	Beige	50 yd.	1 in.
580200	191300	Hook #88	Black	50 yd.	5/8 in.
580201	194134	Hook #88	White	50 yd.	5/8 in.
580210	194144	Hook #88	Black	50 yd.	3/4 in.
580215	194145	Hook #88	Beige	50 yd.	3/4 in.
580216	194191	Loop #1000	Beige	50 yd.	3/4 in.
580220	193085	Hook #88	White	50 yd.	3/4 in.
580250	194153	Hook #88	Black	50 yd.	1 in.
580251	193087	Hook #88	White	50 yd.	1 in.

Item #	Style #	Description	Color	Put Up	Width
580256	193089	Hook #88	White	50 yd.	1-1/2 in.
580257	194164	Hook #88	Black	50 yd.	1-1/2 in.
580273	194178	Hook #88	Olive Green	50 yd.	2 in.
580275	194175	Hook #88	Black	50 yd.	2 in.
580276	193091	Hook #88	White	50 yd.	2 in.
580277	194579	Hook #88	Light Gray	50 yd.	2 in.
580279	194099	Hook #88	Beige	50 yd.	2 in.
580287	190806	Hook #88	White	25 yd.	4 in.
580288	190810	Hook #88	Black	25 yd.	4 in.
580300	194179	Loop #1000	Black	50 yd.	5/8 in.
580301	194096	Loop #1000	White	50 yd.	5/8 in.
580310	194190	Loop #1000	Black	50 yd.	3/4 in.
580315	197078	Hook #88	Battleship Grey	25 yd.	2 in.
580316	197077	Loop #1000	Battleship Grey	25 yd.	2 in.
580320	191301	Loop #1000	White	50 yd.	3/4 in.
580329	195966	Hook #88	Black	25 yd.	3 in.
580346	193088	Loop #1000	White	50 yd.	1-1/2 in.
580350	194098	Loop #1000	Black	50 yd.	1 in.
580351	193086	Loop #1000	White	50 yd.	1 in.
580356	194212	Loop #1000	Black	50 yd.	1-1/2 in.
580375	194223	Loop #1000	Black	50 yd.	2 in.
580376	193090	Loop #1000	White	50 yd.	2 in.
580377	194580	Loop #1000	Light Gray	50 yd.	2 in.
580379	194100	Loop #1000	Beige	50 yd.	2 in.
580387	190795	Loop #1000	White	25 yd.	4 in.
580388	190799	Loop #1000	Black	25 yd.	4 in.
580461	195967	Loop #1000	Black	25 yd.	3 in.
580462	199497	Loop #1000	White	50 yd.	3 in.

VELCRO®, ONE-WRAP®, VELSTICK® and VELSTRETCH® are registered trademarks of Velcro BVBA. Used with permission.

VELCRO® Brand Hook And Loop Fasteners – Standard Back Polyester Tape

This polyester tape fastener consists of two mating strips. The Hook (male) section features small, stiff hooks. The Loop (female) section features small, soft loops. When brought together, the hooks and loops engage, making a versatile, adjustable, and secure closure. Sold in full rolls only.

Suggested uses: indoor/outdoor functions, marine fastening, cushion placement, clothing, recreational gear, tying, wrapping and bundling, straps, other industrial uses.

Item #	Style #	Description	Color	Put Up	Width
580113	192102	Hook #81	Black	25 yd.	1-1/2 in.
580114	192101	Loop #9000	Black	25 yd.	1-1/2 in.
580255	190579	Hook #81	White	25 yd.	1 in.
580265	190789	Hook #81	Black	25 yd.	2 in.
580278	190787	Hook #81	White	25 yd.	2 in.
580349	192076	Loop #009	White	25 yd.	5/8 in.
580355	190465	Loop #009	White	25 yd.	1 in.
580378	190711	Loop #009	White	25 yd.	2 in.
580700	190582	Hook #81	Black	25 yd.	1 in.
580701	190468	Loop #009	Black	25 yd.	1 in.

Item #	Style #	Description	Color	Put Up	Width
580702	190713	Loop #009	Black	25 yd.	2 in.
580705	172645	Hook #81	White	25 yd.	1-1/2 in.
580706	173646	Loop #009	White	25 yd.	1-1/2 in.

VELCRO®, ONE-WRAP®, VELSTICK® and VELSTRETCH® are registered trademarks of Velcro BVBA. Used with permission.

VELCRO® Brand Hook And Loop Fasteners – Adhesive Back Nylon Tape

This nylon tape fastener features two mating strips and an adhesive backing. The Hook (male) section has stiff hooks while the Loop (female) section has soft loops. When pressed together, the hooks and loops create an easy, adjustable, and secure closure. The adhesive backing supplies a strong hold to various surfaces. Sold in full rolls only.

Suggested uses: indoor functions, marine fastening, cushion placement, clothing, mounting and adhering to walls and other surfaces, other industrial uses.

Item #	Style #	Description	Color	Put Up	Width
580192	196802	Hook #88	Black	25 yd.	1/2 in.
580193	196256	Loop #1000	Black	25 yd.	1/2 in.
580198	190836	Loop #1000	Black	25 yd.	5/8 in.
580209	190940	Hook #88	Black	25 yd.	3/4 in.
580258	191157	Hook #88	White	25 yd.	1-1/2 in.
580259	191166	Hook #88	Black	25 yd.	1-1/2 in.
580260	191051	Hook #88	Black	25 yd.	1 in.
580261	191033	Hook #88	White	25 yd.	1 in.
580282	191231	Hook #88	White	25 yd.	2 in.
580285	191245	Hook #88	Black	25 yd.	2 in.
580309	190911	Loop #1000	Black	25 yd.	3/4 in.
580311	190935	Hook #88	White	25 yd.	3/4 in.
580312	190899	Loop #1000	White	25 yd.	3/4 in.
580358	191129	Loop #1000	White	25 yd.	1-1/2 in.
580359	191140	Loop #1000	Black	25 yd.	1-1/2 in.
580360	190984	Loop #1000	Black	25 yd.	1 in.
580361	190959	Loop #1000	White	25 yd.	1 in.
580382	191181	Loop #1000	White	25 yd.	2 in.
580385	191195	Loop #1000	Black	25 yd.	2 in.

VELCRO®, ONE-WRAP®, VELSTICK® and VELSTRETCH® are registered trademarks of Velcro BVBA. Used with permission.

VELCRO® Brand Hook And Loop Fasteners – Adhesive Back Polyester Tape

This polyester tape fastener consists of two mating strips and an adhesive backing. The Hook (male) strip features stiff hooks while the Loop (female) strip features soft loops. When brought together, the hooks and loops make a quick, easy, and secure closure. The adhesive backing provides a strong hold to numerous surfaces. Sold in full rolls only.

Suggested uses: indoor/outdoor functions, marine fastening, cushion placement, clothing, mounting and adhering to walls and other surfaces, other industrial uses.

Item #	Style #	Description	Color	Put Up	Width
580238	155334	Hook #81	Black	25 yd.	1 in.
580380	192206/155412	Loop #009	White	25 yd.	2 in.
580524	191001/155238	Loop #009	White	25 yd.	1 in.
580525	155553	Hook #81	White	25 yd.	1 in.
580526	155237	Loop #009	Black	25 yd.	1 in.

Item #	Style #	Description	Color	Put Up	Width
580527	191254/155474	Hook #81	Black	25 yd.	2 in.
580528	196455/155476	Loop #009	Black	25 yd.	2 in.
580529	191252/155475	Hook #81	White	25 yd.	2 in.

VELCRO®, ONE-WRAP®, VELSTICK® and VELSTRETCH® are registered trademarks of Velcro BVBA. Used with permission.

VELCRO® Brand ONE-WRAP® Fasteners

ONE-WRAP is a self-gripping fastener with hooks on one side and loops on the other. The two sides attach easily for solid strength and performance. ONE-WRAP offers an ultra-thin solution for many fastening needs. It does not require buckles, snaps, rings, or other fastening devices. Available in full rolls only.

Suggested uses: bundling, wrapping.

Item #	Style #	Color	Put Up	Width
580403	189590	Black	25 yd.	1 in.
580407	189661	Black	25 yd.	2 in.
580408	189645	Black	25 yd.	3/4 in.
580414	189699	White	25 yd.	2 in.
580437	179917	White	25 yd.	4 in.
580442	189662	Black	25 yd.	1-1/2 in.

VELCRO®, ONE-WRAP®, VELSTICK® and VELSTRETCH® are registered trademarks of Velcro BVBA. Used with permission.



580247

VELCRO® Brand VELSTICK® Semi-Rigid Fasteners

VELSTICK is a semi-rigid, high-impact extrusion with VELCRO Brand hook and loop fastener tape permanently attached. VELSTICK semi-rigid fasteners were designed and developed to attach to rigid surfaces. This nylon hook and loop tape creates an adjustable, versatile, and secure closure.

Install with staples, tacks, rivets, or screws to provide a permanent fixture. VELSTICK strips can be cut with scissors, drilled, or punched. Sold in pieces of 4 feet only.

Suggested uses: tents, camping trailers and marine applications.

Item #	Style #	Description	Color	Material	Put Up	Width
580112	192657	Hook	Black	Polyester	4 ft.	1 in.
580247	192596	Hook #88	Black	Nylon	4 ft.	1-3/4 in.
580254	192593	Hook #81	White	Polyester	4 ft.	1 in.
580354	192590	Loop #9000 Unnapped	White	Polyester	4 ft.	1 in.
580450	192655	Hook #88	Black	Nylon	4 ft.	1 in.
580452	192653	Loop #1000 Napped	Black	Nylon	4 ft.	1 in.

VELCRO®, ONE-WRAP®, VELSTICK® and VELSTRETCH® are registered trademarks of Velcro BVBA. Used with permission.



500431

Super Seamstick/Hi-Tack Adhesive Tape

Super Seamstick/HiTack is a double-faced, acrylic-based adhesive tape that is ideal for applications where resistance to UV light and excellent performance during temperature extremes are required. Used for bonding and laminating to a wide variety of cloths, vinyls, and rigid and flexible plastics. It's also excellent for seaming Sunbrella® before stitching, and can also be used on stainless steel tubing for patterning with Canvex® pattern cloth. Leaves little or no residue on surfaces when removed.

Item #	Style #	Put Up	Width
500422	1 HI-TACK	60 yd.	1 in.
500423	1 1/2 HI-TACK	60 yd.	1-1/2 in.
500432	2263	60 yd.	1/2 in.
500430	2263	60 yd.	1/4 in.
500428	2 HI-TACK	60 yd.	2 in.
500431	2263	60 yd.	3/8 in.

Sunbrella® is a registered trademark of Glen Raven, Inc. Canvex® is a registered trademark of Raven Industries.

Tape – Vinyl Welding

Item #	Color	Put Up	Size	Width
500482	Clear	36 yd.	0.016 ga.	3/4 in.



500490

Tape – Vinyl Adhesive Welding

Many products not heat sealable to themselves can now be heat sealed using this tape.

Item #	Style #	Description	Put Up	Width
500490	4220	0.005 Adhesive	200 yd.	5/8 in.




500433

Tape – Curtain Strapping

This strapping is used for seam reinforcement or for retention straps for holding rolled up curtains in place. Sold in full rolls only.

Item #	Description	Color	Put Up	Width
500433	0.040 gauge	Clear	15 yd.	1-1/2 in.



500467

Tape – Double-Faced

A double-faced adhesive tape used in tacking down layers of fabric prior to sewing a seam.

Rubber Double Faced Tape


High tack tape used when a higher initial tack is required
Can turn slightly yellow
Can be used with acrylic fabrics

Acrylic Double-Faced Tape

Good initial tack
Non-yellowing
High long term adhesion
Very good for all purposes including general sail seaming

Item #	Style #	Material	Put Up	Width
500467	J-351	Rubber	72 yd.	1/4 in.

Item #	Style #	Material	Put Up	Width
500469	J-353	Rubber	72 yd.	1/2 in.
500470	J-451	Acrylic	72 yd.	1/4 in.
500471	J-452	Acrylic	72 yd.	3/8 in.
500472	J-453	Acrylic	72 yd.	1/2 in.
500473	J-455	Acrylic	72 yd.	3/4 in.
500476	J-456	Acrylic	72 yd.	1 in.




500403

Tape – Double-Faced Adhesive

Typical applications for this double-faced acrylic foam pressure sensitive tape include body side moldings, rocker trims, and other automotive trim components. The tape is a companion to Costa Track® and is placed in the recess on the bottom of the track for temporary tacking prior to being permanently mounted.

Item #	Style #	Color	Put Up	Width
500403	5931N	White	36 yd., 12/box	1/2 in.

Costa Track® is a registered trademark of Costa Marine Canvas and Enclosures, LLC



500435

Tape – Double-Faced Transfer

This clear acrylic tape is used to hold the cut edge of two fabrics together prior to sewing a seam. Eliminates slippage so the seam can be sewn straight.

Item #	Put Up	Width
500435	72 yd.	1/4 in.
500436	72 yd.	1/2 in.
500437	72 yd.	3/4 in.



500466

Tape – No. 463 Seam

To minimize seam leakage on sewn seams of awning fabrics. The 3/4 inch wide tape is for double needle machines. The No. 463 Seam Tape is ideal for use on vinyl laminates such as Weblon®.

The adhesive transfer tape is on a paper backing. The tape should be applied on the edge of the one piece of material to be sewn. The paper backing is then peeled off, leaving the transfer tape on the material. The other piece of material to be sewn is applied on top of the adhesive transfer tape and pressed together. Then the two pieces are ready to be sewn. As the material is being sewn, the up and down movement of the needle pulls the adhesive transfer tape into the needle holes to seal them and thus minimize seam leakage.

Item #	Style #	Put Up	Width
500465	463	60 yd., 60/box	5/8 in.
500466	463	60 yd., 48/box	3/4 in.

Weblon® is a registered trademark of Herculite Products Inc.



500427

Tape – Reinforcing

This non-adhesive reinforcing tape is ideal for supporting tops, dodgers, enclosures, and boat covers, but is also applicable for awnings and canopies. Made from clear laminate and polyester scrim, the filament tape is stable and weather-resistant. The reinforced strapping tape is widely used by fabricators and those in the marine industry. Its extra strength, marine-grade features make it one of the more versatile reinforcing tapes on the market. It provides high clarity, a low profile, and excellent tensile strength. Sold in full rolls only.

Item #	Color	Put Up	Width
500427	Clear	65 yd.	2 in.



500582

Tape – Thermo Bonding

Thermo Bonding Tape has a slightly lower melting point than the standard bonding tape. This will allow the user to seal more difficult fabrics.

Item #	Description	Color	Put Up	Width
500441	FR	White	100 yd.	3/8 in.
500581	FR	White	100 yd., 12/box	7/8 in.
500582	FR	Black	100 yd., 12/box	7/8 in.



500440

SS71 Bonding Tape®

SS71 Bonding Tape uses proven bonding technologies for the clean assembly of marine, shade and awning products. The polyurethane based welding tape is a diversely designed product for use with Sunbrella®, Sunbrella® Plus and Firesist®. The SS71 Bonding Tape creates clean, waterproof seams and eliminates the need for thread matching.

Item #	Color	Put Up	Standard Package	Width
500440	White	100 yard roll, 12 rolls per box	1	7/8 in.

SS71 Bonding Tape®, Sunbrella® and Firesist® are registered trademarks of Glen Raven, Inc.



507150

Cord – Corsair Diamond Braid Polyester

The Corsair Polyester Cord features a durable cord with good strength, excellent UV and abrasion resistance, and low elongation.

Item #	Approx. Tensile Strength	Cord Size	Put Up	Size #
507150	360 lbs.	7/64 in.	1000 ft.	3-1/2



507121

Cord – Cotton Lacing

A braided cotton lacing cord with a high-strength, low-stretch core of filament polyester for superior strength. Can be used for awning line, lacing, drawstrings and hem lines.

Item #	Approx. Tensile Strength	Color	Cord Size	Put Up	Size #
507120	300 lbs.	White	7/64 in.	1500 ft.	3-1/2
507121	350 lbs.	White	1/8 in.	1500 ft.	4



515118

Cord – Crown Cotton

A heavy-duty, diamond-braided, cotton-blend cord with a strong synthetic fiber core.

Item #	Color	Cord Size	Put Up	Size #
515118	White	5/32 in.	1000 ft.	5
515119	White	3/16 in.	1000 ft.	6
515120	White	1/4 in.	1000 ft.	8



518029

Cord – Diamond Braided Nylon

This diamond braided nylon has high strength, excellent resistance to abrasion and good elasticity under dynamic load. It also works well in wet applications.

Item #	Approx. Tensile Strength	Color	Cord Size	Put Up	Size #
518029	450 lbs.	Black	1/8 in.	1000 ft.	4



506592

Cord – Premium Sash

Cotton cover, synthetic core. General, all purpose cotton sash cord used for home, recreation and industrial jobs.

Item #	Approx. Tensile Strength	Cord Size	Put Up	Size #
506592	800 lbs.	1/4 in.	1000 ft.	8



519802

Line – Cotton Awning

Manufactured from high strength cotton yarns braided over a low stretch polyester core. A durable lustrous polish combined with popular colors makes this an extremely versatile and popular choice.

Item #	Color	Cord Size	Put Up	Size #
519802	Black	9/64 in.	100 yd.	4.5



507126

Line – Ultra Awning

Made with a polyester core for greater strength. This braided line is glazed Grade "A" cotton for longer wearing life.

Item #	Approx. Weight Per Tube	Color	Cord Size	Put Up	Size #
507122	10 lbs.	White	9/64 in.	1500 ft.	4.5
507123	12 lbs.	White	5/32 in.	1500 ft.	5
507124	14 lbs.	White	3/16 in.	1500 ft.	6
507125	17 lbs.	White	7/32 in.	1500 ft.	7
507126	26 lbs.	White	1/4 in.	1500 ft.	8



507130

Line – Ultra Mason

A braided cord made of high quality cotton to assure uniform size and quality. Excellent small diameter cord for lacing windbreaks, stationaries and store awnings. Also used for drawstrings.

Item #	Color	Cord Size	Put Up	Size #
507130	White	7/64 in.	3000 ft.	3.5



518606

Rope – Diamond Braided Polyester

Polyester cord with high strength and excellent abrasion resistance. This cord has very good UV resistance. Resists acids, alkalis and moisture.

Item #	Cord Size	Put Up	Size #
518606	1/8 in.	1000 ft.	4

Rope – Supreme MFP Braided

Multifilament solid braided polypropylene with abrasion-resistant smooth finish. Good strength with low stretch and excellent dielectric qualities. Resistant to rot, mildew, oil and most chemicals. This rope also floats.

Item #	Approx. Tensile Strength	Color	Cord Size	Put Up	Size #
515517	305 lbs.	White	3/16 in.	1000 ft.	6



515449

Cord – Diamond Braided MFP

Suggested uses include drawstrings, lacing cords, general utility.

Item #	Approx. Tensile Strength	Color	Cord Size	Put Up	Size #
515449	250 lbs.	Black	1/8 in.	1000 ft.	4
515450	250 lbs.	Black	1/8 in.	3000 ft.	4

Cord – Diamond Braided Nylon Utility

Suggested uses include drawstrings, lacing cords, general utility.

Item #	Approx. Tensile Strength	Color	Cord Size	Put Up	Size #
515084	490 lbs.	White	1/8 in.	3000 ft.	4



507145

Cord – Drawtite Cotton

Braided fine cotton with glazed cover and low stretch synthetic cord.

Suggested uses: cotton awning lacing and window furnishings.

Item #	Cord Size	Put Up	Size #
507145	7/64 in.	500 yd.	3-1/2
507146	1/8 in.	1000 yd.	4



519131

Cord – Hollow Braided Polypropylene

A low-cost, diamond-braided cord. This cord is hollow – there is no filler core. Suggested for use as barrier rope, tie-down, general marine and hardware uses.

Item #	Color	Cord Size	Put Up	Size #
519148	Black	1/4 in.	1000 ft.	8
519136	White	5/16 in.	1000 ft.	10
519134	White	3/16 in.	1000 ft.	6
519135	White	1/4 in.	1000 ft.	8
519132	Yellow	5/16 in.	1000 ft.	10
519131	Yellow	1/4 in.	1000 ft.	8



515452

Cord – MFP Solid Braided Polypropylene

Made of white multifilament polypropylene. Resists acids, alkalis and mildew. Floats in and does not absorb water. Ends can be fused to prevent fraying. Versatile for many marine applications.

Item #	Approx. Tensile Strength	Cord Size	Put Up	Size #
515452	505 lbs.	3/16 in.	1000 ft.	6
515454	750 lbs.	1/4 in.	1000 ft.	8
515456	1250 lbs.	5/16 in.	1000 ft.	10



519945

Cord – Neobraid® Polyester

100% high-strength polyester cord excels in awning applications and is a superb all-purpose/industrial cord. Patented InterWarp® construction withstands years of weather and sun, and does not kink, twist, or fray. Resistant to mold, oil and stains.

Neobraid Warning: Not For Personal Safety. Working loads are for rope in good condition with appropriate splices, in non-critical applications and under normal service conditions. Do not exceed working loads without expert knowledge of conditions and professional estimates of risk. Working loads should be reduced where life, limb and valuable property are involved or with shock loads, sustained loads. Never stand in line with rope under tension or directly underneath rope under tension.

Item #	Approx. Tensile Strength	Color	Cord Size	Put Up	Size #
519929	350 lbs.	Black	1/16 in.	2000 ft.	2
519941	300 lbs.	Black	7/64 in.	1000 ft.	3-1/2
519945	350 lbs.	Black	1/8 in.	1000 ft.	4
519952	410 lbs.	Black	9/64 in.	3000 ft.	4-1/2
519950	469 lbs.	Black	5/32 in.	1000 ft.	5
519948	700 lbs.	Black	3/16 in.	1000 ft.	6
519947	1000 lbs.	Black	1/4 in.	1000 ft.	8
519971	350 lbs.	Burgundy	1/8 in.	1000 ft.	4
519972	350 lbs.	Forest Green	1/8 in.	1000 ft.	4
519939	1600 lbs.	White	5/16 in.	500 ft.	10
519944	350 lbs.	White	1/8 in.	1000 ft.	4
519930	350 lbs.	White	1/8 in.	500 ft.	4
519946	406 lbs.	White	9/64 in.	1000 ft.	4-1/2
519951	410 lbs.	White	9/64 in.	3000 ft.	4-1/2

Item #	Approx. Tensile Strength	Color	Cord Size	Put Up	Size #
519949	700 lbs.	White	3/16 in.	1000 ft.	6
519953	700 lbs.	White	3/16 in.	3000 ft.	6
519936	700 lbs.	White	3/16 in.	500 ft.	6
519937	1000 lbs.	White	1/4 in.	1000 ft.	8
519938	1000 lbs.	White	1/4 in.	500 ft.	8

Neobraid® and InterWarp® are registered trademarks of New England Overseas Corporation.



519926

Cord – Neoline® Polyester

100% polyester jacket and polyester/polypropylene core offers superior strength and abrasion resistance. Ideal for awnings and everyday use. Patented InterWarp® construction knots well, is weather resistant, and is twist and fray free.

Neoline Warning: Not For Personal Safety. Working loads are for rope in good condition with appropriate splices, in non-critical applications and under normal service conditions. Do not exceed working loads without expert knowledge of conditions and professional estimates of risk. Working loads should be reduced where life, limb and valuable property are involved or with shock loads, sustained loads. Never stand in line with rope under tension or directly underneath rope under tension.

Item #	Approx. Tensile Strength	Color	Cord Size	Put Up	Size #
519911	220 lbs.	Black	1/8 in.	1000 ft.	4
519960	460 lbs.	Black	3/16 in.	1000 ft.	6
519907	460 lbs.	Light Beige	3/16 in.	1000 ft.	6
519922	185 lbs.	White	7/64 in.	3000 ft.	3-1/2
519912	220 lbs.	White	1/8 in.	1000 ft.	4
519923	220 lbs.	White	1/8 in.	3000 ft.	4
519904	220 lbs.	White	1/8 in.	500 ft.	4
519913	307 lbs.	White	9/64 in.	1000 ft.	4-1/2
519924	307 lbs.	White	9/64 in.	3000 ft.	4-1/2
519915	370 lbs.	White	5/32 in.	1000 ft.	5
519916	460 lbs.	White	3/16 in.	1000 ft.	6
519926	460 lbs.	White	3/16 in.	3000 ft.	6
519906	460 lbs.	White	3/16 in.	500 ft.	6
519917	750 lbs.	White	7/32 in.	1000 ft.	7
519918	750 lbs.	White	1/4 in.	1000 ft.	8
519908	750 lbs.	White	1/4 in.	500 ft.	8

ngland Overseas Corporation.



515339

Cord – Solid Braided Polyester

Braided of clean, high tensile strength polyester. Resists acids, alkalies and moisture. Ends can be fused to prevent fraying. Ideal for drawstrings and in hems of synthetic tarpaulins. Popular for boating and awning line.

Item #	Approx. Tensile Strength	Color	Cord Size	Put Up	Size #
515339	310 lbs.	White	1/8 in.	500 ft.	4
515352	425 lbs.	White	5/32 in.	1000 ft.	5
515353	620 lbs.	White	3/16 in.	1000 ft.	6
518602	750 lbs.	White	3/16 in.	1000 ft.	6



515432

Cord – Solid Braided Nylon

This is one of the finest quality and best performing nylon solid braided cords. Designed for marine and industrial use, the product is constructed from high tenacity 12 strand interlocking nylon fibers, and has excellent shock load absorption qualities.

Item #	Approx. Tensile Strength	Color	Cord Size	Put Up	Size #
515432	450 lbs.	White	1/8 in.	1000 ft.	4
515433	750 lbs.	White	3/16 in.	1000 ft.	6
515434	1200 lbs.	White	1/4 in.	1000 ft.	8



515250

Cord – Saxon Nylon

Industrial-grade multifilament nylon. A strong, premium product that works well with pulleys.

Item #	Color	Cord Size	Put Up	Size #
515250	Natural	1/8 in.	1000 ft.	4
515251	Natural	3/16 in.	1000 ft.	6
515252	Natural	1/4 in.	1000 ft.	8



519224

Rope – Zenith

Polyester cord with high strength and excellent abrasion resistance. This cord also has a very good UV resistance and resists acids, alkalis and moisture.

Item #	Description	Approx. Tensile Strength	Color	Cord Size	Put Up	Size
519223	Bonded	400 lbs.	White	1/8 in.	1500 ft.	4
519224	Bonded	400 lbs.	Black	1/8 in.	1500 ft.	4



515221

Cord – Twisted S.F.T. Polypropylene

Made from fibrillated (shattered film type) or interconnected filaments. Recommended workload is 17% of breaking strength. Floats in, but does not absorb water. Very good resistance to most acids and alkalis.

Item #	Approx. Tensile Strength	Color	Cord Size	Put Up	Size #
515221	1130 lbs.	White	1/4 in.	1200 ft.	8



516254

Rope – 3-Strand Polypropylene

Filament polypropylene rope with excellent strength to weight ratio. Will float because specific gravity is less than 1.0. Hand and lay is medium/soft, which makes this product easy to splice.

Item #	Approx. Tensile Strength	Color	Cord Size	Put Up	Size #
516259	2430 lbs.	Black	3/8 in.	1200 ft.	12
516254	3780 lbs.	White	1/2 in.	1200 ft.	16
516252	3780 lbs.	White	1/2 in.	600 ft.	16
516242	1130 lbs.	White	1/4 in.	1200 ft.	8
516240	1130 lbs.	White	1/4 in.	600 ft.	8

Item #	Approx. Tensile Strength	Color	Cord Size	Put Up	Size #
516238	720 lbs.	White	3/16 in.	1200 ft.	6
516236	720 lbs.	White	3/16 in.	600 ft.	6
516250	2430 lbs.	White	3/8 in.	1200 ft.	12
516248	2430 lbs.	White	3/8 in.	600 ft.	12
516246	1710 lbs.	White	5/16 in.	1200 ft.	10
516256	5580 lbs.	White	5/8 in.	600 ft.	20
516274	1130 lbs.	Yellow / Black	1/4 in.	600 ft.	8
516220	3780 lbs.	Yellow	1/2 in.	600 ft.	16
516206	1130 lbs.	Yellow	1/4 in.	1200 ft.	8
516202	720 lbs.	Yellow	3/16 in.	1200 ft.	6
516226	7650 lbs.	Yellow	3/4 in.	600 ft.	24
516214	2430 lbs.	Yellow	3/8 in.	1200 ft.	12
516210	1710 lbs.	Yellow	5/16 in.	1200 ft.	10
516224	5580 lbs.	Yellow	5/8 in.	600 ft.	20



515218

Rope – Unmanila™ Polypropylene

This rope has a simulated manila look with performance durability of polyolefin. It is a fibrillated film fiber that has balanced construction, medium lay and moderate strength/moderate stretch. It is lightweight and buoyant, and exhibits good abrasion resistance and excellent hand and knotability.

Item #	Color	Cord Size	Put Up	Size #
515218	Tan	1/4 in.	1200 ft.	8

Unmanila™ is a trademark of Wellington Puritan Mills, Inc.



506326

Cord – Nylon Shock

Nylon covered elastic cord of synthetic rubber. Ideal for sewing in boat cover hems, lacing down boat covers, car luggage racks and fastening applications.

Sold in full rolls only.

Item #	Style #	Description	Color	Cord Size	Put Up
506326	S/7307-14	Single Cover	White with Black Tracer	1/4 in.	150 ft.
506334	EC-114-500STD	Single Cover	White with Black Tracer	1/4 in.	500 ft.
506317	16448	Double Cover	Black	1/8 in.	300 ft.
506324	S/150	Single Cover	White with Black Tracer	1/8 in.	300 ft.
506325	S/7306-316	Single Cover	White with Black Tracer	3/16 in.	150 ft.
506328		Single Cover	White with Black Tracer	3/8 in.	100 ft.
506327	S/7308-516	Single Cover	White with Black Tracer	5/16 in.	150 ft.



Cord – Single Cover Elastic

Elastic cord of synthetic rubber, designed to remain flexible and offer dependable elasticity when needed. When using any shock cords, always make sure ends are properly secured.

Warning: Secure hooks to ends carefully. Do not overstretch cord more than 50% of its normal length. Sudden disconnect in a stretched position may cause serious injury. Keep face and other vulnerable parts of the body away from the rebound path of the cord. Wear safety glasses during tie down and disconnect. Inspect cord before use. Discard if abraded, cut or cracked. Do not use to hold any surface which reacts to wind or air movement.

Item #	Style #	Description	Color	Cord Size	Put Up
506458	121	Cotton Covered	White with Black Tracer	1/4 in.	150 ft.
506455	130	Cotton Covered	White	1/8 in.	300 ft.
506456	1122	Cotton Covered	White with Black Tracer	3/16 in.	150 ft.
506462	350	Cotton Covered	White with Blue/Red Tracer	3/8 in.	100 ft.
506357	M-4	Polypropylene Covered	Black	1/4 in.	300 ft.
506355	M-4	Polypropylene Covered	Black	1/4 in.	500 ft.
506350	M-4	Polypropylene Covered	White with Black Tracer	1/4 in.	150 ft.
506348	M-3 Black	Polypropylene Covered	Black	3/16 in.	300 ft.
506340	M-3	Polypropylene Covered	White with Black Tracer	3/16 in.	1000 ft.
506363		Polypropylene Covered	White	3/16 in.	100 ft.
506349	M-3	Polypropylene Covered	White	3/16 in.	300 ft.
506354	M-6	Polypropylene Covered	White with Black Tracer	3/8 in.	100 ft.
506356	M-5	Polypropylene Covered	Black	5/16 in.	150 ft.
506352	M-5	Polypropylene Covered	White with Black Tracer	5/16 in.	150 ft.
506359	4002	Polypropylene Covered	White with Black Tracer	7/16 in.	250 feet



Cord – Synthetic Shock

Item #	Color	Cord Size	Put Up
506489	White	1/8 in.	500 ft.
506490	White	3/16 in.	300 ft.
506491	White	1/4 in.	300 ft.
506492	White	5/16 in.	300 ft.
506493	White	3/8 in.	150 ft.
506494	White	1/2 in.	100 ft.
506497	Black	1/8 in.	500 ft.



Cord – Cone Spring Hooks

Stainless steel. Used for fastening ends of elastic cords.

Item #	Style #	Cord Size	Put Up
506166	3	3/16 in.	100
506167	4	1/4 in.	100
506168	5	5/16 in.	100
506169	6	3/8 in.	100



506151

Cord – Hog Ring Pliers

Fits 1/8 inch, 3/16 inch, 1/4 inch, 5/16 inch and 3/8 inch sizes of loop and end clamps.

Item #	Style #	Description
506150	1440AO	Opening Spring
506151	1440AC	Closing Spring



506163

Cord – Loop And End Clamps

302 stainless steel. All looping rings are applied with clamp pliers. Used for splicing elastic cord.

Item #	Style #	Cord Size	Put Up
506161	X-0	1/4 in.	100
506155	X-0	1/4 in.	620
506160	X-00	1/8 and 3/16 in.	100
506162	X-1	5/16 in.	100
506158	X-1	5/16 in.	525
506163	X-2	3/8 in.	100



506152

Cord – Plier Clamp

Item #	Style #
506152	XX