



# Seam Sealer For Boat Covers, Awnings & Tents Pour Couverture de bateaux, Bâches & Tentes Protège coutures Invisible coverage Couverture Invisible Non-Silicone, Non-Solvent Non-Silicone, sans solvant

NET WT. 4 OZ.



FOR OU

RESTORES WATER RE

REPELS



# Clean, Protect, and Adhere

Taking care of fabric is essential, so help your customers prolong the life of their fabrics with some of the most reliable cleaners, protectants, adhesives, and more.

Adhesives	171
Cleaners	175
Protectants	178



### HH-66 Vinyl Cement

Easily and quickly applied, this cement provides a fast drying and exceptionally strong bond to all types of vinyl coated fabrics, vinyl laminated fabrics, plastics, metals, glass, wood and leather. It can also be used for sealing or waterproofing seams. One ounce provides one square foot of coverage. Shelflife is eighteen months.

Flammable. U.S. domestic ground shipping only.

Item Number	Fabric	Put Up	Standard Package
212500	Vinyl Coated, Vinyl Laminated	8 oz. brushtop can	12
212502	Vinyl Coated, Vinyl Laminated	1 qt. brushtop can	12
212503	Vinyl Coated, Vinyl Laminated	1 gal. can	6
212504	Vinyl Coated, Vinyl Laminated	1 pt. brushtop can	12
212505	Vinyl Coated, Vinyl Laminated	4 oz. brushtop can	12



214326

### HH-66 Thinner

Designed for use with HH-66 Vinyl Cement, this thinner removes unwanted HH-66 from surfaces and can be used to clean brushes, rollers and spray guns.

Flammable. U.S. domestic ground shipping only.

Item Number	Put Up	Standard Package
214326	1 pt. can	1



212402

### HAR Adhesive – 628 For Bonding Neoprene Coated Fabrics

A fast-drying, solvent based contact bond adhesive possessing unusually high strength and outstanding high and low temperature resistance in addition to excellent water, oil, grease, chemical and weather resistance. While primarily designed for bonding Neoprene, acrylic and canvas, this versatile adhesive may be used for bonding a wide variety of synthetic fabrics, rubber stocks, leather, rigid plastics, metals, wood, hardboard and many other porous and non-porous materials. Adhesive 628 applies easily with a brush, roller, trowel, or spray gun. One gallon covers approximately 250 to 300 square feet of surface area. Adhesive can be thinned with MEK or Acetone.

Subject to special handling charge by shippers. ICC Shipping Classification: Adhesive Cements, NOIBN, flammable liquid.

Item Number	Put Up	Standard Package
212402	1 pt. brushtop can	24



212411

### HAR Adhesive – 728 For Bonding Vinyl To Vinyl

A medium, fast-drying solvent-based synthetic resin adhesive designed primarily for bonding supported or unsupported vinyl fabric to itself or to various porous and non-porous materials. This cement is not recommended for laminates. (Adhesive 730 should be used for vinyl laminated fabrics.) Adhesive 728 may also be used for bonding polyurethane, canvas, synthetic fabrics, leather, metals, wood, glass, rigid plastics and some foams. Adhesive 728 applies easily with a brush, roller or spray gun. Adhesive 728 can be used on tarpaulins, awnings, tents, covers, drop cloths, liners, tops, textile bags and in truck and boat repair kits. One gallon covers approximately 250 to 300 square feet of surface area. Adhesive can be thinned with MEK or Acetone.

Subject to special handling charge by shippers. ICC Shipping Classification: Adhesive Cements, NOIBN, flammable liquid.

Item Number	Put Up	Standard Package
212411	4 oz. brushtop can	24
212412	1 pt. brushtop can	24
212414	1 qt. can	6



### HAR Adhesive – 730 For Bonding Vinyl-Laminated Fabrics

A fast-drying, solvent-based synthetic resin adhesive primarily designed for bonding laminated vinyl fabrics. Adhesive 730 may also be used for bonding vinyl-coated fabrics, polyurethane coated fabrics, many synthetic fabrics, canvas, leather, wood, metals, glass and various other products. Adhesive 730 under normal conditions of use will not blister or delaminate laminated vinyl fabrics. Adhesive 730 dried films are tough, flexible, clear, colorless, glossy and non-tacky. Adhesive 730 films are resistant to water, fuels, oils, greases, plasticizers, chemicals and weathering. Adhesive 730 applies easily using a brush, roller or spray gun. The shelf life of Adhesive 730 exceeds one year under normal storage conditions.

Adhesive 730 can be used in the manufacture and repair of tarpaulins, covers, awnings, tents, tops, dropcloths, liners, textile bags, and in boat, truck and pool repair kits. Adhesive can be thinned with MEK or Acetone.

Subject to special handling charge by shippers. ICC Shipping Classification: Adhesive Cements, NOIBN, flammable liquid.

Item Number	Put Up	Standard Package
212420	4 oz. brushtop can	24
212421	1 pt. brushtop can	24



212430

### HAR Adhesive – 740 For Cotton Ducks

A quick-drying (1 hour) adhesive for bonding and repairing various cotton ducks. Apply to one surface only, using paddle or knife. Patch is flexible after drying; some absorption by fabric.

Subject to special handling charge by shippers. ICC Shipping Classification: Adhesive Cements, NOIBN, flammable liquid.

Item Number	Put Up	Standard Package
212430	4 oz. brushtop can	24



265801

### HAR Adhesive - 729 Vinyl Seam Sealer

A fast-drying solvent-based synthetic resin adhesive primarily designed for sealing stitched seams on vinyl-coated and laminated fabrics, and many other fabrics. Dried films of Adhesive 729 will show no tackiness up to temperatures over 140° F and will retain flexibility at very low temperatures. Adhesive 729 can be easily applied using a brush, roller or spray gun. One gallon covers approximately 250 to 300 sq. ft. of surface area. Adhesive can be thinned with MEK or Acetone.

Subject to special handling charge by shippers. ICC Shipping Classification: Adhesive Cements, NOIBN, flammable liquid.

Item Number	Put Up	Standard Package
265801	4 oz. brushtop can	24
265804	1 qt. can	6



212006

### Tear Mender

Mends instantly. Waterproof. Mends and repairs canvas, tarps, awnings, acrylic material, leather goods, work clothing, and any other material it can penetrate. UV resistant. Contains no harsh or harmful chemicals. Manufactured for a 2-year shelf life.

Tear Mender can be shipped via regular UPS - no hazardous handling fee required. Not shipped when temperatures are below freezing (32° F).

Item Number	Style Number	Put Up	Standard Package
212005	TM-1	2 oz.	12
212006	TG-6H	6 oz.	12
212007	TG-16	16 oz.	12
212012	TG-640	5 gal.	1



212051

# SKP® Super Kwik Patch Repair Tape

Tape used to patch holes or tears in vinyl, vinyl-coated, or vinyl-laminated fabrics. Ideal for repairing tarps, tents, bounce houses, corrugated walls, the inside of refrigerated trucks, and more. Made from 14-oz. coated vinyl with a self-adhesive backside. Simply cut, peel, and press.

Adheres immediately and takes only 24 hours to fully cure. For best results, use on both sides of the material.

Item Number	Color	Material	Put Up
212050	Black	14-oz. Coated Vinyl with Adhesive Backing	6 in. x 5 ft.
212060	Black	14-oz. Coated Vinyl with Adhesive Backing	6 in. x 75 ft.
212052	Blue	14-oz. Coated Vinyl with Adhesive Backing	6 in. x 5 ft.
212062	Blue	14-oz. Coated Vinyl with Adhesive Backing	6 in. x 75 ft.
212055	Gray	14-oz. Coated Vinyl with Adhesive Backing	6 in. x 5 ft.
212065	Gray	14-oz. Coated Vinyl with Adhesive Backing	6 in. x 75 ft.
212054	Green	14-oz. Coated Vinyl with Adhesive Backing	6 in. x 5 ft.
212064	Green	14-oz. Coated Vinyl with Adhesive Backing	6 in. x 75 ft.
212051	White	14-oz. Coated Vinyl with Adhesive Backing	6 in. x 5 ft.
212061	White	14-oz. Coated Vinyl with Adhesive Backing	6 in. x 75 ft.

SKP® is a registered trademark of A and R Tarpaulins, Inc.



212041

### Tear-Aid® Patch Retail Kits

Made from an exceptionally tough, matte finish, abrasion resistant, polyurethane elastomer that resists puncture and tearing. It is combined with an aggressive adhesive formulated for high bond strength to a variety of surfaces. Holds air, holds water, won't pull off when stretched, see-thru patch, UV resistant, conforms to irregular surfaces, cuts easily with scissors, and won't turn gummy in high heat.

Type A Repairs: Canvas, most fabrics, rubber, neoprene, most plastics, nylon, fiberglass, stainless steel, aluminum, polyethylene, polypropylene, polyurethane, non-oiled leather, Sunbrella®.

Type B Repairs: Vinyl and vinyl-coated materials. Has a new, unique adhesive that resists the oils in vinyl that cause other adhesives to fail.

Each patch kit contains: (1) 3" x 12" patch that cuts with scissors to any size, (1) 7/8" x 7/8" patch, (1) 1 3/8" x 1 3/8" patch, (1) 12" reinforcement filament for repairing tears at edges, (2) alcohol preparation pads, (1) illustrated instructions and a product repair list. Retail kits include display.

Item Number	Description	Standard Package	
212041	Fabric Type A with Display	1	
212043	Fabric Type A	1	
212040	Variety with Display	1	
212042	Vinyl Type B with Display	1	
212044	Vinyl Type B	1	

Tear-Aid® is a registered trademark of TEARepair Inc. Sunbrella® is a registered trademark of Glen Raven, Inc.



### Tear-Aid® Roll Patches

Repairing torn canvas, nylon, rubber, plastic or vinyl has never been easier with Tear-Aid Roll Patches. Clear, elastic Tear-Aid Roll Patches contain a high performance adhesive preapplied to a rugged backing that allows a tear to recover under pressure. No messy liquid adhesives are needed. All you do is peel and stick.

Tear-Aid Roll Patches are available in two styles – Type A and Type B. Type A is designed for the repair of canvas, nylon, rubber and plastic. Type A should not be used on vinyl or vinyl coated products, as the inherent oils in vinyl will cause the adhesive in Type A to fail prematurely. Type B has been designed specifically for the repair of vinyl or vinyl coated items only, as it contains special adhesives to resist the oils in vinyl that would otherwise cause premature failure.



Tear-Aid Roll Patches also have excellent durability against puncture, moisture, saltwater, sunlight and temperature. Convenient 30 foot rolls, in versatile widths of 3 inch or 6 inch, allow patches to be custom-cut and overlapped for unlimited size and unlimited repair applications, from boat tops, covers and seats, to canvas and vinyl tents and tarpaulins, to awnings, banners and umbrellas.

Item Number	Description	Size	Standard Package
212020	Fabric Type A	3 in. x 30 ft.	1
212022	Fabric Type A	6 in. x 30 ft.	1
212021	Vinyl Type B	3 in. x 30 ft.	1
212023	Vinyl Type B	6 in. x 30 ft.	1

Tear-Aid® is a registered trademark of TEARepair Inc.



### 210<sup>®</sup> Plastic Cleaner And Polish

Removes marks such as crayons, magic markers and paint over-spray. Cleaning is quick and easy, as 210 doesn't leave streaks or swirl marks. It provides an anti-static/anti-fog coating and seals pores in plastic for a protective coating that makes future cleaning easier. Gives plastic a clear, lustrous look and has a pleasant aroma. Use on a wide variety of surfaces including plastic, acrylic, formica, fiberglass, polycarbonate, PVC, polyester, vinyl and many others.

Item Number	Put Up	Standard Package
214309	14 oz. spray can	1

210® is a registered trademark of Camco Manufacturing



214310

### 210<sup>®</sup> Plus Plastic Scratch Remover

An extremely mild abrasive compound in an anti-static/ anti-fog formula. Ideal for the removal of surface scratches and blemishes and for heavy-duty cleaning of all plastic materials. 210 Plus is water soluble and easy to use with superb results.

Item Number	Put Up	Standard Package
214310	15 oz. bottle	1

210® is a registered trademark of Camco Manufacturing



214091

# 303<sup>®</sup> Aerospace Protectant<sup>™</sup>

Regular use of 303 Aerospace Protectant offers 100% prevention of UV-caused slow-fade. No other protectant beautifies as intensely, protects as powerfully or lasts as long. Keeps UV-sensitive materials "like new" year after year. Use on patio furniture accessories, vehicles, sports equipment and more.

Apply only on clean surfaces and for best results use with 303 Multi-Surface Cleaner. To catch overspray, place a drop cloth under or around the surface to be treated. Do not apply in direct sunlight. Spray surface with Aerospace Protectant and wipe completely dry. If streaking occurs, too much product has been applied. Use a wet towel to remove excess, immediately wipe completely dry.

This product does not air dry. Extra buffing with a dry cloth increases bonding, repellency and longevity. Apply every three to five weeks for maximum UV protection.

Iten	n Number	Style Number	Put Up	Standard Package
214	1091	30340	16 oz. trigger sprayer	6
214	1093	30320	1 gal. refill	4

303® is a registered trademark of Gold Eagle, Inc.



214080

### 303<sup>®</sup> Multi-Surface Cleaner™

303 Multi-Surface Cleaner is designed for marine canvas, fabric convertible tops, awnings, indoor and outdoor furniture, carpet and upholstery. It safely removes even the most difficult stains. Rinses residue free. No foam, no fumes, no odor.

To apply, spray directly on spot until wet. Agitate with a soft brush or wet cloth. Using a damp cloth, wipe up stain and excess cleaner, rinsing out the cloth in clean water as necessary. Let surface dry. For heavier soils, increase agitation and soak time. Repeat if necessary.

303 products should not be used on Strataglass™, PanoramaFR or CrystalClear clear vinyl.

303 Multi-Surface Cleaner is endorsed by Glen Raven, Inc. for Sunbrella® fabrics.

Item Number	Style Number	Put Up	Standard Package
214080	30207	32 oz. trigger sprayer	6
214116	30570	1 gal.	8

303® is a registered trademark of Gold Eagle, Inc. Sunbrella® is a registered trademark of Glen Raven, Inc. Strataglass™ is a trademark of Strataglass, LLC.

214349

# 303® Clear Vinyl Protective Cleaner

303 Clear Vinyl Protective Cleaner, an ammonia- and alcohol-free product, is ideal for cleaning and protecting clear vinyl. Streak-free, it cleans and protects against cracking and yellowing.

303 products should not be used on Strataglass™, PanoramaFR or CrystalClear clear vinyl.

Item Number	Style Number	Put Up	Standard Package
214349	30215	32 oz. tigger sprayer	6

303° is a registered trademark of Gold Eagle, Inc.



213980

### IMAR™ #301 Strataglass™ Protective Cleaner

Uniquely formulated to clean, shine and protect Strataglass, PanoramaFR and CrystalClear clear vinyl and its scratch-resistant protective coating. Special UV inhibitors significantly extend the useful life of Strataglass clear vinyl by minimizing the deteriorating effects of sunlight. This helps defeat age-induced brittleness and promotes continued flexibility. Safe to use daily and is recommended to be used often to properly maintain the clarity of Strataglass clear vinyl. Helps rejuvenate the protective properties of IMAR Strataglass Protective Polish #302, which should be used on a less frequent but regular schedule. Use of any cleaner or polish product other than IMAR Strataglass Protective Cleaner and Polish voids the factory warranty.

IMAR #301 Strataglass Protective Cleaner is endorsed by Strataglass, Inc. for Strataglass, PanoramaFR or CrystalClear.

Item Number	Style Number	Put Up	Standard Package
213980	301	4 oz. spray bottle	24
213981	301	16 oz. spray bottle	12
213983	301	1 gal. bottle	4

IMAR™ is trademark of IMAR Products, LLC. Strataglass™ is a trademark of Strataglass, Inc.



### IMAR™ #603 Stamoid® Marine Vinyl Cleaner

Specially formulated to gently but thoroughly clean Stamoid and other marine vinyls. It will not harm clear vinyls such as Strataglass<sup>™</sup>, when used according to the instructions. Frequent use is recommended, particularly in areas of high environmental pollutants. Application of IMAR Stamoid Marine Vinyl Protective Cream and IMAR Stamoid Marine Vinyl Protective Spray between cleanings will assure the continued like-new appearance of vinyl products.

Item Number	Style Number	Put Up	Standard Package
213973	603	16 oz. bottle	12

IMAR™ is a trademark of IMAR Products, LLC. Stamoid® is a registered trademark of The Serge Ferrari Group. Strataglass™ is a trademark of Strataglass, LLC.



### 214191

### IOSSO® Mold And Mildew Stain Remover

Removes mold, mildew, algae stain, tough dirt, oils, leaf stains, tree sap, bird droppings, food stains, and blood stains. Recommended for use on awnings, canopies, tents, patio furniture, cushions, umbrellas, spa covers, tarps, boat covers, camping gear, vinyl, plastic and fiberglass. It is gentle to skin and has no harmful vapors. Just add water to the biodegradable, non-chlorine powder and work the solution into the soiled area. One gallon covers up to 150 square feet. The 12 ounce jar makes three gallons of solution. The 65 ounce pail mixes up 16 gallons of solution.

Item Number	Style Number	Put Up	Standard Package
214190	10900	12 oz.	6
214191	10905	65 oz.	4

IOSSO® is a registered trademark of IOSSO Products, Inc.



# IMAR™ #302 Strataglass™ Protective Polish

A polymer-based product formulated to safely clean, polish and protect Strataglass and CrystalClear clear vinyl and its scratch-resistant protective coating. Designed with a unique molecular bonding that creates a nearly invincible protective barrier against the damaging effects of marine environment pollutants. Recommended for use every 2 to 3 months and every 4 to 6 weeks in areas of high fallout. Frequent use of IMAR Strataglass Protective Cleaner #301 between polishing will increase protection by rejuvenating the protective qualities of IMAR Strataglass Protective Polish.

Item Number	Style Number	Put Up	Standard Package
213984	302	4 oz. spray bottle	24
213985	302	16 oz. bottle	12

IMAR™ is trademark of IMAR Products, LLC. Strataglass™ is a trademark of Strataglass, Inc.



214199

### **IOSSO® E-Z Snap Lubricant**

For snaps, zippers, hinges and hardware. Lubricates, waterproofs and reduces friction. It keeps snaps from corroding and locking up. It keeps zippers free flowing. E-Z Snap will not rinse away or dissipate in hot weather. The formula is non-hazardous and does not contain solvents, silicone or Teflon®. Great on boat covers, tents and campers.

Item Number	Style Number	Put Up	Standard Package
214199	10909	1.5 oz.	24

IOSSO® is a registered trademark of IOSSO Products, Inc. Teflon® is a registered trademark of E. I. DuPont Nemours and Company.