



Trim and Cord: Unique Embellishments

Secure fabric applications with the right webbing, binding, rope, or cordage for any project. For endless design possibilities, Trivantage® handpicks the finest trim, cord, and braid for the perfect finishing touch.

Embellishments	_297
Awning Braid	_298
Marine Binding	_30 <i>′</i>
Thread and Bobbins	_315
Webbing	_326
Rone and Cordage	330

TRIM AND CORD EMBELLISHMENTS



Sunbrella® Brush Fringe

Brush fringe is constructed from Sunbrella acrylic yarns. Can be used for throw pillows, decorative umbrella trimming or marine applications. Colors and blends are specifically selected to complement our Fusion Collection as well as other Sunbrella upholstery collections.

3 yard minimum for cut yardage.

Item Number	Style Number	Color	Put Up	Width
504503	07300-5462	Hot Pink	25 yd.	2 in.
504513	08351-2	Indigo	25 yd.	2 in.
504517	08362-2	Meadow	25 yd.	2 in.
504501	07300-4608	Onyx	25 yd.	2 in.
504514	08352-2	Opal	25 yd.	2 in.
504508	08345-2	Putty	25 yd.	2 in.
504506	08293-2	Rain Forest	25 yd.	2 in.
504500	07300-4604	Salt	25 yd.	2 in.
504509	08346-2	Smoke	25 yd.	2 in.

Sunbrella® is a registered trademark of Glen Raven, Inc.





Sunbrella® Twist Cord-Edge

This twisted cord edge is made with durable Sunbrella yarns. It includes a color matched sewing tab. Colors and blends are selected to pair with the Sunbrella Fusion Collection and other Sunbrella upholstery collections.

3-yard minimum for cut yardage.

Suggested uses: welting on patio cushions and decorative umbrella trimming.

Item Number	Style Number	Color	Put Up	Width
504706	07313-4633	Almond	25 yd.	3/8 in.
504720	07313-5416	Aruba	25 yd.	3/8 in.
504703	07313-4621	Chocolate	25 yd.	3/8 in.
504715	07313-4676	Cocoa	25 yd.	3/8 in.
504721	07313-5418	Deep Sea	25 yd.	3/8 in.
504705	07313-4630	Dove	25 yd.	3/8 in.
504732	08347-CE	Dune	25 yd.	3/8 in.
504733	08348-CE	Flame	25 yd.	3/8 in.
504708	07313-4644	Graphite	25 yd.	3/8 in.
504728	07532-CE	Nautical	25 yd.	3/8 in.
504704	07313-4626	Navy	25 yd.	3/8 in.
504702	07313-4608	Onyx	25 yd.	3/8 in.
504730	08345	Putty	25 yd.	3/8 in.
504701	07313-4604	Salt	25 yd.	3/8 in.
504731	08346	Smoke	25 yd.	3/8 in.
504712	07313-4673	Spa	25 yd.	3/8 in.
504709	07313-4648	Stone	25 yd.	3/8 in.
504726	07313-5488	Teak	25 yd.	3/8 in.
504727	07313-5498	Vellum	25 yd.	3/8 in.
504711	07313-4672	Wren	25 yd.	3/8 in.



Bullion Fringe – Blended Polyester

Made with thicker twisted yarns, bullion fringe adds an extra layer of depth when compared to standard fringe. Bullion trim fringe is constructed from polyester (98% spun polyester, 2% texturized polyester) for excellent outdoor performance and lasting looks.

Use the unique fringe trim for decorative pillows, umbrella trimming, or upholstery functions where a bold look is desired. Polyester Bullion Fringe offers a clean, versatile embellishment.

Sold in full rolls only.

Item Number	Style Number	Color	Put Up	Width
503713	1038	Medium White	36 yd.	2-1/2 in.
503720	1035	Medium White	36 vd	4 in



503022

Sunbrella® Awning Braid – 13/16 in. – No. 4015 European Style

A Sunbrella Acrylic braid with exceptional color retention. "European Style" braid is a basket weave pattern where as standard braid is a straight weave pattern.

Item Number	Style Number	Color	Put Up	Width
503032	4015	Aquamarine	100 yd.	13/16 in.
503020	4015	Beige	100 yd.	13/16 in.
503037	4015	Black	100 yd.	13/16 in.
503046	4015	Blended Brown	100 yd.	13/16 in.
503009	4015	Blended Gold	100 yd.	13/16 in.
503025	4015	Burgundy	100 yd.	13/16 in.
503021	4015	Cadet Grey	100 yd.	13/16 in.
503040	4015	Captain Navy	100 yd.	13/16 in.
503097	4015	Charcoal Grey	100 yd.	13/16 in.
503023	4015	Erin Green	100 yd.	13/16 in.
503027	4015	Forest Green	100 yd.	13/16 in.
503045	4015	lvory	100 yd.	13/16 in.
503030	4015	Jockey Red	100 yd.	13/16 in.
503041	4015	Linen	100 yd.	13/16 in.
503039	4015	Logo Red	100 yd.	13/16 in.
503094	4015	Mediterranean Blue	100 yd.	13/16 in.
503016	4015	Natural	100 yd.	13/16 in.
503029	4015	Navy Blue	100 yd.	13/16 in.
503022	4015	Pacific Blue	100 yd.	13/16 in.
503024	4015	Persian Green	100 yd.	13/16 in.
503033	4015	Sapphire	100 yd.	13/16 in.
503035	4015	Sky Blue	100 yd.	13/16 in.
503042	4015	Sunflower Yellow	100 yd.	13/16 in.
503092	4015	Taupe	100 yd.	13/16 in.
503028	4015	Terracotta	100 yd.	13/16 in.
503091	4015	Toast	100 yd.	13/16 in.
503019	4015	True Brown	100 yd.	13/16 in.
503093	4015	Turquoise	100 yd.	13/16 in.



502944

Sunbrella® Awning Braid – 13/16 in. – No. 681

A 13/16 inch 100% Sunbrella Acrylic braid and is manufactured using four ends of Sunbrella yarn in one strand. This braid has exceptional color retention.

Item Number	Style Number	Color	Put Up	Width
502976	681	Aruba	100 yd.	13/16 in.
503052	681	Beige	100 yd.	13/16 in.
503044	681	Black	100 yd.	13/16 in.
502941	681	Black Cherry	100 yd.	13/16 in.
503060	681	Burgundy	100 yd.	13/16 in.
503059	681	Cadet Grey	100 yd.	13/16 in.
502958	681	Capri	100 yd.	13/16 in.
503079	681	Captain Navy	100 yd.	13/16 in.
502942	681	Charcoal	100 yd.	13/16 in.
502970	681	Charcoal Tweed	100 yd.	13/16 in.
502959	681	Cocoa	100 yd.	13/16 in.
503048	681	Erin Green	100 yd.	13/16 in.
503085	681	Fern	100 yd.	13/16 in.
503075	681	Forest Green	100 yd.	13/16 in.
503086	681	Heather Beige	100 yd.	13/16 in.
502966	681	Hemlock Tweed	100 yd.	13/16 in.
503084	681	lvory	100 yd.	13/16 in.
502982	681	lvy	100 yd.	13/16 in.
503051	681	Jockey Red	100 yd.	13/16 in.
503073	681	Linen	100 yd.	13/16 in.
503083	681	Logo Red	100 yd.	13/16 in.
502961	681	Marine Blue	100 yd.	13/16 in.
503081	681	Mediterranean Blue	100 yd.	13/16 in.
502963	681	Mediterranean Blue Tweed	100 yd.	13/16 in.
503043	681	Natural	100 yd.	13/16 in.
503057	681	Navy Blue	100 yd.	13/16 in.
502962	681	Ocean Blue	100 yd.	13/16 in.
503087	681	Orange	100 yd.	13/16 in.
502972	681	Oyster	100 yd.	13/16 in.
503049	681	Pacific Blue	100 yd.	13/16 in.
503088	681	Parchment	100 yd.	13/16 in.
502964	681	Royal Blue Tweed	100 yd.	13/16 in.
502974	681	Rust	100 yd.	13/16 in.
503077	681	Sapphire	100 yd.	13/16 in.
502971	681	Silver	100 yd.	13/16 in.
503056	681	Sky Blue	100 yd.	13/16 in.
502981	681	Slate	100 yd.	13/16 in.
503050	681	Sunflower Yellow	100 yd.	13/16 in.
502944	681	Taupe	100 yd.	13/16 in.
503054	681	Terracotta	100 yd.	13/16 in.
502951	681	Toast	100 yd.	13/16 in.
503053	681	True Brown	100 yd.	13/16 in.
502960	681	Tuscan	100 yd.	13/16 in.
502950	681	Walnut Brown Tweed	100 yd.	13/16 in.



503129

Sunbrella® Awning Braid – 5/8 in. – No. 6118

5/8 inch wide braid made from 100% Sunbrella Acrylic.

Item Number	Style Number	Color	Put Up	Width
503131	6118	Aquamarine	144 yd.	5/8 in.
503223	6118	Beige	144 yd.	5/8 in.
503221	6118	Black	144 yd.	5/8 in.
503225	6118	Blended Brown	144 yd.	5/8 in.
503228	6118	Burgundy	144 yd.	5/8 in.
503134	6118	Cadet Grey	144 yd.	5/8 in.
503158	6118	Captain Navy	144 yd.	5/8 in.
503159	6118	Charcoal Grey	144 yd.	5/8 in.
503138	6118	Forest Green	144 yd.	5/8 in.
503150	6118	lvory	144 yd.	5/8 in.
503141	6118	Jockey Red	144 yd.	5/8 in.
503130	6118	Linen	144 yd.	5/8 in.
503156	6118	Logo Red	144 yd.	5/8 in.
503128	6118	Mediterranean Blue	144 yd.	5/8 in.
503153	6118	Natural	144 yd.	5/8 in.
503142	6118	Navy	144 yd.	5/8 in.
503129	6118	Pacific Blue	144 yd.	5/8 in.
503157	6118	Taupe	144 yd.	5/8 in.
503147	6118	Terracotta	144 yd.	5/8 in.
503148	6118	Toast	144 yd.	5/8 in.
503132	6118	True Brown	144 yd.	5/8 in.
503136	6118	Yellow	144 yd.	5/8 in.

Sunbrella® is a registered trademark of Glen Raven, Inc.



Polyester Awning Braid

Ideal for use with all awning fabrics. Also used to bind boat tops. Resists deteriorating effects of sunlight and weather. Excellent sewability. Recommend sewing with polyester thread.

Item Number	Style Number	Color	Put Up	Width
503306	61-20	Black	144 yd.	5/8 in.
503311	61-20	Blue	144 yd.	5/8 in.
503302	5314	White	288 yd.	5/8 in.



Sunbrella® Marine Binding – Centerfold – Type 1810

A Sunbrella acrylic braid that will not fade or weaken from normal exposure conditions, including sunlight, mildew and rot.

Item Number	Style Number	Color	Put Up	Width	
504412	1810	Beige	200 yd.	7/8 in.	
504460	1810	Black	200 yd.	7/8 in.	
504456	1810	Cadet Grey	200 yd.	7/8 in.	
504418	1810	Captain Navy	200 yd.	7/8 in.	
504411	1810	Forest Green	200 yd.	7/8 in.	
504415	1810	Jockey Red	200 yd.	7/8 in.	
504414	1810	Linen	200 yd.	7/8 in.	
504455	1810	Navy	200 yd.	7/8 in.	
504459	1810	Natural	200 yd.	7/8 in.	
504417	1810	Oyster	200 yd.	7/8 in.	
504453	1810	Pacific Blue	200 yd.	7/8 in.	
504419	1810	Taupe	200 yd.	7/8 in.	

Sunbrella® is a registered trademark of Glen Raven, Inc.



503925

Sunbrella® Marine Binding – Double-Fold Bias Cut

Sunbrella Acrylic marine binding in matching colors. Provides excellent color retention and weatherability. A double folded edge gives a finished and attractive look. Double folded and glued back 1/4 inch on each side. Bias cut binding assures pucker-free seams around curves and radius.

Item Number	Style Number	Color	Put Up	Width	
504239	4620	Beige	100 yd.	1 in.	
504208	4608	Black	100 yd.	1 in.	
504231	4631	Burgundy	100 yd.	1 in.	
504230	4630	Cadet Grey	100 yd.	1 in.	
504211	4646	Captain Navy	100 yd.	1 in.	
504235	4644	Charcoal Grey	100 yd.	1 in.	
504236	4607	Charcoal Tweed	100 yd.	1 in.	
504317	4676	Cocoa	100 yd.	1 in.	
504229	4606	Dubonnet Tweed	100 yd.	1 in.	
504237	4637	Forest Green	100 yd.	1 in.	
504272	4672	Heather Beige	100 yd.	1 in.	
504207	4605	Hemlock Tweed	100 yd.	1 in.	
504203	4603	Jockey Red	100 yd.	1 in.	
504233	4633	Linen	100 vd.	1 in.	

Item Number	Style Number	Color	Put Up	Width
504254	4654	Linen Tweed	100 yd.	1 in.
504218	4666	Logo Red	100 yd.	1 in.
504318	4678	Marine Blue	100 yd.	1 in.
504213	4652	Mediterranean Blue	100 yd.	1 in.
504314	4653	Mediterranean Blue Tweed	100 yd.	1 in.
504204	4604	Natural	100 yd.	1 in.
504226	4626	Navy	100 yd.	1 in.
504200	4679	Ocean Blue	100 yd.	1 in.
504209	4642	Oyster	100 yd.	1 in.
504201	4601	Pacific Blue	100 yd.	1 in.
504243	4643	Persian Green	100 yd.	1 in.
504217	4617	Royal Blue Tweed	100 yd.	1 in.
504205	4641	Sapphrie Blue	100 yd.	1 in.
504232	4651	Silver	100 yd.	1 in.
504242	4684	Slate	100 yd.	1 in.
504245	4615	Smoke	100 yd.	1 in.
504216	4602	Sunflower Yellow	100 yd.	1 in.
504227	4648	Taupe	100 yd.	1 in.
504225	4628	Toast	100 yd.	1 in.
504319	2389	Toast Tweed	100 yd.	1 in.
504234	4621	True Brown	100 yd.	1 in.
504330	4608	Black	100 yd.	1-1/4 in.
504334	4630	Cadet Grey	100 yd.	1-1/4 in.
504351	4646	Captain Navy	100 yd.	1-1/4 in.
504328	4637	Forest Green	100 yd.	1-1/4 in.
504348	4633	Linen	100 yd.	1-1/4 in.
504327	4654	Linen Tweed	100 yd.	1-1/4 in.
504331	4604	Natural	100 yd.	1-1/4 in.
504326	4626	Navy	100 yd.	1-1/4 in.
504349	4642	Oyster	100 yd.	1-1/4 in.
504325	4689	Toast Tweed	100 yd.	1-1/4 in.
503928	4608	Black	100 yd.	3/4 in.
503929	4631	Burgundy	100 yd.	3/4 in.
503950	4630	Cadet Grey	100 yd.	3/4 in.
503946	4646	Captain Navy	100 yd.	3/4 in.
503969	4676	Cocoa	100 yd.	3/4 in.
503964	4671	Fern	100 yd.	3/4 in.
503945	4637	Forest Green	100 yd.	3/4 in.
503965	4672	Heather Beige	100 yd.	3/4 in.
503925	4603	Jockey Red	100 yd.	3/4 in.
503958	4633	Linen	100 yd.	3/4 in.

Items continue on next page.

Item Number	Style Number	Color	Put Up	Width
503954	4654	Linen Tweed	100 yd.	3/4 in.
503970	4678	Marine Blue	100 yd.	3/4 in.
503941	4653	Mediterranean Blue Tweed	100 yd.	3/4 in.
503924	4604	Natural	100 yd.	3/4 in.
503922	4626	Navy	100 yd.	3/4 in.
503971	4679	Ocean Blue	100 yd.	3/4 in.
503942	4642	Oyster	100 yd.	3/4 in.
503921	4601	Pacific Blue	100 yd.	3/4 in.
503923	4617	Royal Blue Tweed	100 yd.	3/4 in.
503933	4641	Sapphire Blue	100 yd.	3/4 in.
503975	4859	Silica Dune	100 yd.	3/4 in.
503962	4651	Silver	100 yd.	3/4 in.
503959	4648	Taupe	100 yd.	3/4 in.
503952	4628	Toast	100 yd.	3/4 in.
503956	2389	Toast Tweed	100 yd.	3/4 in.
503927	4621	True Brown	100 yd.	3/4 in.

Sunbrella® is a registered trademark of Glen Raven, Inc.



Sunbrella® Marine Binding – Double-Fold Straight Cut

Sunbrella Acrylic marine binding in matching colors. Provides excellent color retention and weatherability. A double folded edge gives a finished and attractive look. Double folded and glued back 1/4 inch on each side.

Item Number	Style Number	Color	Put Up	Width
502036	4623	Aquamarine	100 yd.	1 in.
502034	4608	Black	100 yd.	1 in.
502040	4631	Burgundy	100 yd.	1 in.
502044	4646	Captain Navy	100 yd.	1 in.
504043	4623	Aquamarine	100 yd.	3/4 in.
504020	4620	Beige	100 yd.	3/4 in.
504028	4608	Black	100 yd.	3/4 in.
504119	4608	Black	200 yd.	3/4 in.
504051	4631	Burgundy	100 yd.	3/4 in.
504050	4630	Cadet Grey	100 yd.	3/4 in.
504047	4646	Captain Navy	100 yd.	3/4 in.
504049	4644	Charcoal	100 yd.	3/4 in.
504027	4607	Charcoal Tweed	100 yd.	3/4 in.
504026	4606	Dubonnet Tweed	100 yd.	3/4 in.
504057	4637	Forest Green	100 yd.	3/4 in.
504071	4672	Heather Beige	100 yd.	3/4 in.
504080	4632	lvy	100 yd.	3/4 in.

Item Number	Style Number	Color	Put Up	Width
504023	4603	Jockey Red	100 yd.	3/4 in.
504033	4633	Linen	100 yd.	3/4 in.
504054	4654	Linen Tweed	100 yd.	3/4 in.
504078	4678	Marine Blue	100 yd.	3/4 in.
504052	4652	Mediterranean Blue	100 yd.	3/4 in.
504053	4653	Mediterranean Blue Tweed	100 yd.	3/4 in.
504016	4616	Mocha Tweed	100 yd.	3/4 in.
504024	4604	Natural	100 yd.	3/4 in.
504046	4626	Navy	100 yd.	3/4 in.
504079	4679	Ocean Blue	100 yd.	3/4 in.
504036	4642	Oyster	100 yd.	3/4 in.
504021	4601	Pacific Blue	100 yd.	3/4 in.
503996	4683	Parchment	100 yd.	3/4 in.
504029	4643	Persian Green	100 yd.	3/4 in.
504037	4617	Royal Blue Tweed	100 yd.	3/4 in.
504034	2079	Royal Navy	100 yd.	3/4 in.
504055	4624	Sky Blue	100 yd.	3/4 in.
504060	4602	Sunflower Yellow	100 yd.	3/4 in.
504042	4648	Taupe	100 yd.	3/4 in.
504048	4628	Toast	100 yd.	3/4 in.
504059	2389	Toast Tweed	100 yd.	3/4 in.
504041	4621	True Brown	100 yd.	3/4 in.
504030	4610	Turquoise	100 yd.	3/4 in.
504088	4608	Black	300 yd.	7/8 in.



503830

Hydrofend® Marine Binding

Double-folded, straight-cut binding. Made from durable Hydrofend solution-dyed polyester fabric. The marine binding provides a finished and attractive look. Excellent water resistance, mildew resistance, color retention, and fray resistance. Use in boat covers, boat tops, boat enclosures, storage covers, and furniture covers. Coordinate with matching colors in Hydrofend fabric.

Item Number	Color	Put Up	Width
503832	Admiral Navy	100 yd.	3/4 in.
503838	Amazon Green	100 yd.	3/4 in.
503834	Bold Black	100 yd.	3/4 in.
503836	Bronze Taupe	100 yd.	3/4 in.
503837	Deep Maroon	100 yd.	3/4 in.
503833	Desert Beige	100 yd.	3/4 in.
503847	Hunter Green	100 yd.	3/4 in.
503835	Iron Grey	100 yd.	3/4 in.
503841	Mahogany Brown	100 yd.	3/4 in.
503830	Meteor Grey	100 yd.	3/4 in.
503831	Military Tan	100 yd.	3/4 in.
503839	Olympic Blue	100 yd.	3/4 in.
503845	Radiant Red	100 yd.	3/4 in.

Hydrofend® is a registered trademark of Glen Raven, Inc.



502767

Aqualon® Edge Marine Binding

Double-folded, straight cut. Colors match Aqualon Edge marine top and cover fabric.

Item Number	Color	Put Up	Width
502757	Alpine White	100 yd.	3/4 in.
502753	Apple Red	100 yd.	3/4 in.
502762	Atlantic Blue	100 yd.	3/4 in.
502764	Basic Beige	100 yd.	3/4 in.
502750	Black Onyx	100 yd.	3/4 in.
502755	Cabernet	100 yd.	3/4 in.
502758	Charcoal Grey	100 yd.	3/4 in.
502767	Cherry Red	100 yd.	3/4 in.
502754	Coastal Ivory	100 yd.	3/4 in.
502765	Indigo Blue	100 yd.	3/4 in.
502751	Ivy Green	100 yd.	3/4 in.
502759	Mountain Taupe	100 yd.	3/4 in.
502760	Nautical Navy	100 yd.	3/4 in.
502770	Oxford Tan	100 yd.	3/4 in.
502766	Slate Grey	100 yd.	3/4 in.
502763	Toast	100 yd.	3/4 in.
502756	True Blue	100 yd.	3/4 in.
502752	True Teal	100 yd.	3/4 in.

Aqualon® is a registered trademark of Glen Raven, Inc.



502245

Regatta® Marine Binding

This vinyl laminated, polyester bias cut binding is made from waterproof and mildew-resistant Regatta Marine Fabric.

Item Number	Description	Color	Put Up	Width	
502265	Double-Fold	Black	50 yd.	1 in.	
502259	Double-Fold	lvory	50 yd.	1 in.	
502247	Double-Fold	White	50 yd.	1 in.	
502245	Double-Fold	Black	50 yd.	3/4 in.	
502239	Double-Fold	lvory	50 yd.	3/4 in.	
502230	Double-Fold	White	50 yd.	3/4 in.	
502267	Single-Fold	White	50 yd.	1-1/4 in.	

Regatta® is a registered trademark of Herculite Products Inc.



502868

Serge Ferrari Stamoid® Marine Binding

This binding is made from lightweight and durable Stamoid marine fabric. Coordinate with colors in the marine fabric collection for easy design. Bias cut ensures maximum flexibility.

Some items are drop ship only.

Item Number	Style Number	Color	Put Up	Width
502893	2ET	Black	100 yd.	1 in.
502895	2ET	Cream	100 yd.	1 in.
502892	2ET	lvory	100 yd.	1 in.
502891	2ET	Snow White	100 yd.	1 in.
502890	2ET	White	100 yd.	1 in.
502921	1ET	Black	100 yd.	1-1/4 in.
502910	1ET	White	100 yd.	1-1/4 in.
502871	2ET	Black	100 yd.	3/4 in.
502875	2ET	Charcoal	100 yd.	3/4 in.
502861	2ET	Cream	100 yd.	3/4 in.
502862	2ET	lvory	100 yd.	3/4 in.
502872	2ET	Navy	100 yd.	3/4 in.
502864	2ET	Pearl Gray	100 yd.	3/4 in.
502868	2ET	Royal Blue	100 yd.	3/4 in.
502863	2ET	Sand	100 yd.	3/4 in.
502865	2ET	Silver	100 yd.	3/4 in.
502873	2ET	Snow White	100 yd.	3/4 in.
502860	2ET	White	100 yd.	3/4 in.

 ${\sf Stamoid} \hbox{$^\circledast$ is a registered trademark of The Serge Ferrari Group}.$

ORDER AT TRIVANTAGE.COM OR CALL 800.786.1876



Imperial Vinyl Marine Binding

An embossed coated vinyl on a drill backing. Bias cut. The vinyl and drill contain

Item Number	Description	Color	Put Up	Width
515606	Single-folded	Beige	135 yd.	1-1/4 in.
515590	Single-folded	Black	100 yd.	1-1/4 in.
504825	Single-folded	Black	100 yd.	1-1/4 in.
515593	Single-folded	Blue	100 yd.	1-1/4 in.
515581	Single-folded	Burgundy	100 yd.	1-1/4 in.
515592	Single-folded	Oyster	100 yd.	1-1/4 in.
504822	Single-folded	Slate Gray	100 yd.	1-1/4 in.
515591	Single-folded	White	100 yd.	1-1/4 in.
504492	Single-folded	White	100 yd.	1-1/4 in.
515595	Double-folded	Black	100 yd.	3/4 in.
515597	Double-folded	Oyster	100 yd.	3/4 in.
515596	Double-folded	White	100 yd.	3/4 in.



300 Series Vinyl Marine Binding

An extremely durable, seamed bias binding. Embossed vinyl on strong, high quality 14 to 15 ounce backing. Bias cut. Resists dirt, ultraviolet rays, and fraying.

Item Number	Description	Color	Put Up	Width
515601	Single-folded	White	100 yd.	1 in.
515584	Single-folded	Black	100 yd.	1-1/4 in.
515576	Single-folded	Light Gray	100 yd.	1-1/4 in.
515587	Single-folded	Oyster	100 yd.	1-1/4 in.
515586	Single-folded	White	100 yd.	1-1/4 in.
515580	Double-folded	Black	100 yd.	3/4 in.
515577	Double-folded	Light Gray	100 yd.	3/4 in.
515583	Double-folded	Oyster	100 yd.	3/4 in.
515582	Double-folded	White	100 yd.	3/4 in.



Sur Last® Marine Binding

Sur Last double-fold bias cut binding is made from lightweight, yet strong and flexible Sur Last 100%, solution-dyed polyester fabric. Binding provides a finished and attractive appearance.

Item Number	Color	Put Up	Width	
503982	Black	100 yd.	3/4 in.	
503984	Light Grey	100 yd.	3/4 in.	



502414

Sunbrella® Facing

Cut from Sunbrella. Wider than traditional folded binding. Can be used as a zipper facing or cover and hem application.

Item Number	Style Number	Color	Put Up	Width
502308	4608	Black	60 yd.	1-1/2 in.
502346	4646	Captain Navy	60 yd.	1-1/2 in.
502290	4633	Linen	60 yd.	1-1/2 in.
502326	4626	Navy	60 yd.	1-1/2 in.
502289	4628	Toast	60 yd.	1-1/2 in.
502408	4608	Black	60 yd.	2 in.
502431	4631	Burgundy	60 yd.	2 in.
502430	4630	Cadet Grey	60 yd.	2 in.
502446	4646	Captain Navy	60 yd.	2 in.
502437	4637	Forest Green	60 yd.	2 in.
502414	4633	Linen	60 yd.	2 in.
502416	4654	Linen Tweed	60 yd.	2 in.
502415	4652	Mediterranean Blue	60 yd.	2 in.
502404	4604	Natural	60 yd.	2 in.
502426	4626	Navy	60 yd.	2 in.
502401	4601	Pacific Blue	60 yd.	2 in.
502413	4628	Toast	60 yd.	2 in.
502449	4608	Black	60 yd.	2-1/2 in.

Sunbrella® is registered trademark of Glen Raven, Inc.



502210

Regatta® Facing

Vinyl facing made from Regatta marine vinyl fabric.

Item Number	Color	Put Up	Width	
502202	White	50 yd.	1-1/2 in.	
502211	lvory	50 yd.	2 in.	
502210	White	50 yd.	2 in.	

Regatta® is a registered trademark of Herculite Products Inc.



502847

Serge Ferrari Stamoid® Facing

Vinyl facing made from Stamoid marine vinyl fabric.

Item Number	Color	Put Up	Width	
502847	Snow White	50 yd.	1-1/2 in.	
502848	White	50 yd.	1-1/2 in.	
502856	Black	50 yd.	2 in.	
502855	Cream	50 yd.	2 in.	
502851	Snow White	50 yd.	2 in.	
502854	White	50 yd.	2 in.	

Stamoid® is a registered trademark of The Serge Ferrari Group.



515530

Welting - Welt Cord

Foam and braided paper welt cord are used in all upholstery applications. Simply sew vinyl, leather, or fabric around the welt cord leaving a flange to be sewn into the seams of the upholstery. Excellent for use in automotive, furniture, and marine applications.

Item Number	Color	Material	Put Up	Width	
515526	White	Polyethylene Foam	1000 yd.	4/32 in.	
515497	White	Braided Paper	1250 yds.	5/32 in.	
515530	White	Polyethylene Foam	1000 yd.	5/32 in.	
515538	White	Braided Paper	500 yd.	8/32 in.	



578100

Welt

Use this hollow welt cord to add attractive piping to marine seating and other upholstery projects. Made from heavy-grade but flexible plastic, the welting is built to last. Easily sew fabric around the cord and glue into the seams of the furniture for an elegant finish.

Item Number	Style Number	Description	Put Up	Size
578100	PEH432500-6	Hollow PE	1500 ft.	4/32 in.



516430

Sunbrella® Horizon® Hidem Gimp

Made from Sunbrella Horizon coated Sunbrella Engineered Leather, this durable hidem gimp withstands demanding marine conditions. Resists water, mildew, pinking, abrasion, cold crack, and salt residue. Use to conceal staples or tacks in boat upholstery and other marine fabric trim purposes. Simply place the hidem gimp over the staple-lined fabric edge and staple in the middle to hide the fasteners. Pair with matching Sunbrella Horizon marine fabric for a finished look.

Item Number	Style Number	Color	Put Up	Width
516440	10200-0021	Aquamarine	25 yd.	5/8 in.
516441	10200-0022	Aruba	25 yd.	5/8 in.
516439	10200-0020	Azure	25 yd.	5/8 in.
516433	10200-0014	Black	25 yd.	5/8 in.
516434	10200-0015	Burgundy	25 yd.	5/8 in.
516425	10200-0006	Cadet Grey	25 yd.	5/8 in.
516431	10200-0012	Charcoal	25 yd.	5/8 in.
516421	10200-0002	Cloud	25 yd.	5/8 in.
516442	10200-0023	Doubloon	25 yd.	5/8 in.
516428	10200-0009	Dune	25 yd.	5/8 in.
516424	10200-0005	Flax	25 yd.	5/8 in.
516430	10200-0011	Grey	25 yd.	5/8 in.
516427	10200-0008	Heather Beige	25 yd.	5/8 in.
516422	10200-0003	lvory	25 yd.	5/8 in.
516435	10200-0016	Logo Red	25 yd.	5/8 in.
516437	10200-0018	Mediterranean	25 yd.	5/8 in.
516432	10200-0013	Mink	25 yd.	5/8 in.
516436	10200-0017	Navy	25 yd.	5/8 in.
516443	10200-0018	Pacific Blue	25 yd.	5/8 in.
516438	10200-0019	Sky	25 yd.	5/8 in.
516429	10200-0010	Taupe	25 yd.	5/8 in.

187 141

Item Number	Style Number	Color	Put Up	Width	
516426	10200-0007	Toast	25 yd.	5/8 in.	
516423	10200-0004	Vellum	25 yd.	5/8 in.	
516420	10200-0001	White	25 yd.	5/8 in.	

Sunbrella® and Horizon® are registered trademarks of Glen Raven, Inc.



515922

Causeway® Hidem Gimp

Durable hidem gimp made from Causeway PVC-coated polyester. Stands up to demanding marine settings. Resists water, mildew, and fading. Use to cover tacks or staples in boat upholstery and other marine fabric trim purposes. To install, simply position the hidem gimp over the staple-lined fabric edge and staple in the middle to hide the fasteners. Coordinate with matching colors in Causeway marine fabric.

	Item Number	Color	Put Up	Width
	515920	Adobe	25 yd.	5/8 in.
	515924	Beige	25 yd.	5/8 in.
	515932	Black	25 yd.	5/8 in.
	515925	Bright White	25 yd.	5/8 in.
	515927	Chocolate	25 yd.	5/8 in.
	515928	Cognac	25 yd.	5/8 in.
	515923	Dark Blue	25 yd.	5/8 in.
	515929	Dark Grey	25 yd.	5/8 in.
	515933	Dark Pearl	25 yd.	5/8 in.
	515931	Honey	25 yd.	5/8 in.
	515930	lvory	25 yd.	5/8 in.
	515921	Pearl	25 yd.	5/8 in.
	515926	Pearl White	25 yd.	5/8 in.
	515922	Red	25 yd.	5/8 in.
	515934	Soft Rose	25 yd.	5/8 in.
	515935	Turquoise	25 yd.	5/8 in.

Causeway® is a registered trademark of Glen Raven, Inc.



516845

Nassimi Seaquest Hidem Gimp

Hidem gimp is used to hide staples in upholstery and headliner applications. Colors correspond with the Nassimi Seaquest Vinyl Upholstery collection.

Item Number	Color	Put Up	Width
516832	Anchor	25 yd.	5/8 in.
516834	Chalk	25 yd.	5/8 in.
516836	Dune	25 yd.	5/8 in.
516837	Ebony	25 yd.	5/8 in.
516840	Hampton	25 yd.	5/8 in.
516844	Lotion	25 yd.	5/8 in.
516845	Marble	25 yd.	5/8 in.
516847	Mist	25 yd.	5/8 in.
516855	Sea White	25 yd.	5/8 in.

Items continue on next page.

Item Number	Color	Put Up	Width
516856	Smoke	25 yd.	5/8 in.
516859	Too White	25 yd.	5/8 in.
516850	Uyster	25 yd.	5/8 in.
516860	White Ice	25 yd.	5/8 in.



515830

Nautolex® Capitano™ Hidem Gimp

Made from durable vinyl, this Nautolex Capitano hidem gimp outlasts extreme marine settings. The center-split welt resists dirt, UV rays, mildew, and fraying. Use the versatile binding to conceal staples in boat upholstery, headliners, and other marine fabric trim applications.

Item Number	Style Number	Color	Put Up	Width
515825	449192	Beach White	25 yd.	3/4 in.
515822	448000	Cloud White	25 yd.	3/4 in.
515820	448001	Conch Shell	25 yd.	3/4 in.
515828	448007	Cyberspace	25 yd.	3/4 in.
515830	448008	Sandshell	25 yd.	3/4 in.

 $Nautolex^{\circledast} \text{ is a registered trademark of OMNOVA Solutions, Inc. Capitano}^{\texttt{\tiny{N}}} \text{ is a trademark of OMNOVA Solutions, Inc. Capitano}^{\texttt{\tiny{N}}}$



515617

Hidem Gimp

A very durable split hidem gimp. Resists dirt, ultraviolet rays, mildew and fraying. Used to hide staples in upholstery and headliner applications.

Item Number	Style Number	Color	Put Up	Width
515617	308	Black	50 yd.	5/8 in.



Sunbrella® Horizon® Welt

Made from Sunbrella Horizon coated Engineered Synthetic Leather, this durable welt is great for demanding marine environments. Fights water, mildew, salt, cold crack, abrasion, and pinking. Use to visually enhance seams on boat seating. Coordinate with matching colors in Sunbrella Horizon marine upholstery fabric.

Item Number	Style Number	Color	Cord Size	Put Up	Width
516580	10200-0021	Aquamarine	5/32 in.	50 yd.	5/8 in.
516581	10200-0022	Aruba	5/32 in.	50 yd.	5/8 in.
516579	10200-0020	Azure	5/32 in.	50 yd.	5/8 in.
516573	10200-0014	Black	5/32 in.	50 yd.	5/8 in.
516574	10200-0015	Burgundy	5/32 in.	50 yd.	5/8 in.
516565	10200-0006	Cadet Grey	5/32 in.	50 yd.	5/8 in.
516571	10200-0012	Charcoal	5/32 in.	50 yd.	5/8 in.
516561	10200-0002	Cloud	5/32 in.	50 yd.	5/8 in.
516582	10200-0023	Doubloon	5/32 in.	50 yd.	5/8 in.
516568	10200-0009	Dune	5/32 in.	50 yd.	5/8 in.
516564	10200-0005	Flax	5/32 in.	50 yd.	5/8 in.
516570	10200-0011	Grey	5/32 in.	50 yd.	5/8 in.

Item Number	Style Number	Color	Cord Size	Put Up	Width
516567	10200-0008	Heather Beige	5/32 in.	50 yd.	5/8 in.
516562	10200-0003	lvory	5/32 in.	50 yd.	5/8 in.
516575	10200-0016	Logo Red	5/32 in.	50 yd.	5/8 in.
516577	10200-0018	Mediterranean	5/32 in.	50 yd.	5/8 in.
516572	10200-0013	Mink	5/32 in.	50 yd.	5/8 in.
516576	10200-0017	Navy	5/32 in.	50 yd.	5/8 in.
516583	10200-0018	Pacific Blue	5/32 in.	50 yd.	5/8 in.
516585	10200-0025	Salt	5/32 in.	50 yd.	5/8 in.
516578	10200-0019	Sky	5/32 in.	50 yd.	5/8 in.
516569	10200-0010	Taupe	5/32 in.	50 yd.	5/8 in.
516586	10200-0007	Toast	5/32 in.	50 yd.	5/8 in.
516563	10200-0004	Vellum	5/32 in.	50 yd.	5/8 in.
516560	10200-0001	White	5/32 in.	50 yd.	5/8 in.

Sunbrella® and Horizon® are registered trademarks of Glen Raven, Inc.



Causeway® Welt

Durable welt made from Causeway PVC-coated polyester. Withstands severe marine conditions. Prevents damage from water and mildew. Use to visually enhance seams on boat seats. Coordinate with matching colors in Causeway marine upholstery fabric.

Item Number	Color	Cord Size	Put Up	Width	
515980	Adobe	5/32 in.	50 yd.	5/8 in.	
515984	Beige	5/32 in.	50 yd.	5/8 in.	
515992	Black	5/32 in.	50 yd.	5/8 in.	
515985	Bright White	5/32 in.	50 yd.	5/8 in.	
515987	Chocolate	5/32 in.	50 yd.	5/8 in.	
515988	Cognac	5/32 in.	50 yd.	5/8 in.	
515983	Dark Blue	5/32 in.	50 yd.	5/8 in.	
515993	Dark Grey	5/32 in.	50 yd.	5/8 in.	
515989	Dark Pearl	5/32 in.	50 yd.	5/8 in.	
515991	Honey	5/32 in.	50 yd.	5/8 in.	
515990	lvory	5/32 in.	50 yd.	5/8 in.	
515981	Pearl	5/32 in.	50 yd.	5/8 in.	
515986	Pearl White	5/32 in.	50 yd.	5/8 in.	
515982	Red	5/32 in.	50 yd.	5/8 in.	
515994	Soft Rose	5/32 in.	50 yd.	5/8 in.	
515995	Turquoise	5/32 in.	50 yd.	5/8 in.	



516879

Nassimi Seaquest Welt

Welt is used to visually enhance a seam on seating. Colors correspond with the Nassimi Seaquest Vinyl Upholstery collection.

Item Number	Color	Cord Size	Put Up	Width
516864	Chalk	5/32 in.	50 yd.	5/8 in.
516867	Ebony	5/32 in.	50 yd.	5/8 in.
516876	Midnight	5/32 in.	50 yd.	5/8 in.
516877	Mist	5/32 in.	50 yd.	5/8 in.
516879	Navy	5/32 in.	50 yd.	5/8 in.
516885	Sea White	5/32 in.	50 yd.	5/8 in.
516889	Too White	5/32 in.	50 yd.	5/8 in.



Welt – Rubber Spray

Made from EPDM, a dense non-marking rubber, this spray welt stays soft and easy to mold to a windshield or any other surface. With no foam to disintegrate, it lasts much longer than other weltings. It is also stronger, less likely to rip out, making it hassle free.

Item Number	Number Style Number		Put Up	Size
578055	3707-EP	Black	300 ft.	3/8 in. x 3/4 in.
578094	3707-EP	Black	100 ft.	3/8 in. x 3/4 in.







Xtreme Seal®

Xtreme Seal edge seal is a high-tech extrusion, engineered and manufactured with an advanced EPDM material. It's a closed-cell flexible material that can be glued or sewn to most materials and surfaces. The flexibility and unique design creates a three-point contact seal on most surfaces. Xtreme Seal is an ideal choice for an edge seal on all types of custom covers, such as convertible tops, side curtains, camper enclosures, windshield tops and sides, front-drop windshields, and deck seals. Sold in full rolls only.

Item Number	Color
578076	Black

Xtreme Seal® is a registered trademark of Xtreme Seal LLC.



Xtreme Seal® Ultra Seal

Xtreme Seal Ultra Seal is designed for a great edge seal. It works well with DOT® Common Sense® fasteners and gives a flatter finished profile. Sold in full rolls only.

Item Number		Style Number	Color	Put Up	Width
	578051	POD9	Black	100 ft.	1.8 in.

Xtreme Seal® is a registered trademark of Xtreme Seal LLC. DOT® and Common Sense® are registered trademarks of Scovill, Inc.



Xtreme Seal® V-Seal

Xtreme V-Seal works well with all cutouts and tight corners, bow covers and radar arch cutouts. Sold in full rolls only.

Item Number	Style Number	Color	Put Up	Width	
578053	POD11	Black	100 ft.	0.691 in.	

Xtreme Seal® is a registered trademark of Xtreme Seal LLC.



Xtreme Seal® Awning Seal

Awning installations are a breeze with Xtreme Seal Awning Seal. Designed for the awning industry as a gasket material between the frame and the mounting surface, Xtreme Seal Awning Seal conforms to the contour of the mounting surface, eliminating the need for silicone and providing a clean finished product. Made of EPDM synthetic rubber, Xtreme Seal Awning Seal also features an adhesive back, saving time and making mounting easy. Sold in full rolls only.

Item Number	Style Number	Color	Put Up
578054	POD-AW	Black	250 ft.

Xtreme Seal® is a registered trademark of Xtreme Seal LLC.



Thread - Coats Dabond® Nano

This polyester thread provides all the strength characteristics as regular Dabond plus has an anti-wick finish that minimizes seam leakage.

Item Number	Average Breaking Strength	Color	Color Number	Put Up	Size
542558	18.17 lbs.	Black	4608	16 oz. tube	V-138
542557	18.17 lbs.	White		16 oz. tube	V-138
542532	14.5 lbs.	White		16 oz. tube	V-92 (#16)
542530	14.5 lbs.	Black	4608	16 oz. tube	V-92
542336	14.5 lbs.	Black	4608	8 oz. tube	V92
542346	14.5 lbs.	Cadet Gray	4630	8 oz. tube	V92
542350	14.5 lbs.	Linen	4633	8 oz. tube	V92

Dabond® is a registered trademark of J. & P. Coats, Limited.



Thread – Coats Dual Duty®

Dual Duty is "core"-type thread made by spinning a high-grade cotton warp around a continuous multi-filament polyester core. Low shrinkage as compared to cotton, high single end strength, stronger seams than with cotton of equivalent size, and excellent resistance to abrasion. When wet, cotton swells to fill needle holes in fabric, which reduces seam leakage.

Item Number	Color	Put Up	Size
551952	Natural	1-1/2 lb. cones, 5,000 yd./cone, 18/box	150

Dual Duty® is a registered trademark of J. & P. Coats, Limited.



551906

Thread – Coats Polymatic® AW (Anti-Wick) Bonded Monocord Dacron®

Polymatic AW (Anti-Wick) inhibits the capillary action that causes seam leakage. Where seam leakage would detract from the utility of the end product, specify this thread.

Item Number	Description	Approx. Yards Per Pound	Average Breaking Strength	Color	Put Up	Size
551906	Left Twist	3500	18 lbs.	Black	1 lb. tubes, 40/box	125
551905	Left Twist	3500	18 lbs.	White	1 lb. tubes, 40/box	125

Polymatic® is a registered trademark of J. & P. Coats, Limited. Dacron® is a registered trademark of INVISTA™



Thread – Coats Polymatic® Bonded Monocord Dacron®

A bonded monocord Dacron thread treated for maximum resistance to UV degradation. This thread has increased lubrication to protect the thread during the sewing process. Stronger than twisted threads, therefore a smaller thread size can be used. Less prone to ravel and knot during sewing. Its oval profile reduces exposure of thread to surface abrasion. Can be used on both sides of double needle machine.

Item Number	Style Number	Approx. Yards Per Pound	Average Breaking Strength	Color	Put Up	Size
551943	40560-S2562P	3572	18 lbs.	Ashes	1 lb. tubes, 40/box	125
551926	40560-SBLACKD	3572	18 lbs.	Black	1 lb. tubes, 40/box	125
551928	40560-S7143P	3572	18 lbs.	Blue	1 lb. tubes, 40/box	125
551929	40560-S1522P	3572	18 lbs.	Brown	1 lb. tubes, 40/box	125
551913	40560-S1941P	3572	18 lbs.	Buckskin	1 lb. tubes, 40/box	125
551922	40560-S0042P	3572	18 lbs.	Grey	1 lb. tubes, 40/box	125
551921	40560-S0538P	3572	18 lbs.	Red	1 lb. tubes, 40/box	125

Item Number	Style Number	Approx. Yards Per Pound	Average Breaking Strength	Color	Put Up	Size
551925	40560-WHITE	3572	18 lbs.	White	1 lb. tubes, 40/box	125
551917	40660-SBLACKD	2800	22 lbs.	Black	1 lb. tubes, 40/box	160
551919	40660-WHITE	2800	22 lbs.	White	1 lb. tubes, 40/box	160
551936	40440-SBLACKD	3783	15.5 lbs.	Black	1 lb. tubes, 40/box	FF
551935	40440-WHITE	3783	15.5 lbs.	White	1 lb. tubes, 40/box	FF

 $Polymatic ^{\circledast} is \ a \ registered \ trademark \ of \ J. \ \& \ P. \ Coats, \ Limited. \ Dacron ^{\circledast} is \ a \ registered \ trademark \ of \ INVISTA^{^{\bowtie}}.$



Thread – Coats Ultra Dee® Polyester

A corded thread made from a high strength, resilient and continuous filament polyester. Heat set to minimize shrinkage or stretch. The bonded finish adds strength and reduces fraying at needle eye. All are left twist threads.

ltem Number	Style Number	Description	Approx. Yards Per Tube	Average Breaking Strength	Color	Put Up	Size
541322	15630-BLACKD	Bonded	2913	21.4 lbs.	Black	1 lb. tubes	DB138 (#12)
541319	15630-2722	Bonded	3100	21.4 lbs.	Olive Drab	1 lb. tubes	DB138 (#12)
541356	11940-33624	Bonded	1035	14 lbs.	Rhonda Blue	1 lb. tubes, 50/box	DB138 (#12)
541320	15630-WHITE	Bonded	2913	21.4 lbs.	White	1 lb. tubes	DB138 (#12)
541214	15640-WHITE	Gral Anti-Static Finish	3100	21.4 lbs.	White	1 lb. tubes	DB138 (#12)
542102	12050-WHITE	Bonded	1876	31.4 lbs.	White	1 lb. tubes	DB207 (#4)
541325	11800-BLACKD	Bonded	5549	10.5 lbs.	Black	1 lb. tubes	DB69 (#24)
542415	11750-BLACKD	Gral Anti-Static Finish	5549	10.5 lbs.	Black	1 lb. tubes	DB69 (#24)
541324	11800-WHITE	Bonded	5549	10.5 lbs.	White	1 lb. tubes	DB69 (#24)
542414	11750-WHITE	Gral Anti-Static Finish	5549	10.5 lbs.	White	1 lb. tubes	DB69 (#24)
541826	18100-35123	Bonded	1147	14.2 lbs.	Ashes	4 oz. tubes	DB92 (#16)
541326	11880-3187	Bonded	4141	14.2 lbs.	Beaver	1 lb. tubes	DB92 (#16)
541805	18100-3187	Bonded	1147	14.2 lbs.	Beaver	4 oz. tubes	DB92 (#16)
541323	15660-BLACKD	Bonded	4141	14.2 lbs.	Black	1 lb. tubes	DB92 (#16)
541816	15660-BLACKD	Bonded	1147	14.2 lbs.	Black	4 oz. tubes	DB92 (#16)
541817	18100-33624	Bonded	1147	14.2 lbs.	Blue	4 oz. tubes	DB92 (#16)
541808	18100-4815	Bonded	1147	14.2 lbs.	Gold	4 oz. tubes	DB92 (#16)
541803	18100-2328	Bonded	1147	14.2 lbs.	Malaga	4 oz. tubes, 10/box	DB92 (#16)
541821	18100-33784	Bonded	1147	14.2 lbs.	Medium Titanium	4 oz. tubes	DB92 (#16)
541815	18100-12923	Bonded	1147	14.2 lbs.	Peasant Beige	4 oz. tubes, 10/box	DB92 (#16)
541800	18100-107	Bonded	1147	14.2 lbs.	Red	4 oz. tubes	DB92 (#16)
541321	15660-WHITE	Bonded	4141	14.2 lbs.	White	1 lb. tubes	DB92 (#16)
541838	18100-WHITE	Bonded	1147	14.2 lbs.	White	4 oz. tubes	DB92 (#16)

Ultra Dee® is a registered trademark of J. & P. Coats, Limited.



540437

Thread – A&E Poly Nu Bond™ Twisted Non-Wick Polyester

Poly Nu Bond has superior strength, stretch and recovery properties and excellent resistance to chemicals, bacteria, mildew, wear and abrasion. This thread is made of quality, high tenacity, heat resistant, continuous filament yarn. Special waxes, silicones and oils are applied to lubricate the thread, reducing needle heat and increasing sewability. This also aids in the application of constant machine tension and good loop formation.

Item Number	Description	Approx. Yards Per Pound	Average Breaking Strength	Color	Color Number	Put Up	Size
542453		2700	23 lbs.	Black	4608	1 lb. tubes	138
540305	Right Twist	2700	23 lbs.	Black	4608	1 lb. tubes	138
540431		2700	23 lbs.	Burgundy	4631	1 lb. tubes	138
540430		2700	23 lbs.	Cadet Gray	4630	1 lb. tubes	138
540334		2700	23.8 lbs.	Desert Tan		1 lb. tubes	138
540437		2700	23 lbs.	Forest Green	4637	1 lb. tubes	138
540403		2700	23 lbs.	Jockey Red	4603	1 lb. tubes	138
540346		2700	23 lbs.	Navy	4646	1 lb. tubes	138
540433		2700	23 lbs.	New Linen	4633	1 lb. tubes	138
540301		2700	23 lbs.	Pacific Blue	4601	1 lb. tubes	138
540328		2700	23 lbs.	Toast	4628	1 lb. tubes	138
540321		2700	23 lbs.	True Brown	4621	1 lb. tubes	138
542452		2700	23 lbs.	White		1 lb. tubes	138
540304	Right Twist	2700	23 lbs.	White		1 lb. tubes	138
542455		5700	10 lbs.	Black	4608	1 lb. tubes	69
540705		5700	10 lbs.	Cadet Gray	4630	1 lb. tubes	69
540706		5700	10 lbs.	Navy Blue	4626	1 lb. tubes	69
540704		5700	10 lbs.	Toast	4628	1 lb. tubes	69
542454		5700	10 lbs.	White		1 lb. tubes	69
542451		4200	13.8 lbs.	Black	4608	1 lb. tubes	92
540631		4200	13.8 lbs.	Burgundy	4631	1 lb. tubes	92
540630		4200	13.8 lbs.	Cadet Gray	4630	1 lb. tubes	92
540637		4200	13.8 lbs.	Forest Green	4637	1 lb. tubes	92
540603		4200	13.8 lbs.	Jockey Red	4603	1 lb. tubes	92
540546		4200	13.8 lbs.	Navy	4646	1 lb. tubes	92
540633		4200	13.8 lbs.	New Linen	4633	1 lb. tubes	92
540501		4200	13.8 lbs.	Pacific Blue	4601	1 lb. tubes	92
540620		4200	13.8 lbs.	Steel Gray		1 lb. tubes	92
540528		4200	13.8 lbs.	Toast	1628	1 lb. tubes	92
542450		4200	13.8 lbs.	White		1 lb. tubes	92

Poly Nu Bond™ is a trademark of American & Efird Enterprises, Inc.



543034

Thread – PremoBond Bonded Anti-Wick Polyester

In the performance fabrics industry, even the thread needs to outlast coarse conditions. With anti-wicking and mildew-resistant properties, PremoBond thread is perfect for high-moisture settings. Its exclusive UV dye and bonding process ensure maximum fade prevention and bleed resistance. A pioneer in the sewing thread market, its custom lubricant provides clean running for first-rate sewability. The continuous filament, bonded polyester makes it 30% stronger than leading brands.

PremoBond thread works great in outdoor and marine fabric applications, awnings and shade, filtration, tarps, slings, geotextiles, and other industrial purposes. Made in the USA.

ltem Number	Style Number	Description	Approx. Yards Per Tube	Average Breaking Strength	Color	Put Up	Size
543028	BPT 138	Right Twist	2850	20 lbs.	Black	16 oz. spool	Tex 135
543031	BPT 138		2650	20 lbs.	Black	16 oz. spool	Tex 135
543039	BPT 138		1388	20 lbs.	Brown	8 oz. spool	Tex 135
543041	BPT 138		1388	20 lbs.	Burgundy	8 oz. spool	Tex 135
543036	BPT 138		1388	20 lbs.	Forest Green	8 oz. spool	Tex 135
543034	BPT 138		1388	20 lbs.	Marine Blue	8 oz. spool	Tex 135
543033	BPT 138		1388	20 lbs.	Navy	8 oz. spool	Tex 135
543037	BPT 138		1388	20 lbs.	Olive Drab	8 oz. spool	Tex 135
543040	BPT 138		1388	20 lbs.	Red	8 oz. spool	Tex 135
543038	BPT 138		1388	20 lbs.	Sand	8 oz. spool	Tex 135
543035	BPT 138		1388	20 lbs.	Steel Grey	8 oz. spool	Tex 135
543032	BPT 138	Right Twist	2850	20 lbs.	White	16 oz. spool	Tex 135
543030	BPT 138		2850	20 lbs.	White	16 oz. spool	Tex 135
543007	BPT 69		6200	13.3 lbs.	Beaver	16 oz. spool	Tex 70
543004	BPT 69		6200	20 lbs.	Black	16 oz. spool	Tex 70
543005	BPT 69		3000	13.3 lbs.	Sand	8 oz. spool	Tex 70
543003	BPT 69		6000	20 lbs.	White	16 oz. spool	Tex 70
543011	BPT 92		4050	13.3 lbs.	Black	16 oz. spool	Tex 90
543019	BPT 92		2125	13.3 lbs.	Brown	8 oz. spool	Tex 90
543014	BPT 92		2125	13.3 lbs.	Burgundy	8 oz. spool	Tex 90
543015	BPT 92		2125	13.3 lbs.	Forest Green	8 oz. spool	Tex 90
543017	BPT 92		2125	13.3 lbs.	Marine Blue	8 oz. spool	Tex 90
543018	BPT 92		2125	13.3 lbs.	Navy	8 oz. spool	Tex 90
543016	BPT 92		2125	13.3 lbs.	Olive Drab	8 oz. spool	Tex 90
543013	BPT 92		2125	13.3 lbs.	Red	8 oz. spool	Tex 90
543012	BPT 92		2125	13.3 lbs.	Sand	8 oz. spool	Tex 90
543020	BPT 92		2125	13.3 lbs.	Steel Grey	8 oz. spool	Tex 90
543010	BPT 92		4350	13.3 lbs.	White	16 oz. spool	Tex 90



Thread – A&E Special

 $\label{lem:commended} A \ durable, \ bonded \ nylon \ thread \ from \ A\&E. \ Great \ for \ general-purpose \ use. \ Not \ recommended \ for \ outdoor \ use.$

Item Number	Description	Approx. Yards Per Tube	Color	Put Up	Size
542753	Bonded	5923	Black	16 oz. tubes, 40/case	69
542750	Bonded	5923	White	16 oz. tubes, 40/case	69

542753



Thread – A&E SunStop®

Designed for the outdoor market, SunStop thread is made of 100% continuous filament polyester with enhanced UV and fade protection and a non-wicking finish. Use SunStop for outdoor applications requiring UV protection, such as tents, awnings, and canvas and marine applications.

Item Number	Style Number	Approx. Yards Per Tube	Color	Put Up	Size
540266	66503	1350	Beige	8 oz. spool	T135
540275	66501	1350	Black	8 oz. spool	T135
540277	66501	2700	Black	16 oz. spool	T135
540263	66511	1350	Cadet Grey	8 oz. spool	T135
540273	66518	1350	Captain Navy	8 oz. spool	T135
540268	66506	1350	Forest Green	8 oz. spool	T135
540270	66507	1350	Jockey Red	8 oz. spool	T135
540264	66517	1350	Linen	8 oz. spool	T135
540269	66519	1350	Logo Red	8 oz. spool	T135
540272	66513	1350	Pacific Blue	8 oz. spool	T135
540262	66509	1350	Silver	8 oz. spool	T135
540265	66512	1350	Toast	8 oz. spool	T135
540276	66500	2700	White	16 oz. spool	T135
540260	66500	1350	White	8 oz. spool	T135
540207	66503	2100	Beige	8 oz. spool	T90
540231	66501	4200	Black	16 oz. spool	T90
540216	66501	2100	Black	8 oz. spool	T90
540212	66504	2100	Burgundy	8 oz. spool	T90
540204	66511	2100	Cadet Grey	8 oz. spool	T90
540211	66507	2100	Jockey Red	8 oz. spool	T90
550539	66517	4200	Linen	16 oz. spool	T90
540205	66517	2100	Linen	8 oz. spool	T90
540210	66519	2100	Logo Red	8 oz. spool	T90
550541	66519	4200	Logo Red	16 oz. spool	T90
540202	66502	2100	Natural	8 oz. spool	T90
540215	66508	2100	Navy	8 oz. spool	T90
540213	66513	2100	Pacific Blue	8 oz. spool	T90
540203	66509	2100	Silver	8 oz. spool	T90
540206	66512	2100	Toast	8 oz. spool	T90
540208	66510	2100	True Brown	8 oz. spool	T90
540230	66500	4200	White	16 oz. spool	T90
540201	66500	2100	White	8 oz. spool	T90

SunStop® is a registered trademark of American & Efird Enterprises, Inc.



552201

Thread – Gore® Tenara® (Original Style)

Gore Tenara Sewing Thread has unique properties. This thread is unaffected by sunlight. UV radiation will not weaken or degrade it. Polyester threads, under daily sunlight exposure will lose as much as half their strength in as little as one year, and be down to 10% of their original strength in 3 years. Tenara maintains its strength and color indefinitely. Gore Tenara Sewing Thread will outlast the fabric that it is sewn into and is warrantied to that effect. It is unaffected by canvas cleaning solutions and will not stain, rot or mildew. Dirt just wipes off. Using Gore Tenara Sewing Thread means seams that will last.

Tenara Sewing Thread Original Style is the first generation of Tenara outdoor sewing thread. The Original Style sewing thread is unlubricated, with an elongation (or stretch) of five to seven percent.

FOR INDUSTRIAL USE ONLY. Not for use in food, drug, cosmetic, or medical device manufacturing, processing, or packaging operations.

Item Number	Style Number	Approx. Yards Per Tube	Color	Material	Nominal Breaking Strength	Put Up	Size
552211	M1000-HBK	1775	Black	ePTFE	22 lbs.	1 lb. spools	138
552231	M1000HBK-5	950	Black	ePTFE	22 lbs.	1/2 lb. spools	138
552210	M1000H	1900	White	ePTFE	25 lbs.	1 lb. spools	138
552230	M1000H-5	950	White	ePTFE	25 lbs.	1/2 lb. spools	138
552201	M1000-BK	3825	Black	ePTFE	12 lbs.	1 lb. spools	92
552221	M1000BK-5	1900	Black	ePTFE	12 lbs.	1/2 lb. spools	92
552200	M1000	3825	White	ePTFE	14 lbs.	1 lb. spools	92
552220	M1000-5	1900	White	ePTFE	14 lbs.	1/2 lb. spools	92

Gore® and Tenara® are registered trademarks of W. L. Gore and Associates.



552263

Thread - Gore® Tenara® (TR Style)

Gore Tenara Sewing Thread TR style builds on the features of the Original Style, but increases the choice of colors, as well as improving the sewability features. TR style comes in highly popular clear, providing a translucent thread that disappears into most fabrics, making color matching headaches go away. The patented TR style sewing thread has an elongation (or stretch) of approximately seventeen percent, making it more robust, which allows faster sewing. The TR style is lubricated with a silicone solution in all but the largest style.

FOR INDUSTRIAL USE ONLY. Not for use in food, drug, cosmetic, or medical device manufacturing, processing, or packaging operations.

Item Number	Style Number	Approx. Yards Per Tube	Color	Material	Nominal Breaking Strength	Put Up	Size
553150	M1000LTR-L-300	328	Clear	ePTFE	7 lbs.	0.7 lb. spools	69
553180	M1000LTR-L-5	4921	Clear	ePTFE	8 lbs.	1.1 lb. spools	69
552290	M1000LTR-L-5	2300	Clear	ePTFE	7 lbs.	1/2 lb. spools	69
553152	M1000TR-BK-300	328	Black	ePTFE	8 lbs.	0.11 lb. spools	92
553182	M1000TR-BK-5	3500	Black	ePTFE	8 lbs.	1.1 lb. spools	92
552275	M1000TR-BK5	1900	Black	ePTFE	8 lbs.	1/2 lb. spools	92
553155	M1000TR-GY-300	328	Charcoal Grey	ePTFE	8 lbs.	0.11 lb. spools	92
553153	M1000TR-CB-300	328	Chesapeake Bay Blue	ePTFE	8 lbs.	0.11 lb. spools	92
552264	M1000TR-CB5	1900	Chesapeake Bay Blue	ePTFE	8 lbs.	1/2 lb. spools	92
553151	M1000KTR-L-300	328	Clear	ePTFE	10 lbs.	0.11 lb. spools	92
553181	M1000KTR-L-5	3500	Clear	ePTFE	8 lbs.	1.1 lb. spools	92
553090	M1000KTR-L5	1900	Clear	ePTFE	10 lbs.	1/2 lb. spools	92
553154	M1000TR-FG-300	328	Forest Green	ePTFE	8 lbs.	0.11 lb. spools	92
552265	M1000TR-FG5	1900	Forest Green	ePTFE	8 lbs.	1/2 lb. spools	92
553156	M1000TR-LG-300	328	Light Grey	ePTFE	8 lbs.	0.11 lb. spools	92
552261	M1000TR-LG5	1900	Light Grey	ePTFE	8 lbs.	1/2 lb. spools	92
553157	M1000TR-NB-300	328	Navy Blue	ePTFE	8 lbs.	0.11 lb. spools	92
552283	M1000TR-NB-5	1900	Navy Blue	ePTFE	8 lbs.	1/2 lb. spools	92

Items continue on next page.

Item Number	Style Number	Approx. Yards Per Tube	Color	Material	Nominal Breaking Strength	Put Up	Size
553158	M1000TR-RD-300	328	Red	ePTFE	8 lbs.	0.11 lb. spools	92
552263	M1000TR-RD5	1900	Red	ePTFE	8 lbs.	1/2 lb. spools	92
553159	M1000TR-TN-300	328	Sandstone (Tan)	ePTFE	8 lbs.	0.11 lb. spools	92
552262	M1000TR-TN5	1900	Sandstone (Tan)	ePTFE	8 lbs.	1/2 lb. spools	92
553160	M1000TR-WH-300	328	White	ePTFE	8 lbs.	0.11 lb. spools	92
553183	M1000TR-WH-5	3500	White	ePTFE	8 lbs.	1.1 lb. spools	92
552274	M1000TR-WH5	1900	White	ePTFE	8 lbs.	1/2 lb. spools	92
553161	M1000TR-YW-300	328	Yellow	ePTFE	8 lbs.	0.11 lb. spools	92

GORE® and TENARA® are registered trademarks of W. L. Gore and Associates.

Thread – Gore® Tenara® (HTR Style)

Tenara HTR Heavy sewing thread is made of the same material as other Tenara threads, but features a unique 3-ply bonded construction that offers several advantages:

An "improved circular cross-section" that provides a smoother and more uniform appearance.

An increased twist level, which should reduce breaks.

Excellent sewability.

Softer construction.

In addition, because of the new construction the thread is smoother on the tube, which allows for up to 15% more seam length for the same tube price as the previous HTR-style thread. The strength of the thread remains the same. This item is a replacement for Gore Tenara TR Thread #M1000HTR.

FOR INDUSTRIAL USE ONLY. Not for use in food, drug, cosmetic, or medical device manufacturing, processing, or packaging operations.

Item Number	Style Number	Approx. Yards Per Tube	Color	Material	Nominal Breaking Strength	Put Up	Size
553186	M1003HTR-BK	1967	Black	ePTFE	14 lbs.	1.1 lb. spools	138
553094	M1003-HTR-BK-5	1150	Black	ePTFE	14 lbs.	1/2 lb. spools	138
553163	M1003HTR-BK-300	328	Black	ePTFE	14 lbs.	3 oz. spools	138
553099	M1003-HTR-GY-5	1150	Charcoal Grey	ePTFE	14 lbs.	1/2 lb. spools	138
553166	M1003HTR-GY-300	328	Charcoal Grey	ePTFE	14 lbs.	3 oz. spools	138
553097	M1003-HTR-CB-5	1150	Chesapeake Bay Blue	ePTFE	14 lbs.	1/2 lb. spools	138
553164	M1003HTR-CB-300	328	Chesapeake Bay Blue	ePTFE	14 lbs.	3 oz. spools	138
553184	M1003HTR-L	1967	Clear	ePTFE	14 lbs.	1.1 lb. spools	138
553092	M1003-HTR-L-5	1150	Clear	ePTFE	19 lbs.	1/2 lb. spools	138
553162	M1003HTR-L-300	328	Clear	ePTFE	19 lbs.	3 oz. spools	138
553096	M1003-HTR-FG-5	1150	Forest Green	ePTFE	14 lbs.	1/2 lb. spools	138
553165	M1003HTR-FG-300	328	Forest Green	ePTFE	14 lbs.	3 oz. spools	138
553095	M1003-HTR-LG-5	1150	Light Grey	ePTFE	14 lbs.	1/2 lb. spools	138
553167	M1003HTR-LG-300	328	Light Grey	ePTFE	14 lbs.	3 oz. spools	138
553101	M1003-HTR-NB-5	1150	Navy Blue	ePTFE	14 lbs.	1/2 lb. spools	138
553168	M1003HTR-NB-300	328	Navy Blue	ePTFE	14 lbs.	3 oz. spools	138
553089	M1003-HTR-RD-5	1150	Red	ePTFE	14 lbs.	1/2 lb. spools	138
553169	M1003HTR-RD-300	328	Red	ePTFE	14 lbs.	3 oz. spools	138
553098	M1003-HTR-TN-5	1150	Sandstone	ePTFE	14 lbs.	1/2 lb. spools	138
553170	M1003HTR-TN-300	328	Sandstone	ePTFE	14 lbs.	3 oz. spools	138
553185	M1003HTR-WH	1967	White	ePTFE	14 lbs.	1.1 lb. spools	138
553093	M1003-HTR-WH-5	1150	White	ePTFE	14 lbs.	1/2 lb. spools	138

Item Number	Style Number	Approx. Yards Per Tube	Color	Material	Nominal Breaking Strength	Put Up	Size
553171	M1003HTR-WH-300	328	White	ePTFE	14 lbs.	3 oz. spools	138
553172	M1003HTR-YW-300	328	Yellow	ePTFE	14 lbs.	3 oz. spools	138

GORE® and TENARA® are registered trademarks of W. L. Gore and Associates.



543351

Thread - Aruvo® PTFE

Made from 100% PTFE, Aruvo thread lasts as long as the fabric. It is a 3-ply, bonded, twisted thread for superior sewability. Features: snap spool base which allows you to wrap the thread around the base and snap it shut so the thread won't come loose; twisted design for better hook pickup; lower elongation; high strength for fewer knots and breaks; great for outdoor conditions; resists UV rays, weather, chemicals, mildew, fading, and rot. Use in upholstery, marine canvas, awnings, and more. Comes with a limited lifetime warranty.

When threading the needle with Aruvo, cut the thread at a 45-degree angle to avoid fraying.

Item Number	Description	Approx. Yards Per Tube	Average Breaking Strength	Color	Put Up	Size
543301		3200	13.3 lbs.	Black	16-oz. spool	1350d (Tex 90)
543321		600	13.3 lbs.	Black	3-oz. spool	1350d (Tex 90)
543351	Right Twist	1600	13.3 lbs.	Black	8-oz. spool	1350d (Tex 90)
543311		1600	13.3 lbs.	Black	8-oz. spool	1350d (Tex 90)
543317		1600	13.3 lbs.	Blue	8-oz. spool	1350d (Tex 90)
543302		3200	13.3 lbs.	Clear	16-oz. spool	1350d (Tex 90)
543322		600	13.3 lbs.	Clear	3-oz. spool	1350d (Tex 90)
543352	Right Twist	1600	13.3 lbs.	Clear	8-oz. spool	1350d (Tex 90)
543312		1600	13.3 lbs.	Clear	8-oz. spool	1350d (Tex 90)
543316		1600	13.3 lbs.	Green	8-oz. spool	1350d (Tex 90)
543314		1600	13.3 lbs.	Orange	8-oz. spool	1350d (Tex 90)
543313		1600	13.3 lbs.	Red	8-oz. spool	1350d (Tex 90)
543318		1600	13.3 lbs.	Violet	8-oz. spool	1350d (Tex 90)
543300		3200	13.3 lbs.	White	16-oz. spool	1350d (Tex 90)
543320		600	13.3 lbs.	White	3-oz. spool	1350d (Tex 90)
543350	Right Twist	1600	13.3 lbs.	White	8-oz. spool	1350d (Tex 90)
543310		1600	13.3 lbs.	White	8-oz. spool	1350d (Tex 90)
543315		1600	13.3 lbs.	Yellow	8-oz. spool	1350d (Tex 90)
543331		2200	13.3 lbs.	Black	16-oz. spool	2000d (Tex 135)
543324		400	13.3 lbs.	Black	3-oz. spool	2000d (Tex 135)
543354	Right Twist	1100	13.3 lbs.	Black	8-oz. spool	2000d (Tex 135)
543341		1100	13.3 lbs.	Black	8-oz. spool	2000d (Tex 135)
543347		1100	13.3 lbs.	Blue	8-oz. spool	2000d (Tex 135)
543332		2200	13.3 lbs.	Clear	16-oz. spool	2000d (Tex 135)
543325		400	13.3 lbs.	Clear	3-oz. spool	2000d (Tex 135)
543355	Right Twist	1100	13.3 lbs.	Clear	8-oz. spool	2000d (Tex 135)
543342		1100	13.3 lbs.	Clear	8-oz. spool	2000d (Tex 135)
543346		1100	13.3 lbs.	Green	8-oz. spool	2000d (Tex 135)
543344		1100	13.3 lbs.	Orange	8-oz. spool	2000d (Tex 135)
543343		1100	13.3 lbs.	Red	8-oz. spool	2000d (Tex 135)
543348		1100	13.3 lbs.	Violet	8-oz. spool	2000d (Tex 135)
543330		2200	13.3 lbs.	White	16-oz. spool	2000d (Tex 135)
543323		400	13.3 lbs.	White	3-oz. spool	2000d (Tex 135)

Items continue on next page.

Item Number	Description	Approx. Yards Per Tube	Average Breaking Strength	Color	Put Up	Size
543340		1100	13.3 lbs.	White	8-oz. spool	2000d (Tex 135)
543353	Right Twist	1100	13.3 lbs.	White	8-oz. spool	2000d (Tex 135)
543345		1100	13.3 lbs.	Yellow	8-oz. spool	2000d (Tex 135)

Aruvo® is a registered trademark of Fil-Tec, Inc.



551652

Bobbins - Coats Ultra Dee® Polyester

These bobbins are conveniently pre-wound with Coats Ultra Dee thread. Ultra Dee is a corded (twisted) thread made from a durable, continuous filament polyester. 20-33% stronger than standard lubricated sewing threads. Heat set to minimize stretch and shrinkage. Bonded finish prevents ply untwisting and minimizes fraying at the needle eye. This means improved seam quality and less mending and rethreading. Designed for demanding conditions. Uses include leather goods, outdoor goods, seat trims, footwear, luggage, furniture upholstery, and marine applications.

Item Number	Style Number	Approx. Yards Per Bobbin	Color	Put Up	Size
551263	G	17	Black	1 gross/box, 30/carton	138
551202	M	24	Black	1 gross/box, 30/carton	138
551201	U	33	Black	1 gross/box, 30/carton	138
551264	G	17	White	1 gross/box, 30/carton	138
551265	М	24	White	1 gross/box, 30/carton	138
551200	U	33	White	1 gross/box, 30/carton	138
542103	58	37	White	1 gross/box, 30/carton	207
551814	F	29	White	1 gross/box, 30/carton	69
551652	G	25	Beaver	1 gross/box, 30/carton	92
551660	G	25	Black	1 gross/box, 30/carton	92
551763	М	36	Black	1 gross/box, 30/carton	92
551664	G	25	White	1 gross/box, 30/carton	92
551764	М	36	White	1 gross/box, 30/carton	92

Ultra Dee® is a registered trademark of J. & P. Coats, Limited.



551981

Bobbins – Coats Polymatic[®] Belbobs[®] Bonded Monocord Dacron[®]

Shell-less bobbins.

Item Number	Style Number	Approx. Yards Per Bobbin	Color	Put Up	Size
551963	G	22	Black	80/box	125
551967	M	31	Black	56/box	125
551975	G	22	White	80/box	125
551980	М	31	White	56/box	125
551981	U	42	White	42/box	125
551986	G	27	Black	80/box	FF
552080	М	40	Black	56/box	FF
551985	G	27	White	80/box	FF
551999	М	40	White	56/box	FF

Belbobs® and Polymatic® are registered trademarks of J. & P. Coats, Limited. Dacron® is a registered trademark of INVISTA™.



542580

Bobbins - Coats Dabond® Belbobs®

Coats Dabond is a bonded, twisted continuous filament polyester thread, combining superior sewing performance with excellent UV and abrasion protection. It is specifically designed to provide resistance against harsh weather making it an excellent thread for marine and other outdoor applications.

Item Number	Style Number	Approx. Yards Per Bobbin	Color	Put Up	Size
542580	M	24	Black	1 gross	138
542581	M	24	White	1 gross	138

Dabond® and Belbobs® are registered trademarks of J. & P. Coats, Limited.



543086

Bobbins - PremoBond Bonded Anti-Wick Polyester

In the performance fabrics industry, even the thread needs to outlast coarse conditions. With anti-wicking and mildew-resistant properties, PremoBond thread is perfect for high-moisture settings. Its exclusive UV dye and bonding process ensure maximum fade prevention and bleed resistance. A pioneer in the sewing thread market, its custom lubricant provides clean running for first-rate sewability. The continuous filament, bonded polyester makes it 30% stronger than leading brands.

PremoBond pre-wound bobbins are outfitted with twisted and plied yarn. Fil-Tec cross-tack technology offers a more uniform appearance for flatter seams, consistent tension to reduce puckering, and greater yield.

PremoBond bobbins deliver a clean, versatile seam to any project where colorfastness is key. The adaptable thread works great in awning and marine fabric applications slings, filtration, tarps, geotextiles, and other industrial purposes. Made in the USA.

Item Number	Approx. Yards Per Bobbin	Average Breaking Strength	Color	Put Up	Size
543055	17	20 lbs.	Black	72/box	Tex 135/G
543088	17	20 lbs.	Brown	72/box	Tex 135/G
543084	17	20 lbs.	Forest Green	72/box	Tex 135/G
543086	17	20 lbs.	Marine Blue	72/box	Tex 135/G
543085	17	20 lbs.	Olive Drab	72/box	Tex 135/G
543080	17	20 lbs.	Sand	72/box	Tex 135/G
543081	17	20 lbs.	Steel Grey	72/box	Tex 135/G
543054	17	20 lbs.	White	72/box	Tex 135/G
543057	26	20 lbs.	Black	72/box	Tex 135/M
543094	26	20 lbs.	Forest Green	72/box	Tex 135/M
543093	26	20 lbs.	Red	72/box	Tex 135/M
543090	26	20 lbs.	Sand	72/box	Tex 135/M
543091	26	20 lbs.	Steel Grey	72/box	Tex 135/M
543056	26	20 lbs.	White	72/box	Tex 135/M
543102	26	20 lbs.	Black	72/box	Tex 135/U
543101	26	20 lbs.	White	72/box	Tex 135/U
543058	36	13.3 lbs.	Beaver	72/box	Tex 70/G
543048	51	13.3 lbs.	Black	72/box	Tex 70/M
543047	56	13.3 lbs.	White	72/box	Tex 70/M
543051	27	13.3 lbs.	Black	72/box	Tex 90/G
543065	27	13.3 lbs.	Olive Drab	72/box	Tex 90/G
543060	27	13.3 lbs.	Sand	72/box	Tex 90/G
543061	27	13.3 lbs.	Steel Grey	72/box	Tex 90/G
543050	27	13.3 lbs.	White	72/box	Tex 90/G
543053	38	13.3 lbs.	Black	72/box	Tex 90/M
543078	38	13.3 lbs.	Brown	72/box	Tex 90/M
543072	38	13.3 lbs.	Burgundy	72/box	Tex 90/M

Items continue on next page

Item Number	Approx. Yards Per Bobbin	Average Breaking Strength	Color	Put Up	Size
543074	38	13.3 lbs.	Forest Green	72/box	Tex 90/M
543076	38	13.3 lbs.	Marine Blue	72/box	Tex 90/M
543075	38	13.3 lbs.	Olive Drab	72/box	Tex 90/M
543073	38	13.3 lbs.	Red	72/box	Tex 90/M
543070	38	13.3 lbs.	Sand	72/box	Tex 90/M
543071	38	13.3 lbs.	Steel Grey	72/box	Tex 90/M
543052	38	13.3 lbs.	White	72/box	Tex 90/M
543104	50	13.3 lbs.	Black	72/box	Tex 90/U
543103	50	13.3 lbs.	White	72/box	Tex 90/U



Bobbins – A&E Poly Nu Bond™ Polyester

Ready-wound bobbins provide more thread per bobbin. The finish applied to the thread assures controlled delivery of the thread from the bobbin and contributes to a balanced stitch formation.

Item Number	Style Number	Color	Put Up	Size	
550353	М	Black	1 gross/box, 30/carton	138	
550351	М	White	1 gross/box, 30/carton	138	
550252	М	Black	1 gross/box, 30/carton	92	
550250	М	White	1 gross/box, 30/carton	92	

Poly Nu Bond™ is a trademark of American & Efird Enterprises, Inc.



Bobbins – A&E SunStop®

Designed for the outdoor market, SunStop thread is made of 100% continuous filament polyester with enhanced UV and fade protection and a non-wicking finish. Use SunStop for outdoor applications requiring UV protection, such as tents, awnings, and canvas and marine applications.

Item Number	Style Number	Approx. Yards Per Bobbin	Color	Put Up	Size
550548	G	27	Black	1 gross	T135
550509	M	27	Black	1 gross	T135
550512	M	27	Cadet Grey	1 gross	T135
550510	М	27	Natural	1 gross	T135
550501	M	43	Beige	1 gross	T90
550502	М	43	Sol-Jet Black	1 gross	T90
550500	М	43	White	1 gross	T90

SunStop® is a registered trademark of American & Efird Enterprises, Inc.



Polyfab™ Shade Sail Edge Webbing

Polyfab Shade Sail Edge Webbing is used for shade structures and shade sails. Matches Polytex®+, Comtex®+ and Architec 400® extra heavy duty knitted shadecloth.

Some items are drop ship only.

Item Number	Average Breaking Strength	Color	Color Number	Put Up	Width
565135	4400 lbf.	Antec Orange	22	109 yd.	2 in.
565129	4400 lbf.	Beige	72	109 yd.	2 in.
565121	4400 lbf.	Black	99	109 yd.	2 in.
565103	4400 lbf.	Blue	50	109 yd.	2 in.
565109	4400 lbf.	Bronze	81	109 yd.	2 in.
565131	4400 lbf.	Cafe Noir	35	109 yd.	2 in.
565113	4400 lbf.	Charcoal	92	109 yd.	2 in.
565123	4400 lbf.	Claret	32	109 yd.	2 in.
565141	4400 lbf.	Fluro Green	67	109 yd.	2 in.
565118	4400 lbf.	Golden Yellow	11	109 yd.	2 in.
565101	4400 lbf.	Midnight Green	62	109 yd.	2 in.
565105	4400 lbf.	Navy Blue	51	109 yd.	2 in.
565115	4400 lbf.	Porcelain	71	109 yd.	2 in.
565139	4400 lbf.	Purple	58	109 yd.	2 in.
565127	4400 lbf.	Red	30	109 yd.	2 in.
565111	4400 lbf.	Sage	19	109 yd.	2 in.
565107	4400 lbf.	Sandstone	73	109 yd.	2 in.
565125	4400 lbf.	Silver Gray	91	109 yd.	2 in.
565119	4400 lbf.	Turquoise	10	109 yd.	2 in.
565133	4400 lbf.	White	01	109 yd.	2 in.
565117	4400 lbf.	Yellow	10	109 yd.	2 in.

Polyfab™ is a trademark of Polyfab USA. Polytex®+, Comtex®+ and Architec 400® are registered trademarks of Polyfab USA.



Sunbrella® Webbing

Sunbrella webbing made of 78% Sunbrella® Acrylic and 22% high-tenacity polyester. A strong, weather-resistant webbing. Retains more tensile strength than other types of webbing after exposure to sunlight. Compatible with Sunbrella fabric colors.

Sold in full rolls only.

Item Number	Style Number	Average Breaking Strength	Color	Put Up	Width
577502	70-1654	1000 lbs.	Black	25 yd.	1 in.
577503	70-1654	1000 lbs.	Grey	25 yd.	1 in.
577501	70-1654	1000 lbs.	Natural	25 yd.	1 in.

Tape - No. 281 Nylon



502008

A quality nylon tape for binding nylons and most other fabrics. Makes a neat, attractive finish.

Item Number	Style Number	Average Breaking Strength	Color	Put Up	Width
502025	281/N0088	437 lbs.	Black	100 yd.	1 in.
502017	281/5038	350 lbs.	Black	100 yd.	1 in.
502024	281/N0088	376 lbs.	Black	100 yd.	3/4 in.
502008	281/30119	553 lbs.	Black	100 yd.	3/4 in.
502019	281/N0088	608 lbs.	White	100 yd.	1 in.
502007	281/N0088	553 lbs.	White	100 yd.	3/4 in.



575013

Webbing – Nylon

Strong, dependable nylon webbing. Ideal for use with synthetic fabrics. Sold in full rolls only.

Item Number	Style Number	Description	Average Breaking Strength	Color	Put Up	Width
575229	495		1200 lbs.	Black	100 yd.	1 in.
574905	N0015CD		1700 lbs.	Black	100 yd.	1 in.
575260	N0023S		1269 lbs.	Black	100 yd.	1 in.
574908	N0015S		2000 lbs.	Black	100 yd.	1-1/2 in.
575246	17337		5500 lbs.	Black	100 yd.	2 in.
575245	17337		5500 lbs.	Black	100 yd.	1 in.
574957	N0030		2200 lbs.	Black	100 yd.	1 in.
575113	NN075		3576 lbs.	Black	100 yd.	2 in.
575075	N0085		7600 lbs.	Black	50 yd.	2 in.
576110	N0006		6100 lbs.	Black	50 yd.	1 in.
575241	N0025		3800 lbs.	Black	50 yd.	1 in.
575011	N0019		3297 lbs.	Black	50 yd.	3/4 in.
574912	N0015		2600 lbs.	Black	50 yd.	2 in.
575249	N0025		7500 lbs.	Black	50 yd.	2 in.
575076	N0072		10000 lbs.	Black	50 yd.	1-3/4 in.
575073	N0095		4500 lbs.	Black	50 yd.	1 in.
575109	N0019		4200 lbs.	Black	50 yd.	1 in.
575030	N0019		6200 lbs.	Black	50 yd.	1-1/2 in.
574967	N0015S		1200 lbs.	Black	50 yd.	3/4 in.
575243	N0025		4800 lbs.	Black	50 yd.	1-1/2 in.
575111	N0028	Tubular	4200 lbs.	Black	50 yd.	1 in.
575018	N0019		4200 lbs.	Brown	50 yd.	1 in.
574936	N0019		4200 lbs.	Brown	50 yd.	1 in.
575244	495		5500 lbs.	Natural	50 yd.	1 in.
575014	N0019		4200 lbs.	Navy	50 yd.	1 in.
575013	N0019		4200 lbs.	Red	50 yd.	1 in.
575012	N0019		4200 lbs.	Silver	50 yd.	1 in.
574906	N0015CD		1700 lbs.	White	100 yd.	1 in.
575240	N0025		3800 lbs.	White	50 yd.	1 in.
575010	N0019		3297 lbs.	White	50 yd.	3/4 in.
575017	N0019		4200 lbs.	White	50 yd.	1 in.
575072	N0095		4500 lbs.	White	50 yd.	1 in.

Item Number	Style Number	Description	Average Breaking Strength	Color	Put Up	Width
575259	N0023		1528 lbs.	White	50 yd.	1 in.
575079	N0087		7100 lbs.	White	55 yd.	2 in.
575247	665NHSW	Heat Set	3000 lbs.	White	50 yd.	2 in.



Webbing – Dacron®

Resistant to mildew, ultraviolet rays and shrinkage. Sold in full rolls only.

Item Number	Style Number	Average Breaking Strength	Color	Put Up	Width
576634	S0009	1500 lbs.	White	50 yd.	2 in.

Dacron® is a registered trademark of INVISTA.



Webbing – Polyester

Resistant to mildew, ultraviolet rays and shrinkage. Excellent for reinforcing swimming pool covers – both screen or solid vinyl types. Sold in full rolls only.

Item Number	Style Number	Description	Average Breaking Strength	Color	Put Up	Width
575299	R7624		6775 lbs.	Black	100 yd.	2 in.
575327	U0017		4800 lbs.	Black	50 yd.	1 in.
575231	T-1200		6000 lbs.	Multi-Shade Black	200 yd.	2 in.
575332	U0017		4800 lbs.	Natural (White)	50 yd.	1 in.
575335	929P-2		6000 lbs.	Natural	100 yd.	2 in.
575302	2070/S0009	Spun	850 lbs.	White	50 yd.	1 in.



Webbing - Polypropylene

A general-purpose webbing with many applications. Not recommended for outdoor use. Sold in full rolls only.

Item Number	Style Number	Average Breaking Strength	Color	Put Up	Width
576036	549	450 lbs.	Black	100 yd.	1 in.
576501	7166/P0001	600 lbs.	Black	100 yd.	1 in.
576460	7166/P0001	313 lbs.	Black	100 yd.	1/2 in.
576597	7166/P0001	1600 lbs.	Black	100 yd.	2 in.
576639	7166/P0001	1700 lbs.	Black	100 yd.	3 in.
576503	7166/P0001	570 lbs.	Black	100 yd.	3/4 in.
576558	7166/PP001	950 lbs.	Black	100 yd.	1-1/2 in.
576021	PP037	450 lbs.	Black	100 yd.	1 in.
576553	7166/P0001	950 lbs.	Blue	100 yd.	1-1/2 in.
576598	7166/P0001	1600 lbs.	Blue	100 yd.	2 in.
576543	7166/P0001	600 lbs.	Brown	100 yd.	1 in.
576470	7166/P0001	600 lbs.	Dark Beige	100 yd.	1 in.
576662	7166/P0001	1600 lbs.	Dark Beige	100 yd.	2 in.
576490	7166/P0001	600 lbs.	Forest Green	100 yd.	1 in.

Items continue on next page.

Item Number	Style Number	Average Breaking Strength	Color	Put Up	Width
576529	7166/P0001	600 lbs.	Gray	100 yd.	1 in.
576606	7166/P0001	1600 lbs.	Green	100 yd.	2 in.
576537	7166/P0001	600 lbs.	Light Gold	100 yd.	1 in.
576601	7166/P0001	1600 lbs.	Light Navy	100 yd.	2 in.
576031	7166/P0001	600 lbs.	Navy	100 yd.	1 in.
576533	7166/P0001	600 lbs.	Orange	100 yd.	1 in.
576613	7166/P0001	1600 lbs.	Orange	100 yd.	2 in.
576541	7166/P0001	600 lbs.	Red	100 yd.	1 in.
576551	7166/P0001	950 lbs.	Red	100 yd.	1-1/2 in.
576599	7166/P0001	1600 lbs.	Red	100 yd.	2 in.
576538	7166/P0001	600 lbs.	Silver	100 yd.	1 in.
576604	7166/P0001	1600 lbs.	Silver	100 yd.	2 in.
576474	7166/P0001	600 lbs.	Tan	100 yd.	1 in.
576492	7166/P0001	600 lbs.	Victoria Blue	100 yd.	1 in.
576500	7166/P0001	600 lbs.	White	100 yd.	1 in.
576557	7166/P0001	950 lbs.	White	100 yd.	1-1/2 in.
576596	7166/P0001	1600 lbs.	White	100 yd.	2 in.
576638	7166/P0001	1700 lbs.	White	100 yd.	3 in.
576450	7166/P0001	570 lbs.	White	100 yd.	3/4 in.
576020	PP037	450 lbs.	White	100 yd.	1 in.
576542	7166/P0001	600 lbs.	Yellow	100 yd.	1 in.
576605	7166/P0001	1600 lbs.	Yellow	100 yd.	2 in.



Webbing – Polypropylene Style No. 7390

A general-purpose webbing with many applications. Not recommended for outdoor use. Sold in full rolls only.

Item Number	Style Number	Average Breaking Strength	Color	Put Up	Width
576561	7390/P0002	900 lbs.	Black	100 yd.	1 in.
576582	7390/P0002	1400 lbs.	Black	100 yd.	1-1/2 in.
576595	7390/P0002	1600 lbs.	Black	100 yd.	2 in.
576617	7390/P0002	2500 lbs.	Black	100 yd.	3 in.
576670	7390/P0002	719 lbs.	Black	100 yd.	3/4 in.
576564	7390/P0002	900 lbs.	Blue	100 yd.	1 in.
576688	7390/P0002	1400 lbs.	Dark Beige	100 yd.	1-1/2 in.
576620	7390/P0002	1600 lbs.	Gray	100 yd.	1 in.
576702	7390/P0002	1400 lbs.	Gray	100 yd.	1-1/2 in.
576565	7390/P0002	900 lbs.	Green	100 yd.	1 in.
576566	7390/P0002	900 lbs.	Red	100 yd.	1 in.
576695	7390/P0002	1400 lbs.	Red	100 yd.	1-1/2 in.
576623	7390/P0002	1600 lbs.	Tan	100 yd.	1 in.
576560	7390/P0002	900 lbs.	White	100 yd.	1 in.
576586	7390/P0002	1400 lbs.	White	100 yd.	1-1/2 in.
576594	7390/P0002	1600 lbs.	White	100 yd.	2 in.
576618	7390/P0002	2500 lbs.	White	100 yd.	3 in.
576567	7390/P0002	900 lbs.	Yellow	100 yd.	1 in.



Webbing – Cotton – Indo-Carbon Black – Class 3

This untreated cotton webbing is manufactured in accordance with Government Specifications MIL-W-530 and MIL-T-43566. Sold in full rolls only.

Item Number	Description	Average Breaking Strength	Minimum Breaking Strength	Put Up	Width
573113	Type I	175 lbs.	140 lbs.	100 yd.	5/8 in.



Webbing - Cotton - Natural - Class 1

This untreated cotton webbing is manufactured in accordance with Government Specifications MIL-W-530 and MIL-T-43566. Sold in full rolls only.

Item Number	Description	Average Breaking Strength	Minimum Breaking Strength	Put Up	Width
572113	Type I	141 lbs.	70 lbs.	100 yd.	1/2 in.
572115	Type I	175 lbs.	85 lbs.	100 yd.	5/8 in.
572116	Type I	100 lbs. minimum	100 lbs.	100 yd.	3/4 in.
572120	Type I	130 lbs. minimum	130 lbs.	100 yd.	1 in.
572123	Type I	340 lbs.	190 lbs.	100 yd.	1-1/2 in.
572216	Type II A	230 lbs. minimum	230 lbs.	60 yd.	3/4 in.
572220	Type II A	300 lbs. minimum	300 lbs.	60 yd.	1 in.
572223	Type II A	440 lbs. minimum	440 lbs.	60 yd.	1-1/2 in.
572320	Type III	647 lbs.	550 lbs.	60 yd.	1 in.
572323	Type III	860 lbs. minimum	860 lbs.	60 yd.	1-1/2 in.
572330	Type III	1100 lbs. minimum	1100 lbs.	60 yd.	2 in.
572116 572120 572123 572216 572220 572223 572320 572323	Type I Type I Type II Type II A Type II A Type II A Type II A Type III Type III	100 lbs. minimum 130 lbs. minimum 340 lbs. 230 lbs. minimum 300 lbs. minimum 440 lbs. minimum 647 lbs. 860 lbs. minimum	100 lbs. 130 lbs. 190 lbs. 230 lbs. 300 lbs. 440 lbs. 550 lbs.	100 yd. 100 yd. 100 yd. 60 yd. 60 yd. 60 yd. 60 yd. 60 yd.	3/4 in. 1 in. 1-1/2 in. 3/4 in. 1 in. 1-1/2 in. 1-1/2 in. 1 in.



Webbing – Vat-Dyed Olive Drab – Shade 7 Untreated – Class 3

This cotton webbing is manufactured in accordance with Government Specifications MIL-W-530 and MIL-T-43566. Sold in full rolls only.

Item Number	Description	Average Breaking Strength	Minimum Breaking Strength	Put Up	Width
573120	Type I	130 lbs. minimum	130 lbs.	100 yd.	1 in.



574601

Strapping - Furniture

Heavy cotton strapping woven for long wear and durability. Five added stitches across the width assure maximum strength. Double blue line down center for identification. A soft finish strapping designed especially for use in appliance and furniture moving industry. Won't mar polished surfaces. Sold in full rolls only.

Item Number	Style Number	Average Breaking Strength	Color	Put Up	Width
574601	W0068	1200 lbs.	Natural	50 yd.	2 in.



572112

Tape - Unbleached Cotton

An ideal low-cost tape for apron binding, tie tapes and finishing raw edges of other canvas specialties. Sold in full rolls only.

Item Number	Style Number	Average Breaking Strength	Color	Put Up	Width
572112	B0078	193 lbs.	Natural	100 yd.	1 in.



Braid - Nylon/Polyester Elastic

Sold in full rolls only.

Item Number	Style Number	Color	Material	Put Up	Width
506172	S-2500	White	Nylon	36 yd.	3/4 in.
506197	1050	Black	Polyester	144 yd.	1 in.



580999

TEXACRO® – Hook And Loop Tape – Standard Back

The TEXACRO state-of-the-art engineering produces this heavy-duty hook and loop tape. The napped loop is designed for use with the "aggressive" TEXACRO hook for excellent latching performance, peeling, and strength.

Available in full rolls only.

Suggested uses: indoor functions, marine fastening, cushion placement, apparel, recreational gear, tying, wrapping and bundling, straps, other industrial uses.

Item Number	Description	Color	Put Up	Width
580089	Loop #71	Black	50 yd.	4 in.
580902	Hook #91	Black	50 yd.	1 in.
580903	Hook #91	Black	50 yd.	2 in.
580904	Hook #91	Black	50 yd.	4 in.
580905	Loop #93	Black	50 yd.	1 in.
580906	Hook #91	White	50 yd.	1 in.
580907	Loop #93	White	50 yd.	1 in.
580998	Hook #91	Black	50 yd.	1-1/2 in.
580999	Loop #93	Black	50 yd.	1-1/2 in.
581001	Loop #93	White	50 yd.	1-1/2 in.
581002	Loop #93	Black	50 yd.	2 in.
581003	Hook #91	White	50 yd.	2 in.
581004	Loop #93	White	50 yd.	2 in.

TEXACRO $^{\otimes}$ is a registered trademark of Velcro Industries B.V.

TEXACRO® - Hook And Loop Tape - Adhesive Back

TEXACRO hook and loop tape is a cutting-edge, heavy-duty fastener system. The napped loop is designed to be used with the industrial TEXACRO hook for great latching performance, peeling, and strength. The adhesive back allows for easy mounting.

Available in full rolls only.

Suggested uses: indoor functions, marine fastening, cushion placement, apparel, mounting and adhering to walls and other surfaces, other industrial uses.

Item Number	Description	Backing	Color	Put Up	Width
580873	Hook #91	Rubber Adhesive	Black	25 yd.	5/8 in.
580879	Loop #93	Rubber Adhesive	White	25 yd.	1 in.
580880	Hook #91	Rubber Adhesive	White	25 yd.	1 in.
580881	Hook #91	Rubber Adhesive	Black	25 yd.	1 in.
580882	Loop #93	Rubber Adhesive	Black	25 yd.	1 in.
580885	Hook #91	Rubber Adhesive	Black	25 yd.	1-1/2 in.
580886	Loop #93	Rubber Adhesive	Black	25 yd.	1-1/2 in.
580887	Loop #93	Rubber Adhesive	Black	25 yd.	2 in.
580888	Hook #91	Rubber Adhesive	Black	25 yd.	2 in.
580889	Loop #93	Rubber Adhesive	White	25 yd.	2 in.
580890	Hook #91	Rubber Adhesive	White	25 yd.	2 in.

TEXACRO® is a registered trademark of Velcro Industries B.V.

VELCRO® Brand Hook And Loop Fasteners – Standard Back Nylon Tape

This nylon tape fastener consists of two mating strips. The Hook (male) section is covered with stiff, small hooks. The Loop (female) section is covered with tiny, soft loops. When pressed together, the hooks and loops engage, creating an adjustable, versatile, and secure closure.

Sold in full rolls only.

Suggested uses: indoor functions, marine fastening, cushion placement, clothing, recreational gear, tying, wrapping and bundling, straps, other industrial uses.

Item Number	Description	Color	Put Up	Width
580153	Loop #1000	Beige	50 yd.	1 in.
580154	Hook #88	Beige	50 yd.	1 in.
580200	Hook #88	Black	50 yd.	5/8 in.
580201	Hook #88	White	50 yd.	5/8 in.
580210	Hook #88	Black	50 yd.	3/4 in.
580215	Hook #88	Beige	50 yd.	3/4 in.
580216	Loop #1000	Beige	50 yd.	3/4 in.
580220	Hook #88	White	50 yd.	3/4 in.
580250	Hook #88	Black	50 yd.	1 in.
580251	Hook #88	White	50 yd.	1 in.
580256	Hook #88	White	50 yd.	1-1/2 in.
580257	Hook #88	Black	50 yd.	1-1/2 in.
580275	Hook #88	Black	50 yd.	2 in.
580276	Hook #88	White	50 yd.	2 in.
580279	Hook #88	Beige	50 yd.	2 in.
580287	Hook #88	White	25 yd.	4 in.
580288	Hook #88	Black	25 yd.	4 in.
580300	Loop #1000	Black	50 yd.	5/8 in.
580301	Loop #1000	White	50 yd.	5/8 in.

Items continue on next page.

Item Number	Description	Color	Put Up	Width
580310	Loop #1000	Black	50 yd.	3/4 in.
580315	Hook #88	Battleship Grey	25 yd.	2 in.
580316	Loop #1000	Battleship Grey	25 yd.	2 in.
580320	Loop #1000	White	50 yd.	3/4 in.
580329	Hook #88	Black	25 yd.	3 in.
580346	Loop #1000	White	50 yd.	1-1/2 in.
580350	Loop #1000	Black	50 yd.	1 in.
580351	Loop #1000	White	50 yd.	1 in.
580356	Loop #1000	Black	50 yd.	1-1/2 in.
580375	Loop #1000	Black	50 yd.	2 in.
580376	Loop #1000	White	50 yd.	2 in.
580379	Loop #1000	Beige	50 yd.	2 in.
580387	Loop #1000	White	25 yd.	4 in.
580388	Loop #1000	Black	25 yd.	4 in.
580461	Loop #1000	Black	25 yd.	3 in.

VELCRO® and other marks are registered trademarks of Velcro IP Holdings LLC. Used with permission.

VELCRO® Brand Hook And Loop Fasteners – Standard Back Polyester Tape

This polyester tape fastener consists of two mating strips. The Hook (male) section features small, stiff hooks. The Loop (female) section features small, soft loops. When brought together, the hooks and loops engage, making a versatile, adjustable, and secure closure.

Sold in full rolls only.

Suggested uses: indoor/outdoor functions, marine fastening, cushion placement, clothing, recreational gear, tying, wrapping and bundling, straps, other industrial uses.

Item Number	Description	Color	Put Up	Width
580113	Hook #81	Black	25 yd.	1-1/2 in.
580114	Loop #9000	Black	25 yd.	1-1/2 in.
580255	Hook #81	White	25 yd.	1 in.
580265	Hook #81	Black	25 yd.	2 in.
580278	Hook #81	White	25 yd.	2 in.
580355	Loop #009	White	25 yd.	1 in.
580378	Loop #009	White	25 yd.	2 in.
580700	Hook #81	Black	25 yd.	1 in.
580701	Loop #009	Black	25 yd.	1 in.
580702	Loop #009	Black	25 yd.	2 in.
580705	Hook #81	White	25 yd.	1-1/2 in.
580706	Loop #009	White	25 yd.	1-1/2 in.

VELCRO® and other marks are registered trademarks of Velcro IP Holdings LLC. Used with permission.

VELCRO® Brand Hook And Loop Fasteners – Adhesive Back Nylon Tape

This nylon tape fastener features two mating strips and an adhesive backing. The Hook (male) section has stiff hooks while the Loop (female) section has soft loops. When pressed together, the hooks and loops create an easy, adjustable, and secure closure. The adhesive backing supplies a strong hold to various surfaces.

Sold in full rolls only.

Suggested uses: indoor functions, marine fastening, cushion placement, clothing, mounting and adhering to walls and other surfaces, other industrial uses.

Item Number	Description	Backing	Color	Put Up	Width
580193	Loop #1000	Acrylic Adhesive	Black	25 yd.	1/2 in.
580198	Loop #1000	Acrylic Adhesive	Black	25 yd.	5/8 in.
580209	Hook #88	Acrylic Adhesive	Black	25 yd.	3/4 in.
580258	Hook #88	Acrylic Adhesive	White	25 yd.	1-1/2 in.
580259	Hook #88	Acrylic Adhesive	Black	25 yd.	1-1/2 in.
580260	Hook #88	Acrylic Adhesive	Black	25 yd.	1 in.
580261	Hook #88	Acrylic Adhesive	White	25 yd.	1 in.
580282	Hook #88	Acrylic Adhesive	White	25 yd.	2 in.
580285	Hook #88	Acrylic Adhesive	Black	25 yd.	2 in.
580309	Loop #1000	Acrylic Adhesive	Black	25 yd.	3/4 in.
580358	Loop #1000	Acrylic Adhesive	White	25 yd.	1-1/2 in.
580359	Loop #1000	Acrylic Adhesive	Black	25 yd.	1-1/2 in.
580360	Loop #1000	Acrylic Adhesive	Black	25 yd.	1 in.
580361	Loop #1000	Acrylic Adhesive	White	25 yd.	1 in.
580382	Loop #1000	Acrylic Adhesive	White	25 yd.	2 in.
580385	Loop #1000	Acrylic Adhesive	Black	25 yd.	2 in.

VELCRO® and other marks are registered trademarks of Velcro IP Holdings LLC. Used with permission.

VELCRO® Brand Hook And Loop Fasteners – Adhesive Back Polyester Tape

This polyester tape fastener consists of two mating strips and an adhesive backing. The Hook (male) strip features stiff hooks while the Loop (female) strip features soft loops. When brought together, the hooks and loops make a quick, easy, and secure closure. The adhesive backing provides a strong hold to numerous surfaces.

Sold in full rolls only.

Suggested uses: indoor/outdoor functions, marine fastening, cushion placement, clothing, mounting and adhering to walls and other surfaces, other industrial uses.

Item Number	Description	Backing	Color	Put Up	Width
580238	Hook #81	Acrylic Adhesive	Black	25 yd.	1 in.
580380	Loop #009	Acrylic Adhesive	White	25 yd.	2 in.
580524	Loop #009	Acrylic Adhesive	White	25 yd.	1 in.
580525	Hook #81	Acrylic Adhesive	White	25 yd.	1 in.
580526	Loop #009	Acrylic Adhesive	Black	25 yd.	1 in.
580527	Hook #81	Acrylic Adhesive	Black	25 yd.	2 in.
580528	Loop #009	Acrylic Adhesive	Black	25 yd.	2 in.
580529	Hook #81	Acrylic Adhesive	White	25 yd.	2 in.

VELCRO® and other marks are registered trademarks of Velcro IP Holdings LLC. Used with permission.



VELCRO® Brand ONE-WRAP® Fasteners

ONE-WRAP is a self-gripping fastener with hooks on one side and loops on the other. The two sides attach easily for solid strength and performance. ONE-WRAP offers an ultra-thin solution for many fastening needs. It does not require buckles, snaps, rings, or other fastening devices. Available in full rolls only.

Suggested uses: bundling, wrapping.

Item Number	Style Number	Color	Put Up	Width	
580403	189590	Black	25 yd.	1 in.	
580407	189661	Black	25 yd.	2 in.	
580408	189645	Black	25 yd.	3/4 in.	
580414	189699	White	25 yd.	2 in.	
580437	179917	White	25 yd.	4 in.	

VELCRO® and other marks are registered trademarks of Velcro IP Holdings LLC. Used with permission.



VELCRO® Brand VELSTICK® Semi-Rigid Fasteners

VELSTICK is a semi-rigid, high-impact extrusion with VELCRO Brand hook and loop fastener tape permanently attached. VELSTICK semi-rigid fasteners were designed and developed to attach to rigid surfaces. The nylon hook and loop tape creates an adjustable, versatile, and secure closure.

Install with staples, tacks, rivets, or screws to provide a permanent fixture. VELSTICK strips can be cut with scissors, drilled, or punched. Sold in pieces of 4 feet only.

Suggested uses: tents, camping trailers and marine applications.

Item Number	Description	Color	Material	Put Up	Width
580112	Hook	Black	Polyester	4 ft.	1 in.
580247	Hook #88	Black	Nylon	4 ft.	1-3/4 in.
580254	Hook #81	White	Polyester	4 ft.	1 in.
580354	Loop #9000 Unnapped	White	Polyester	4 ft.	1 in.
580450	Hook #88	Black	Nylon	4 ft.	1 in.

VELCRO® and other marks are registered trademarks of Velcro IP Holdings LLC. Used with permission



Super Seamstick/Hi-Tack Adhesive Tape

Super Seamstick/-HiTack is a double-faced, acrylic-based adhesive tape that is ideal for applications where resistance to UV light and excellent performance during temperature extremes are required. Used for bonding and laminating to a wide variety of cloths, vinyls, and rigid and flexible plastics. It's also excellent for seaming Sunbrella® before stitching, and can also be used on stainless steel tubing for patterning with Canvex® pattern cloth. Leaves little or no residue on surfaces when removed.

Item Number	Style Number	Put Up	Width	
500422	1 HI-TACK	60 yd.	1 in.	
500432	2263	60 yd.	1/2 in.	
500430	2263	60 yd.	1/4 in.	
500428	2 HI-TACK	60 yd.	2 in.	
500431	2263	60 yd.	3/8 in.	

 $Sunbrella^{\circledast} \ is \ a \ registered \ trademark \ of \ Glen \ Raven, \ Inc. \ Canvex^{\circledast} \ is \ a \ registered \ trademark \ of \ Raven \ Industries.$



500490

Tape - Vinyl Adhesive Welding

Many products not heat sealable to themselves can now be heat sealed using this tape.

Item Number	Style Number	Description	Put Up	Width
500490	4220	0.005 Adhesive	200 yd., 17/box	5/8 in.



500433

Tape - Curtain Strapping

This strapping is used for seam reinforcement or for retention straps for holding rolled up curtains in place. Sold in full rolls only.

Item Number	Color	Put Up	Width	
500443	Clear	30 yd.	1-1/2 in.	



Tape - Double-Faced

A double-faced adhesive tape used in tacking down layers of fabric prior to sewing a seam.

Rubber Double-Faced Tape	Acrylic Double-Faced Tape
High tack tape used when a higher initial tack is required	Good initial tack
Can turn slightly yellow	Non-yellowing
Can be used with acrylic fabrics	High long term adhesion

Very good for all purposes including general sail seaming

Item Number	Style Number	Material	Put Up	Width	
500467	J-351	Rubber	72 yd.	1/4 in.	
500469	J-353	Rubber	72 yd.	1/2 in.	
500470	J-451	Acrylic	72 yd.	1/4 in.	
500471	J-452	Acrylic	72 yd.	3/8 in.	
500472	J-453	Acrylic	72 yd.	1/2 in.	
500473	J-455	Acrylic	72 yd.	3/4 in.	
500476	J-456	Acrylic	72 yd.	1 in.	



500403

Tape - Double-Faced Adhesive

Typical applications for this double-faced acrylic foam pressure sensitive tape include body side moldings, rocker trims, and other automotive trim components. The tape is a companion to Costa Track® and is placed in the recess on the bottom of the track for temporary tacking prior to being permanently mounted.

Item Number	Style Number	Color	Put Up	Width
500403	5931N	White	36 yd., 12/box	1/2 in.

Costa Track® is a registered trademark of Costa Marine Canvas and Enclosures, LLC



500435

Tape – Double-Faced Transfer

This clear acrylic tape is used to hold the cut edge of two fabrics together prior to sewing a seam. Eliminates slippage so the seam can be sewn straight.

Item Number	Put Up	Width
500435	72 yd.	1/4 in.
500436	72 yd.	1/2 in.
500437	72 yd.	3/4 in.



500466

Tape - No. 463 Seam

To minimize seam leakage on sewn seams of awning fabrics. The 3/4 inch wide tape is for double needle machines. The No. 463 Seam Tape is ideal for use on vinyl laminates such as Weblon®.

The adhesive transfer tape is on a paper backing. The tape should be applied on the edge of the one piece of material to be sewn. The paper backing is then peeled off, leaving the transfer tape on the material. The other piece of material to be sewn is applied on top of the adhesive transfer tape and pressed together. Then the two pieces are ready to be sewn. As the material is being sewn, the up and down movement of the needle pulls the adhesive transfer tape into the needle holes to seal them and thus minimize seam leakage.

Item Number	Style Number	Put Up	Width
500465	463	60 yd., 76/box	5/8 in.
500466	463	60 yd., 48/box	3/4 in.

Weblon® is a registered trademark of Herculite Products Inc



500427

Tape – Reinforcing

This non-adhesive reinforcing tape is ideal for supporting tops, dodgers, enclosures, and boat covers, but is also applicable for awnings and canopies. Made from clear laminate and polyester scrim, the filament tape is stable and weather-resistant. The reinforced strapping tape is widely used by fabricators and those in the marine industry. Its extra strength, marine-grade features make it one of the more versatile reinforcing tapes on the market. It provides high clarity, a low profile, and excellent tensile strength.

Sold in full rolls only.

Item Number	Color	Put Up	Width
500427	Clear	65 yd.	2 in.



500591

Tape – Fabric Bond Welding

This Fabric Bond Tape uses the best in bonding technology to create clean seams. It supports the three principles of welding success: heat, speed, and pressure. The polyurethane-based welding tape is used to heat seal seams with RF (Radio Frequency) bar, Hot Wedge, or Hot Air welding equipment.

Fabric bond tape is designed for use with vinyl, polyester, and acrylic fabrics like Sunbrella®. It creates smooth, watertight seams and eliminates the need for thread matching. Use the white heat seal tape for industrial awning or marine projects.

Item Number	Color	Put Up	Width
500591	White	100-yard roll, 12 rolls per box	7/8 in.
500593	Black	100-yard roll, 12 rolls per box	7/8 in.
500595	White	100-yard roll, 12 rolls per box	5/8 in.
500597	White	100-yard roll, 12 rolls per box	7/8 in.

Sunbrella® is a registered trademark of Glen Raven, Inc.

Tape – Fabric Bond Welding – FIRESIST®

Fabric Bond Welding Tape for FIRESIST fabrics has a slightly lower melting point than the standard bonding tape. This will allow the user to seal more difficult fabrics.

Item Number	Color	Put Up	Width
500592	White	100-yard roll, 12 rolls per box	7/8 in.
500594	Black	100-yard roll, 12 rolls per box	7/8 in.
500596	White	100-yard roll, 12 rolls per box	5/8 in.
500598	White	100-yard roll, 12 rolls per box	3/8 in.

FIRESIST® is a registered trademark of Glen Raven, Inc.



Cord – Corsair Diamond Braid Polyester

The Corsair Polyester Cord features a durable cord with good strength, excellent UV and abrasion resistance, and low elongation.

Item Number	Approx. Tensile Strength	Cord Size	Put Up	Size Number
507150	360 lbs.	7/64 in.	1000 ft.	3-1/2



Cord – Cotton Lacing

A braided cotton lacing cord with a high-strength, low-stretch core of filament polyester for superior strength. Can be used for awning line, lacing, drawstrings and hem lines.

Item Number	Approx. Tensile Strength	Color	Cord Size	Put Up	Size Number
507120	300 lbs.	White	7/64 in.	1500 ft.	3-1/2
507121	350 lbs.	White	1/8 in.	1500 ft.	4



Cord - Crown Cotton

A heavy-duty, diamond-braided, cotton-blend cord with a strong synthetic fiber core.

Item Number	Color	Cord Size	Put Up	Size Number
515118	White	5/32 in.	1000 ft.	5
515119	White	3/16 in.	1000 ft.	6
515120	White	1/4 in.	1000 ft.	8



Cord - Diamond Braided Nylon

This diamond braided nylon has high strength, excellent resistance to abrasion and good elasticity under dynamic load. It also works well in wet applications.

Item Number	Approx. Tensile Strength	Color	Cord Size	Put Up	Size Number
518029	450 lbs.	Black	1/8 in.	1000 ft.	4



Cord - Premium Sash

Cotton cover, synthetic core. General, all purpose cotton sash cord used for home, recreation and industrial jobs.

Item Number	Approx. Tensile Strength	Cord Size	Put Up	Size Number
506592	800 lbs.	1/4 in.	1000 ft.	8



Line – Cotton Awning

Manufactured from high strength cotton yarns braided over a low stretch polyester core.

Item Number	Color	Cord Size	Put Up	Size Number
519802	Black	9/64 in.	100 yd.	4.5



Line - Ultra Awning

Made with a polyester core for greater strength. This braided line is glazed Grade "A" cotton for longer wearing life.

Item Number	Approx. Weight Per Tube	Color	Cord Size	Put Up	Size Number
507122	10 lbs.	White	9/64 in.	1500 ft.	4.5
507123	12 lbs.	White	5/32 in.	1500 ft.	5
507124	14 lbs.	White	3/16 in.	1500 ft.	6
507125	17 lbs.	White	7/32 in.	1500 ft.	7
507126	26 lbs.	White	1/4 in.	1500 ft.	8



Line - Ultra Mason

A braided cord made of high quality cotton to assure uniform size and quality. Excellent small diameter cord for lacing windbreaks, stationaries and store awnings. Also used for drawstrings.

Item Number	Color	Cord Size	Put Up	Size Number
507130	White	7/64 in.	3000 ft.	3.5



Rope – Diamond Braided Polyester

Polyester cord with high strength and excellent abrasion resistance. This cord has very good UV resistance. Resists acids, alkalis and moisture

Item Number	Cord Size	Put Up	Size Number
518606	1/8 in.	1000 ft.	4



Rope – Supreme MFP Braided

Multifilament solid braided polypropylene with abrasion-resistant smooth finish. Good strength with low stretch and excellent dielectric qualities. Resistant to rot, mildew, oil and most chemicals. This rope also floats.

Item Number	Approx. Tensile Strength	Color	Cord Size	Material	Put Up	Size Number
515517	305 lbs.	White	3/16 in.	MFP (Multifilament Polypropylene)	1000 ft.	6



Cord - Diamond Braided MFP

Suggested uses include drawstrings, lacing cords, general utility.

Item Number	Approx. Tensile Strength	Color	Cord Size	Material	Put Up	Size Number
515449	250 lbs.	Black	1/8 in.	MFP (Multifilament Polypropylene)	1000 ft.	4
515450	250 lbs.	Black	1/8 in.	MFP (Multifilament Polypropylene)	3000 ft.	4



Cord – Diamond Braided Nylon Utility

Suggested uses include drawstrings, lacing cords, general utility.

Item Number	Approx. Tensile Strength	Color	Cord Size	Put Up	Size Number
515084	490 lbs.	White	1/8 in.	3000 ft.	4



Cord - Drawtite Cotton

Braided fine cotton with glazed cover and low stretch synthetic cord.

Suggested uses: cotton awning lacing and window furnishings.

Item Number	Cord Size	Put Up	Size Number
507145	7/64 in.	500 yd.	3-1/2



Cord - Hollow Braided Polypropylene

A low-cost, diamond-braided cord. This cord is hollow – there is no filler core.

Suggested uses: barrier rope, tie-down, general marine and hardware uses.

Item Number	Color	Cord Size	Put Up	Size Number
519148	Black	1/4 in.	1000 ft.	8
519136	White	5/16 in.	1000 ft.	10
519134	White	3/16 in.	1000 ft.	6
519135	White	1/4 in.	1000 ft.	8
519132	Yellow	5/16 in.	1000 ft.	10
519131	Yellow	1/4 in	1000 ft	8



515454

Cord - MFP Solid Braided Polypropylene

Made of white multifilament polypropylene. Resists acids, alkalis and mildew. Floats in and does not absorb water. Ends can be fused to prevent fraying. Versatile for many marine applications.

Item Number	Approx. Tensile Strength	Cord Size	Material	Put Up	Size Number
515454	750 lbs.	1/4 in.	MFP (Multifilament Polypropylene)	1000 ft.	8

Cord – Neobraid® Polyester

100% high-strength polyester cord excels in awning applications and is a superb all-purpose/industrial cord. Patented InterWarp® construction withstands years of weather and sun, and does not kink, twist, or fray. Resistant to mold, oil and stains.

Neobraid Warning: Not For Personal Safety. Working loads are for rope in good condition with appropriate splices, in non-critical applications and under normal service conditions. Do not exceed working loads without expert knowledge of conditions and professional estimates of risk. Working loads should be reduced where life, limb and valuable property are involved or with shock loads, sustained loads. Never stand in line with rope under tension or directly underneath rope under tension.

Some items are drop ship only.



519945

Item Number	Approx. Tensile Strength	Color	Cord Size	Put Up	Size Number
519945	350 lbs.	Black	1/8 in.	1000 ft.	4
519952	410 lbs.	Black	9/64 in.	3000 ft.	4-1/2
519950	469 lbs.	Black	5/32 in.	1000 ft.	5
519948	700 lbs.	Black	3/16 in.	1000 ft.	6
519947	1000 lbs.	Black	1/4 in.	1000 ft.	8
519972	350 lbs.	Forest Green	1/8 in.	1000 ft.	4
519939	1600 lbs.	White	5/16 in.	500 ft.	10
519944	350 lbs.	White	1/8 in.	1000 ft.	4
519930	350 lbs.	White	1/8 in.	500 ft.	4
519946	406 lbs.	White	9/64 in.	1000 ft.	4-1/2
519951	410 lbs.	White	9/64 in.	3000 ft.	4-1/2
519949	700 lbs.	White	3/16 in.	1000 ft.	6
519953	700 lbs.	White	3/16 in.	3000 ft.	6
519936	700 lbs.	White	3/16 in.	500 ft.	6
519937	1000 lbs.	White	1/4 in.	1000 ft.	8
519938	1000 lbs.	White	1/4 in.	500 ft.	8

Neobraid® and InterWarp® are registered trademarks of New England Overseas Corporation.



Cord – Neoline® Polyester

100% polyester jacket and polyester/polypropylene core offers superior strength and abrasion resistance. Ideal for awnings and everyday use. Patented InterWarp® construction knots well, is weather resistant, and is twist and fray free.

Neoline Warning: Not For Personal Safety. Working loads are for rope in good condition with appropriate splices, in non-critical applications and under normal service conditions. Do not exceed working loads without expert knowledge of conditions and professional estimates of risk. Working loads should be reduced where life, limb and valuable property are involved or with shock loads, sustained loads. Never stand in line with rope under tension or directly underneath rope under tension.

Item Number	Approx. Tensile Strength	Color	Cord Size	Put Up	Size Number
519911	220 lbs.	Black	1/8 in.	1000 ft.	4
519960	460 lbs.	Black	3/16 in.	1000 ft.	6
519907	460 lbs.	Light Beige	3/16 in.	1000 ft.	6
519922	185 lbs.	White	7/64 in.	3000 ft.	3-1/2
519912	220 lbs.	White	1/8 in.	1000 ft.	4
519923	220 lbs.	White	1/8 in.	3000 ft.	4
519904	220 lbs.	White	1/8 in.	500 ft.	4
519913	307 lbs.	White	9/64 in.	1000 ft.	4-1/2
519924	307 lbs.	White	9/64 in.	3000 ft.	4-1/2
519915	370 lbs.	White	5/32 in.	1000 ft.	5
519916	460 lbs.	White	3/16 in.	1000 ft.	6
519926	460 lbs.	White	3/16 in.	3000 ft.	6
519906	460 lbs.	White	3/16 in.	500 ft.	6
519917	750 lbs.	White	7/32 in.	1000 ft.	7
519918	750 lbs.	White	1/4 in.	1000 ft.	8
519908	750 lbs.	White	1/4 in.	500 ft.	8

 ${\it Neoline @ and InterWarp @ are registered trademarks of New England Overseas Corporation}.$



Cord – Solid Braided Polyester

Braided of clean, high tensile strength polyester. Resists acids, alkalies and moisture. Ends can be fused to prevent fraying. Ideal for drawstrings and in hems of synthetic tarpaulins. Popular for boating and awning line.

Item Number	Approx. Tensile Strength	Color	Cord Size	Put Up	Size Number
515339	310 lbs.	White	1/8 in.	500 ft.	4
515353	620 lbs.	White	3/16 in.	1000 ft.	6
518602	750 lbs	White	3/16 in.	1000 ft.	6



Cord – Solid Braided Nylon

This is one of the finest quality and best performing nylon solid braided cords. Designed for marine and industrial use, the product is constructed from high tenacity 12 strand interlocking nylon fibers, and has excellent shock load absorption qualities.

Item Number	Approx. Tensile Strength	Color	Cord Size	Put Up	Size Number
515432	450 lbs.	White	1/8 in.	1000 ft.	4
515433	750 lbs.	White	3/16 in.	1000 ft.	6
515434	1200 lbs.	White	1/4 in.	1000 ft.	8



516252

Rope – 3-Strand Polypropylene

Filament polypropylene rope with excellent strength to weight ratio. Will float because specific gravity is less than 1.0. Hand and lay is medium/soft, which makes this product easy to splice.

Item Number	Approx. Tensile Strength	Color	Cord Size	Put Up	Size Number
516252	3780 lbs.	White	1/2 in.	600 ft.	16
516242	1130 lbs.	White	1/4 in.	1200 ft.	8
516240	1130 lbs.	White	1/4 in.	600 ft.	8
516238	720 lbs.	White	3/16 in.	1200 ft.	6
516236	720 lbs.	White	3/16 in.	600 ft.	6
516248	2430 lbs.	White	3/8 in.	600 ft.	12
516246	1710 lbs.	White	5/16 in.	1200 ft.	10
516256	5580 lbs.	White	5/8 in.	600 ft.	20
516206	1130 lbs.	Yellow	1/4 in.	1200 ft.	8
516226	7650 lbs.	Yellow	3/4 in.	600 ft.	24
516210	1710 lbs.	Yellow	5/16 in.	1200 ft.	10



Rope – Unmanila™ Polypropylene

This rope has a simulated manila look with performance durability of polyolefin. It is a fibrillated film fiber that has balanced construction, medium lay and moderate strength/moderate stretch. It is lightweight and buoyant, and exhibits good abrasion resistance and excellent hand and knotability.

Item Number	Color	Cord Size	Put Up	Size Number
515218	Tan	1/4 in.	1200 ft.	8

Unmanila $^{\scriptscriptstyle{\text{TM}}}$ is a trademark of Wellington Puritan Mills, Inc.



506326

Cord - Nylon Shock

Nylon covered elastic cord of synthetic rubber. Ideal for sewing in boat cover hems, lacing down boat covers, car luggage racks and fastening applications.

Sold in full rolls only.

Item Number	Description	Color	Cord Size	Put Up
506326	Single Cover	White with Black Tracer	1/4 in.	150 ft.
506334	Single Cover	White with Black Tracer	1/4 in.	500 ft.
506317	Double Cover	Black	1/8 in.	300 ft.
506324	Single Cover	White with Black Tracer	1/8 in.	300 ft.
506325	Single Cover	White with Black Tracer	3/16 in.	150 ft.
506328	Single Cover	White with Black Tracer	3/8 in.	100 ft.
506327	Single Cover	White with Black Tracer	5/16 in.	150 ft.



506462

Cord – Single Cover Elastic

Elastic cord of synthetic rubber, designed to remain flexible and offer dependable elasticity when needed. When using any shock cords, always make sure ends are properly secured.

Warning: Secure hooks to ends carefully. Do not overstretch cord more than 50% of its normal length. Sudden disconnect in a stretched position may cause serious injury. Keep face and other vulnerable parts of the body away from the rebound path of the cord. Wear safety glasses during tie down and disconnect. Inspect cord before use. Discard if abraded, cut or cracked. Do not use to hold any surface which reacts to wind or air movement.

Item Number	Style Number	Description	Color	Cord Size	Put Up
506458	121	Cotton Covered	White with Black Tracer	1/4 in.	150 ft.
506455	130	Cotton Covered	White	1/8 in.	300 ft.
506462	350	Cotton Covered	White with Blue/Red Tracer	3/8 in.	100 ft.
506357	M-4	Polypropylene Covered	Black	1/4 in.	300 ft.
506355	M-4	Polypropylene Covered	Black	1/4 in.	500 ft.
506350	M-4	Polypropylene Covered	White with Black Tracer	1/4 in.	150 ft.
506348	M-3 Black	Polypropylene Covered	Black	3/16 in.	300 ft.
506340	M-3	Polypropylene Covered	White with Black Tracer	3/16 in.	1000 ft.
506363		Polypropylene Covered	White	3/16 in.	100 ft.
506349	M-3	Polypropylene Covered	White	3/16 in.	300 ft.
506354	M-6	Polypropylene Covered	White with Blue Tracer	3/8 in.	100 ft.
506356	M-5	Polypropylene Covered	Black	5/16 in.	150 ft.
506352	M-5	Polypropylene Covered	White with Blue Tracer	5/16 in.	150 ft.



Cord – Synthetic Shock

Synthetic shock cord with a polyester jacket.

Item Number	Color	Cord Size	Put Up
506489	White	1/8 in.	500 ft.
506490	White	3/16 in.	300 ft.
506491	White	1/4 in.	300 ft.
506492	White	5/16 in.	300 ft.
506493	White	3/8 in.	150 ft.
506494	White	1/2 in.	100 ft.
506497	Black	1/8 in.	500 ft.



06167

Cord – Cone Spring Hooks

Stainless steel. Used for fastening ends of elastic cords.

Item Number	Style Number	Cord Size	Put Up
506167	4	1/4 in.	100
506168	5	5/16 in.	100
506169	6	3/8 in.	100

Cord – Hog Ring Pliers



Fits 1/8 inch, 3/16 inch, 1/4 inch, 5/16 inch and 3/8 inch sizes of loop and end clamps.

Item Number	Style Number	Description
506150	1440AO	Opening Spring
506151	1440AC	Closing Spring



Cord – Loop And End Clamps

302 stainless steel. All looping rings are applied with clamp pliers. Used for splicing elastic cord.

Item Number	Style Number	Cord Size	Put Up
506161	X-0	1/4 in.	100
506160	X-00	1/8 and 3/16 in.	100
506162	X-1	5/16 in.	100
506163	X-2	3/8 in.	100